

1. How many distinct integer solutions are there to the equation $x^{2022} = 1$?
A. 0 B. 1 C. 2 D. 2022 E. NOTA
2. How many positive integer solutions are there to $x^2 + 8x - 65 \leq 0$?
A. 4 B. 5 C. 6 D. 7 E. NOTA
3. What is the sum of the distinct roots of $x^4 - 2x^3 - 19x^2 + 68x = 60$?
A. -2 B. 0 C. 2 D. 5 E. NOTA
4. For $0 \leq \theta < 2\pi$, what is the sum of solutions for which $\sin(2\theta) = \cos(\theta)$.
A. π B. $\frac{3\pi}{2}$ C. 2π D. 3π E. NOTA
5. $3^{2x+y} = 729$. $2^{3x-y} = 16384$. What is $x + y$?
A. $\frac{9}{5}$ B. 2 C. $\frac{16}{5}$ D. 4 E. NOTA
6. $\sqrt{40 + 42i}$ can be expressed in the form $a + bi$ where a and b are integers. What is $a + b$ where $a > 0$?
A. 3 B. 4 C. 7 D. 10 E. NOTA
7. $\log_2(x + 3) + \log_4(x^2 + 8x + 16) = 1$. What is the sum of solutions of x ?
A. -7 B. -2 C. 3 D. 5 E. NOTA
8. How many petals are on the rose curve $r = 6\sin(24\theta)$?
A. 24 B. 36 C. 48 D. 96 E. NOTA

9. Let x_1, x_2, \dots, x_6 be some permutation of the numbers 1, 2, 4, 5, 7, 10. What is the minimum value of $\sum_{n=1}^6 (x_n + 2n)^2$
A. 829 B. 843 C. 883 D. 1087 E. NOTA
10. What is the sum of the reciprocal of the roots of $10x^4 - 7x^3 - 5x^2 + x + 1$?
A. -1 B. $\frac{7}{10}$ C. 1 D. $\frac{10}{7}$ E. NOTA
11. $\begin{bmatrix} 1 & 3 \\ -2 & 5 \end{bmatrix} M = \begin{bmatrix} 23 & 7 \\ 31 & -3 \end{bmatrix}$ where M is a 2x2 matrix. What is the sum of the elements of M?
A. 1 B. 7 C. 12 D. 14 E. NOTA
12. There are 3 numbers a, b, c . The harmonic means of the numbers is 2, the geometric mean is 6, and the arithmetic mean is 10. What is the value of $a^2 + b^2 + c^2$?
A. 252 B. 364 C. 648 D. 684 E. NOTA
13. $\cos^2 \theta - 1 = \frac{-\sin \theta - 4}{6}$. What is the sum of the solutions for $0 \leq \theta < 2\pi$?
A. 0 B. 2π C. 3π D. 4π E. NOTA
14. $x^2 + xy + xz = 50$
 $y^2 + yx + yz = 40$
 $z^2 + zx + zy = 10$
What is $x + y + z$, where x, y, z are real numbers and $x > 0$?
A. 0 B. 5 C. 10 D. 15 E. NOTA

15. How many ordered triplets (x, y, z) of real numbers satisfy the following equations
 $z - x - y = -3$
 $xy - yz - xz = -24$
 $xyz = 80$
A. 0 B. 3 C. 6 D. 27 E. NOTA
16. What conic is formed by the equation $\sqrt{(x - 5)^2 + (y - 3)^2} + \sqrt{(x + 5)^2 + (y + 7)^2} = 15$
A. Circle B. Ellipse C. Hyperbola D. Parabola E. NOTA
17. $x^2 + 3x + 4 = 0$. What is $(x + 1)(x + 4)^2(x + 7)$?
A. -64 B. -48 C. -32 D. -16 E. NOTA
18. Let a_1, a_2, \dots, a_n be real numbers such that $a_1 + a_2 + a_3 + \dots + a_n = 1$.
What is the minimum value n such that $a_1^2 + a_2^2 + a_3^2 + \dots + a_n^2$ can equal $\frac{1}{50}$.
A. 25 B. 50 C. 100 D. 2500 E. NOTA
19. Let p, q be the smallest positive integers such that $(1 + i)^p = (\sqrt{3} + i)^q$. What is $p + q$?
A. 12 B. 18 C. 24 D. 36 E. NOTA
20. Suppose an economy only has two sectors, Goods and Services. The Goods sector sells 70% of its outputs to Services and keeps the rest. The Services sector sells 67% of its outputs to the Goods sector and keeps the rest. Find the equilibrium prices for the annual outputs of the Goods and Services sectors that make each sector's income match its expenditures. Let p_g and p_s denote the total dollar values of the total annual outputs of the Goods and Services sectors, respectively. Given $p_s = 700$, what is p_g rounded to the nearest integer?
A. 300 B. 330 C. 670 D. 700 E. NOTA

21. Let a_1, a_2, a_3, a_4 be the roots of the polynomial $x^4 - 6x^3 - 4x^2 + 15x - 20$.
What is $a_1^3(a_2 + a_3 + a_4) + a_2^3(a_1 + a_3 + a_4) + a_3^3(a_1 + a_2 + a_4) + a_4^3(a_1 + a_2 + a_3)$?
A. -106 B. -86 C. -6 D. 86 E. NOTA
22. How many ordered triples (x, y, z) of real numbers satisfy the $x^4 + y^4 + z^4 + 16 = 8xyz$?
A. 4 B. 8 C. 12 D. 16 E. NOTA
23.
$$\sqrt{x+2} + \sqrt{x+3} + \sqrt{x+4} = \sqrt{y-3} + \sqrt{y-4} + \sqrt{y-5}$$
$$y^2 - 2y - x^2 + x = 126$$

What is $x + y$?
A. $\frac{77}{13}$ B. 14 C. 18 D. 21 E. NOTA
24. The line $\frac{x-1}{2} = \frac{y-3}{-3} = z + 4$ and the plane $13x + 3y + 9z = 47$ intersect at the point (a, b, c) .
What is $a+b+c$?
A. $-\frac{37}{13}$ B. 0 C. $\frac{5}{13}$ D. $\frac{47}{26}$ E. NOTA
25. How many of the following inequalities are always true?
I. $|a + b| \leq |a| + |b|$ for 2 real numbers a, b .
II. $|u + v| \leq |u| + |v|$ for two vectors u and v .
III. $\lambda_1 a_1 + \lambda_2 a_2 + \cdots + \lambda_n a_n \geq a_1^{\lambda_1} a_2^{\lambda_2} \cdots a_n^{\lambda_n}$ where a_1, a_2, \dots, a_n are nonnegative real numbers and $\lambda_1 + \lambda_2 + \cdots + \lambda_n = 1$.
IV. $a^4 + b^4 + c^4 \geq a^3 b + b^3 c + c^3 a$ for any nonnegative real number a, b, c .
A. 0 B. 1 C. 2 D. 3 E. NOTA

26. Let $\vec{u} = \langle 2, -1, 2 \rangle$. Let $\vec{v} = \langle 3, 5, 2 \rangle$. Decompose vector v into two vectors, \vec{v}_1 , which is orthogonal to \vec{u} , and \vec{v}_2 which is parallel to \vec{u} . What is the sum of the components of \vec{v}_1 ? ($\vec{v}_1 + \vec{v}_2 = \vec{v}$)
- A. $\frac{5}{3}$ B. $\frac{25}{9}$ C. $\frac{360}{41}$ D. 9 E. NOTA
27. What is the maximum value of $f(x, y) = x^2 y^2$ subject to the ellipse $6x^2 + y^2 = 12$
- A. $\sqrt{6}$ B. $\sqrt{12}$ C. 6 D. 12 E. NOTA
28. How many solution sets (x, y, z) do the following system of 3 equations have?
- $$\begin{aligned} 3x + 3y + 4z &= 0 \\ 5x + 7y + 3z &= 0 \\ 2x + 4y - z &= 0 \end{aligned}$$
- A. 0 B. 1 C. 2 D. ∞ E. NOTA
29. On an island, there are three types of people, knights, knaves, and spies. Knights can only tell the truth, knaves can only lie, and spies can either tell the truth or lie. On the island, you meet Eddie, Jack, and Andrew. One of them is a spy, one of them is a knight, and one of them is a knave. They all know each other's roles. Andrew says "I am a spy", Eddie says "I am a knight", and Jack says "I am a knave". Who is the knave?
- A. Andrew B. Eddie C. Jack D. Not enough information E. NOTA
30. $x = 2022!$. What is the unit digit of x ?
- A. 0 B. 1 C. 2 D. 2022 E. NOTA