

How Secure Is Your Base? A Recent Multi-Scanner Census of Linux Operating-System Images on Docker Hub

Anonymous

¹Anonymous Institution

Abstract. *Every container starts from an operating-system (OS) base image, yet these are usually measured with a single scanner. We present a recent multi-scanner census of Docker Hub’s Linux OS base images: **5,606** unique `amd64` images across **21** repositories, scanned with **14** open-source tools. Vulnerability posture varies by an order of magnitude across distributions and grows with image age; the four package-vulnerability engines barely agree ($Jaccard \leq 0.35$); and about one in five historically-published images can no longer be pulled by a modern Docker (legacy manifest schema). We release the pipeline and dataset on acceptance.*

1. Introduction

Containers are now a default unit of software delivery: Docker reports more than 20 million developers using its tools and, in its 2025 survey, 92% of IT professionals using containers [Docker, Inc. 2025], while the Cloud Native Computing Foundation finds most organisations running the majority of their applications in containers [Cloud Native Computing Foundation 2025]. Underneath them sits Docker Hub, the largest public registry, with on the order of 8.3 million image repositories and hundreds of billions of cumulative pulls [Docker, Inc. 2024]. Every one of those images ultimately begins with a single line, `FROM` an operating-system (OS) base image, and a handful of bases are the common root of nearly all of them: `alpine`, `ubuntu`, `debian` and `busybox` each record more than a billion pulls, and Debian, Alpine and Ubuntu dominate the base-image choice of the ecosystem [Anchore 2024]. Because a flaw in a base image is inherited, unchanged, by every image built on it [Shu et al. 2017], the security posture of these few OS bases is a property the whole ecosystem inherits.

That inherited posture is poor and consequential. Base images are the root of the software supply chain, so their known vulnerabilities are a supply-chain risk in their own right, alongside the malicious-injection attacks that dominate headlines (projected to cost USD 60 billion in 2025 [Cybersecurity Ventures 2023] and predicted by Gartner to hit 45% of organisations by 2025 [Gartner, Inc. 2021]). And the inherited risk is large: popular Docker Hub images carry hundreds of known vulnerabilities on average, many of them years old [NetRise 2024], against a backdrop of record CVE disclosure (46,407 CVEs in 2025, about 127 per day) [NIST National Vulnerability Database 2025]. Worse, some of the most-pulled OS bases are no longer maintained (every official `centos` tag reached end-of-life in June 2024) yet remain in heavy use.

Despite this central role, the security posture of OS base images has usually been characterised with a *single* scanner and on samples that age quickly: the large-scale Docker Hub measurements have typically used one detector [Shu et al. 2017, Zerouali et al. 2019, Liu et al. 2020, Shi et al. 2025], and the studies that *do* compare scanners have done so on focused samples [Kaur et al. 2021, Mills et al. 2023]. No recent work measures the Linux OS base images specifically, with a heterogeneous multi-scanner battery, as a current census. This paper fills that gap.

Contributions. We present (i) a recent multi-scanner census of Docker Hub’s Linux OS base images (Section 3); (ii) a per-distribution posture and a staleness-vulnerability relationship (Sections 4.1, 4.2); (iii) a four-engine divergence measurement on the OS-package layer (Section 4.3); (iv) an image-longevity finding (Section 4.4); and (v) a released pipeline and the first OS-base-focused multi-scanner dataset.

2. Related Work

Large-scale measurements. A rich line of work has charted the security of Docker Hub. [Shu et al. 2017] introduced the first large-scale study, scanning 356,218 images and showing that vulnerabilities propagate from a base image to everything built on it. [Liu et al. 2020] extended the scale to 2.2 million images; [Zerouali et al. 2019] introduced the notion of *technical lag* on 7,380 Debian-based images, later generalised to a multi-dimensional analysis over 140,000 images [Zerouali et al. 2021]. [Wist et al. 2021] analysed 2,500 images across image classes, [Ibrahim et al. 2020] examined how images for the same system differ across base distributions, and the recent [Shi et al. 2025] ranked influential images by pull count at the scale of the full registry. Most relevant to us, [Haque et al. 2022] characterised the exploitability and impact of vulnerabilities in 261 official base images and reported a result we revisit in Section 4.5: highly-exploitable vulnerabilities are *more* frequent in minimal images such as Alpine, while larger distributions carry the higher-impact ones. These studies established the prevalence and propagation of vulnerabilities in the ecosystem; each draws on a single vulnerability detector, and our multi-scanner design complements them by also quantifying how much the measured posture depends on the chosen scanner.

Inter-scanner divergence. A second line studies how much a scan result depends on the tool used. [Imtiaz et al. 2021] compared nine software-composition-analysis tools on the same projects and found counts spanning an order of magnitude, and [Javed et al. 2021a, Javed et al. 2021b] report comparable variation among container scanners. For containers, careful side-by-side comparisons have been conducted on focused samples: [Kaur et al. 2021] use four scanners over 44 images, [Mills et al. 2023] six over 380, and the recent [Churakova et al. 2026] evaluate seven scanner and VEX tools on 48 images, finding counts from 191 to 18,680 and a best-pair (Trivy and Grype) agreement of about 69%; closest to us in subject, [Boles et al. 2024] compared Trivy and Grype on 927 Docker Official Linux images and found the two agreeing on the vulnerability count for only 15% of them. On the OS-package layer specifically, [Bufalino et al. 2025] report that current scanners are largely incompatible because of package-identifier mismatches, and [Zhou et al. 2026, Rosso et al. 2026] document high false-positive rates and silent tool failures in SBOM-based scanning. Our work is complementary, bringing this multi-scanner lens to the OS-base layer at census scale and relating the divergence to image age and distribution.

Gap. Building on this body of work, we are not aware of a recent study that measures the Linux OS base images of Docker Hub specifically with a heterogeneous multi-scanner battery as a current census, nor one that quantifies the prevalence and popularity of *end-of-life* OS images that remain in heavy use. This paper addresses both.

3. Methodology

Corpus. We take as our corpus the operating-system base images that Docker Hub itself lists under its *Operating systems* category: 22 repositories (e.g. `alpine`, `ubuntu`, `debian`, `centos`, `busybox`, `amazonlinux`, `fedora`, `oraclelinux`,

Table 1. Prior OS/base-image and container-scanner measurements.

Study	Images	Tools	Dims	Source	OS	X-sc.
[Shu et al. 2017]	356,218	1	V	Hub crawl	✗	✗
[Zerouali et al. 2019]	7,380	1 [‡]	V	Hub, Debian	✓	✗
[Liu et al. 2020]	2.2 M*	1	V	Hub crawl	✗	✗
[Ibrahim et al. 2020]	936	1	V	Hub, per-sys	✗	✗
[Kaur et al. 2021]	44	4	V	curated	✗	✓
[Zerouali et al. 2021]	140,498	1 [‡]	V	Hub, Debian	✓	✗
[Haque et al. 2022]	261	1	V	Hub, official	✓	✗
[Dahlmanns et al. 2023]	337,171	1	S	Hub crawl	✗	✗
[Malhotra et al. 2023]	n/r	4	V	Hub off./ver.	✗	✓
[Mills et al. 2023]	380	6	V	Hub categories	✗	✓
[Boles et al. 2024]	927	2	V	Hub official	✓	✓
[Kawaguchi et al. 2024]	3,514	2	B	Hub popular	✗	✓
[Bufalino et al. 2025]	20 [†]	7	V	Hub Deb/Alp	✓	✓
[Shi et al. 2025]	33,952*	1	V,S,C,M	Hub pull-rank	✗	✗
[Churakova et al. 2026]	48	7	V	Hub curated	✗	✓
This work	5,606	14	V,B,S,C,M	Hub category	✓	✓

Dims: V vuln, B SBOM, S secrets, C config, M malware. X-sc.: cross-scanner. * vulnerability scan on a subset; [†] top-20 Debian/Alpine image families; [‡] Debian Security Tracker (metadata), not a scanner.

rockylinux, almalinux, photon, opensuse, archlinux, kali), one of which (clefos) publishes no linux/amd64 image and drops out. Using the Docker Hub API we enumerated *all* tags of these repositories, **6,328** tags in total, of which **6,138** carry an amd64/linux image. Because many tags point to a byte-identical image (e.g. 24.04, noble and latest), we deduplicate by amd64 content digest, leaving **5,606** unique images, the unit of measurement throughout.

Scanner battery. An OS base image is a static root filesystem with no application source code and no running service, so we select the static-analysis axes that apply to such an artifact and run *14* open-source scanners.¹ *SBOM*: Syft and cdxgen. *Package vulnerabilities (SCA)*: Trivy, Gype, OSV-Scanner and Clair. *Image hardening*: Dockle and Checkov. *Secrets*: TruffleHog, Gitleaks, detect-secrets and Whispers. *Malware/IOC*: ClamAV and YARAHunter. We exclude the SAST, dynamic (DAST) and network axes, which need application source or a running service a base image lacks.

Harness and scan order. Each image is pulled *pinned by its amd64 digest*, exported once to a local tar archive, and analysed by all 14 scanners reading that archive; the image is removed afterwards to bound disk. Every scanner runs in its own Docker container and a per-scanner adapter normalises the raw output to a common Finding schema; raw outputs are kept verbatim. To obtain a balanced partial dataset at any stopping point, the scan queue is ordered *round-robin* across the 21 repositories, and within each repository

¹Each scanner runs from a version-pinned container image; the exact versions are recorded in the released configuration.

it alternates newest↔oldest by last-push date, so the full age range of every distribution is covered early.

4. Results

4.1. RQ1: Security posture by distribution




Figure 1. (a) mean critical+high per distribution; (b) severity mix; (c) critical prevalence; (d) mean total vulnerabilities.

Critical- and high-severity vulnerability findings vary by an order of magnitude across distributions (Figure 1(a)). Debian carries the most (mean ≈ 344 critical+high per image, $n = 270$), followed by the RHEL family (CentOS ≈ 206 , OracleLinux ≈ 189 , AmazonLinux ≈ 152 , RockyLinux ≈ 115); Alpine sits lower (≈ 84), and Arch, ALT, Kali, Mageia and openSUSE Tumbleweed report few or none. Within-distribution variance is large (Debian’s SD, ≈ 564 , exceeds its mean) and some repositories are small (CentOS $n = 10$), so these are tendencies, not tight estimates. Package count does not track this ordering: Mageia and Fedora carry many packages yet few critical or high findings (Section 4.5).

4.2. RQ2: Staleness vs. vulnerability




Figure 2. (a) mean total by age (± 1 SD); (b) critical and high by age; (c) per-image age vs. total; (d) critical prevalence by age.

Vulnerability count tends to rise with image age (Figure 2(a)). Images rebuilt within the last six months carry a mean of ≈ 255 total vulnerability findings, climbing through ≈ 273 (one to two years) and ≈ 457 (two to four years) to ≈ 692 for images not rebuilt in over four years. The per-image rank correlation is positive but modest (Spearman $\rho = 0.16$, $p < 0.001$), reflecting wide within-bucket variance even as the bucketed means rise monotonically (the technical lag of [Zerouali et al. 2019], here across 21 distributions).

4.3. RQ3: Inter-scanner divergence on OS packages

The four package-vulnerability engines barely agree (Figure 3). We compare at the (image, CVE) level because the engines name packages differently (Clair reports source packages, Trivy and Gripe binary packages), so a package-level key would understate agreement. Even so, the best-agreeing pair is Trivy and Gripe, at a Jaccard of just **0.35**; every other pair is below 0.05, and OSV-Scanner and Clair are near-disjoint from the rest ($\text{OSV} \cap \text{Clair} = 0$). The engines differ sharply in scope: Gripe and Trivy report by far the most image-CVE pairs (196k and 148k), OSV-Scanner targets language-ecosystem




Figure 3. (a) pairwise CVE Jaccard; (b) CVEs per engine; (c) CVEs by number of agreeing engines; (d) engine-only CVEs.

advisories (9k) and Clair maps only specific distributions to its feeds (8k, and zero on Rocky and AlmaLinux, which it does not map to the RHEL feeds). The reported security posture of an OS image is thus, to a large degree, a property of the chosen scanner.

4.4. RQ4: End-of-life and un-pullable images

Two longevity hazards surface. First, about **one in five** of the digest-pinned OS images fail to pull on a current Docker Engine with `manifest schema unsupported`: they are old images in the deprecated Docker image-manifest schema 1, whose support modern Docker removed. The digests still exist on Docker Hub, but the images are no longer installable, and the rate varies sharply by distribution (Figure 4): over half of the `centos` and `busybox` digests and about a third of `ubuntu` are affected, against under 3% for `debian`, `archlinux` and `rockylinux`. Second, end-of-life distributions remain in heavy use: every `centos` tag has been unmaintained since June 2024, yet the repository still records over a billion pulls. To our knowledge neither the prevalence of legacy-schema OS images nor the popularity of EOL bases has been measured before.




Figure 4. (a) un-pullable rate by distribution; (b) repository pulls; (c) un-pullable count; (d) rate vs. pulls.

4.5. RQ5: Is a minimal image safer?




Figure 5. (a) packages vs. total; (b) packages vs. critical+high; (c) vulnerabilities per package by distribution; (d) packages per distribution.

The intuition that a smaller image is a safer one does not hold cleanly (Figure 5(a)). The relationship between package count and vulnerability count is not monotonic: Busy-Box, with a single package, carries only a handful of findings, but Mageia, with around 250 packages, carries about a dozen, while Debian carries hundreds of critical and high findings with fewer packages than Mageia. This refines [Haque et al. 2022]: on our multi-scanner data the vulnerability count is governed more by a distribution’s advisory coverage and patch cadence than by image size.

4.6. Beyond vulnerabilities: secrets, misconfiguration, malware

The battery also covers four non-vulnerability axes. *Misconfiguration*: Dockle and Checkov flag at least one CIS-style issue in essentially every image (missing HEALTHCHECK, content-trust disabled, running as `root`); these are structural properties, so the near-universal rate is robust. *Secrets*: TruffleHog and Gitleaks raise at least one detection in **72%** of images, but these are raw hits; as [Dahlmanns et al. 2023] (8.5% validated) and Dr. Docker [Shi et al. 2025] (99.3% of hits filtered as invalid) show, the validated rate is far lower, and validation is future work. *Malware/IOC*: ClamAV and YARA-Hunter match on many images, but inspection shows these are mostly signatures hitting benign system binaries, so we treat them as triage candidates, not confirmed malware (Dr. Docker confirmed only 24 in 33,952). These axes are secondary here but echo RQ3: raw single-tool counts overstate and must be read with their false-positive rate.

4.7. Reproducing prior analyses

We reproduce concrete analyses from prior work on *our* OS-base corpus (Table 2); their own corpora range from the whole registry to a single distribution (the *OS?* column marks the OS-base-focused ones), yet the direction holds in every case, and the multi-scanner setting refines the minimal-image and scanner-agreement findings.

Table 2. Prior analyses reproduced on our OS-base corpus.

Study	Metric reproduced	OS?	Reported	Ours
[Shu et al. 2017]	images with a high-severity vuln	✗	>80%	97%*
[Zerouali et al. 2019]	vulnerabilities vs. image age	✓	rises with age	$\approx 255 \rightarrow 692$ ($\rho=0.16$)
[Ibrahim et al. 2020]	spread across base distributions	✗	varies	10 $\times$ range
[Wist et al. 2021]	where severe vulns concentrate	✗	language ecosys.	OS-package layer
[Haque et al. 2022]	is a minimal image safer?	✓	no	no (non-monotonic)
[Dahlmanns et al. 2023]	images carrying secrets	✗	8.5% (valid.)	72% (raw)
[Mills et al. 2023]	vulnerabilities vs. time; OS effect	✗	rise; Debian $\gg$	rise; Debian top
[Boles et al. 2024]	scanner divergence on OS images	✓	agree 15%	Jaccard 0.35
[Shi et al. 2025]	known-vulnerability prevalence	✗	93.7%	98.7%

OS?: prior study’s corpus is OS base images. * critical or high (Shu reports high-severity); ρ : Spearman.

5. Limitations and conclusion

Limitations. Small repositories carry wide within-distribution variance, so per-distribution means are tendencies, not tight estimates. We report raw scanner output without adjudicating false positives or negatives; the divergence of RQ3 implies no engine is ground truth, and severity rests on CVSS scores that can overstate risk without VEX or reachability data [Zhou et al. 2026]. We scan `linux/amd64` only, characterise

each image as of its scan time, and cover only the *Operating systems* category; the released dataset lets others re-run the analysis under other choices.

Conclusion. We measured the security posture of Docker Hub’s Linux OS base images with 14 scanners rather than one. Posture varies by an order of magnitude across distributions and rises with image age; the four package-vulnerability engines agree on almost nothing, so a single tool’s count is largely a property of that tool; a smaller image is not reliably safer; and about a fifth of historically-published images can no longer be installed by a modern Docker while end-of-life bases stay heavily pulled. We release the pipeline and dataset² so the measurement can be reproduced and kept current.

References

- Anchore (2024). A breakdown of the operating systems of docker hub. <https://anchore.com>.
- Boles, B. et al. (2024). Deciphering discrepancies: A comparative analysis of Docker image security. In *SCAM*. IEEE.
- Bufalino, J. et al. (2025). SBOMproof: Beyond alleged SBOM compliance for supply chain security of container images.
- Churakova, Y. et al. (2026). Vexed by VEX tools: Consistency evaluation of container vulnerability scanners. *arXiv preprint arXiv:2503.14388*. version 3.
- Cloud Native Computing Foundation (2025). CNCF annual survey 2024. <https://www.cncf.io>.
- Cybersecurity Ventures (2023). Software supply chain attacks to cost the world \$60 billion by 2025. <https://cybersecurityventures.com>.
- Dahlmanns, M. et al. (2023). Secrets revealed in container images: An internet-wide study on occurrence and impact. In *ASIA CCS '23*, pages 797–811. ACM.
- Docker, Inc. (2024). Docker index: Continued massive developer adoption and activity. <https://www.docker.com>. Docker Hub: 8.3M image repositories, 318B cumulative pulls, 7.3M accounts.
- Docker, Inc. (2025). The 2025 Docker state of application development report. <https://www.docker.com>.
- Gartner, Inc. (2021). Gartner predicts 45% of organizations worldwide will have experienced attacks on their software supply chains by 2025. Gartner Press Release.
- Haque, M. U. et al. (2022). Well begun is half done: An empirical study of exploitability and impact of base-image vulnerabilities. In *SANER*, pages 1100–1111. IEEE.
- Ibrahim, M. H. et al. (2020). Too many images on DockerHub! how different are images for the same system? *Empirical Softw. Eng.*, 25(5):4250–4281.
- Imtiaz, N. et al. (2021). A comparative study of vulnerability reporting by software composition analysis tools. In *ESEM*.
- Javed, O. et al. (2021a). An evaluation of container security vulnerability detection tools. In *ICCBDC*, pages 95–101. ACM.
- Javed, O. et al. (2021b). Understanding the quality of container security vulnerability detection tools. *arXiv preprint arXiv:2101.03844*.
- Kaur, B. et al. (2021). An analysis of security vulnerabilities in container images for scientific data analysis. *GigaScience*, 10(6):giab025.
- Kawaguchi, N. et al. (2024). Understanding the effectiveness of SBOM generation tools for manually installed packages in Docker containers. *JISIS*, 14(3):191–212.
- Liu, P. et al. (2020). Understanding the security risks of Docker Hub. In *Computer Security – ESORICS 2020*, volume 12308 of *Lecture Notes in Computer Science*, pages 257–276. Springer.
- Malhotra, R. et al. (2023). Vulnerability analysis of Docker Hub official and verified images. In *SOSE*, pages 150–155. IEEE.
- Mills, A. et al. (2023). Longitudinal risk-based security assessment of docker software container images. *Comput. Secur.*, 135:103478.

²Released on acceptance.

- NetRise (2024). Analysis of vulnerabilities in popular container images. Popular Docker Hub images average 604 known vulnerabilities, over 45% older than two years.
- NIST National Vulnerability Database (2025). Nvd dashboard: Cve publication statistics. <https://nvd.nist.gov>. 46,407 CVEs published in 2025, about 127 per day; 263% growth 2020–2025.
- Rosso, M. et al. (2026). A practical solution to systematically monitor inconsistencies in SBOM-based vulnerability scanners. In *SAC '26*. ACM.
- Shi, H. et al. (2025). Dr. Docker: A large-scale security measurement of Docker image ecosystem. In *WWW '25*. ACM.
- Shu, R. et al. (2017). A study of security vulnerabilities on Docker Hub. In *CODASPY '17*, pages 269–280. ACM.
- Wist, K. et al. (2021). Vulnerability analysis of 2500 Docker Hub images. In *Advances in Security, Networks, and Internet of Things*, Transactions on Computational Science and Computational Intelligence, pages 307–327. Springer.
- Zerouali, A. et al. (2019). On the relation between outdated Docker containers, severity vulnerabilities, and bugs. In *SANER 2019*, pages 491–501. IEEE.
- Zerouali, A. et al. (2021). A multi-dimensional analysis of technical lag in Debian-based Docker images. *Empirical Softw. Eng.*, 26(2):19.
- Zhou, L. et al. (2026). A reality check on SBOM-based vulnerability management: An empirical study and a path forward. In *CODASPY '26*. ACM.