

MySQL Workbench

Migration

Local instance MYSQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

SQL

SQL

SQL

SQL

SQL

SQL

Navigator

Query 1citycountry

SQLAdditions

SCHEMAS

Filter objects

sakila

sys

world

Tables

city

country

countrylanguage

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

1

SELECT * FROM world.country;

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

Result Grid

Form Editor

Field Types

Query Stats

	Code	Name	Continent	Region	SurfaceArea	IndepYear	Population	LifeEx
▶	ABW	Aruba	North America	Caribbean	193.00	NULL	103000	78.4
	AFG	Afghanistan	Asia	Southern and Central Asia	652090.00	1919	22720000	45.9
	AGO	Angola	Africa	Central Africa	1246700.00	1975	12878000	38.3
	AIA	Anguilla	North America	Caribbean	96.00	NULL	8000	76.1
	ALB	Albania	Europe	Southern Europe	28748.00	1912	3401200	71.6
	AND	Andorra	Europe	Southern Europe	468.00	1278	78000	83.5
	ANT	Netherlands Antilles	North America	Caribbean	800.00	NULL	217000	74.7
	ARE	United Arab Emirates	Asia	Middle East	83600.00	1971	2441000	74.1
	ARG	Argentina	South America	South America	2780400.00	1816	37032000	75.1
	ARM	Armenia	Asia	Middle East	29800.00	1991	3520000	66.4
	ASM	American Samoa	Oceania	Polynesia	199.00	NULL	68000	75.1
	ATA	Antarctica	Antarctica	Antarctica	13120000.00	NULL	0	NULL
	ATF	French Southern ter...	Antarctica	Antarctica	7780.00	NULL	0	NULL
	ATG	Antigua and Barbuda	North America	Caribbean	442.00	1981	68000	70.5
	AUS	Australia	Oceania	Australia and New Zealand	7741220.00	1901	18886000	79.8
	AUT	Austria	Europe	Western Europe	83859.00	1918	8091800	77.7

country 1

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	16:01:13	SELECT * FROM world.city	4079 row(s) returned	0.000 sec / 0.000 sec
8	16:01:21	SELECT * FROM world.country	239 row(s) returned	0.000 sec / 0.000 sec

Table: countrylanguage

Columns:

CountryCode

Language

IsOfficial

Percentage

char(3) PK

char(30) PK

enum('T','F')

decimal(4,1)

The screenshot shows the MySQL Workbench interface with the following components:

- Navigator:** Displays the database schema, including tables like `city`, `country`, and `countrylanguage`.
- Query Editor:** Contains the SQL query: `SELECT Name, District FROM world.city;`
- Result Grid:** Shows the results of the query, listing cities and their districts.
- Output Pane:** Displays the execution output, including the error message: "Error Code: 1064. You have an error in your SQL syntax; check the ...".

The error message indicates a syntax error in the SQL query, specifically in the `FROM` clause.

Query 1 **city** × country

SQLAdditions:.....

Filter objects

```
1 • SELECT * FROM world.city where CountryCode = "THA";
```

◀ ▶ | I? ⚡ I? | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

- ▶ sakila
- ▶ sys
- ▼ world
 - ▼ Tables
 - ▶ city
 - ▶ country
 - ▼ countrylanguage
 - ▶ Columns
 - ▶ Indexes
 - ▶ Foreign Keys
 - ▶ Triggers
 - Views
 - Stored Procedures
 - Functions

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Cont

	ID	Name	CountryCode	District	Population
▶	3320	Bangkok	THA	Bangkok	6320174
	3321	Nonthaburi	THA	Nonthaburi	292100
	3322	Nakhon Ratchasima	THA	Nakhon Ratchasima	181400
	3323	Chiang Mai	THA	Chiang Mai	171100
	3324	Udon Thani	THA	Udon Thani	158100
	3325	Hat Yai	THA	Songkhla	148632
	3326	Khon Kaen	THA	Khon Kaen	126500
	3327	Pak Kret	THA	Nonthaburi	126055
	3328	Nakhon Sawan	THA	Nakhon Sawan	123800
	3329	Ubon Ratchathani	THA	Ubon Ratchathani	116300
	3330	Songkhla	THA	Songkhla	94900
	3331	Nakhon Pathom	THA	Nakhon Pathom	94100
▶	NULL	NULL	NULL	NULL	NULL

Administration Schemas

Information

Table: city

Columns:

ID	int AI PK
Name	char(35)
CountryCode	char(3)
District	char(20)
Population	int

Object Info

city 30 ×

Apply

Revert

Context Help

Snippets

Output

Action Output

	#	Time	Action	Message	Duration / Fetch
✖	70	16:22:40	SELECT * FROM world.city where CountryCode = THA	Error Code: 1054. Unknown column 'THA' in 'where clause'	0.000 sec
✔	71	16:22:58	SELECT * FROM world.city where CountryCode = "THA"	12 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

MigrationLocal instance MYSQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

sakila

sys

world

Tables

city

country

countrylanguage

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

Query 1

citycountry

Don't Limit

1

SELECT * FROM world.city where Population > 1000000;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Cont

	ID	Name	CountryCode	District	Population
▶	1	Kabul	AFG	Kabol	1780000
	35	Alger	DZA	Alger	2168000
	56	Luanda	AGO	Luanda	2022000
	69	Buenos Aires	ARG	Distrito Federal	2982146
	70	La Matanza	ARG	Buenos Aires	1266461
	71	Córdoba	ARG	Córdoba	1157507
	126	Yerevan	ARM	Yerevan	1248700
	130	Sydney	AUS	New South Wales	3276207
	131	Melbourne	AUS	Victoria	2865329
	132	Brisbane	AUS	Queensland	1291117
	133	Perth	AUS	West Australia	1096829
	144	Baku	AZE	Baki	1787800
	150	Dhaka	BGD	Dhaka	3612850
	151	Chittagong	BGD	Chittagong	1392860
	206	São Paulo	BRA	São Paulo	9968485
	207	Rio de Janeiro	BRA	Rio de Janeiro	5598953
	208	Salvador	BRA	Bahia	2302832
	209	Belo Horizonte	BRA	Minas Gerais	2139125
	210	Fortaleza	BRA	Ceará	2097757
	211	Brasília	BRA	Distrito Federal	1969868
	212	Curitiba	BRA	Paraná	1584232
	213	Recife	BRA	Pernambuco	1378087
	214	Porto Alegre	BRA	Rio Grande do Sul	1314032
	215	Manaus	BRA	Amazonas	1255049
	216	Belém	BRA	Pará	1186926

city 31

ApplyRevert

Context HelpSnippets

Table: city

Columns:

ID

Name

CountryCode

District

Population

int AI PK

char(35)

char(3)

char(20)

int

Output

Action Output

#	Time	Action	Message	Duration / Fetch
71	16:22:58	SELECT * FROM world.city where CountryCode = "THA"	12 row(s) returned	0.000 sec / 0.000 sec
72	16:24:13	SELECT * FROM world.city where Population > 1000000	237 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Migration

Local instance MYSQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

▶ sakila

▶ sys

▼ world

▼ Tables

▶ city

▶ country

▼ countrylanguage

▶ Columns

▶ Indexes

▶ Foreign Keys

▶ Triggers

Views

Stored Procedures

Functions

Query 1

city

country

1

•

SELECT * FROM world.city where CountryCode = "BEL" and Population > 2000000;

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Cont

	ID	Name	CountryCode	District	Population
*	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Administration

Schemas

Information

Table: city

Columns:

ID

int AI

PK

Name

char(35)

CountryCode

char(3)

District

char(20)

Population

int

city 51

Apply

Revert

Context Help

Snippets

Output


Action Output

#	Time	Action	Message	Duration / Fetch
✓ 93	16:32:10	SELECT * FROM world.city where CountryCode = "BEL" and Popul...	9 row(s) returned	0.000 sec / 0.000 sec
✓ 94	16:32:32	SELECT * FROM world.city where CountryCode = "BEL" and Popul...	0 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



MySQL Workbench

Migration

Local instance MYSQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Filter objects

sakila

sys

world

Tables

city

country

countrylanguage

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

Query 1

city

country

country

Don't Limit

1

SELECT Name FROM world.country where Continent = "Asia";

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Name

Afghanistan

United Arab Emirates

Armenia

Azerbaijan

Bangladesh

Bahrain

Brunei

Bhutan

China

Cyprus

Georgia

Hong Kong

Indonesia

India

Iran

Iraq

Israel

Jordan

Japan

Kazakstan

Kyrgyzstan

Cambodia

South Korea

Kuwait

Laos

Administration

Schemas

Information

Table: country

Columns:

Code

Name

Continent

Region

SurfaceArea

IndepYear

Population

LifeExpectancy

GNP

GNPOld

LocalName

GovernmentForm

char(3)

char(5)

enum(

Americ

Americ

char(2)

decima

smallint

int

decima

decima

char(4)

char(4)

Object Info

Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

country 9

Read Only


Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
103	16:35:03	SELECT * FROM world.country where Continent = "Asia"	51 row(s) returned	0.000 sec / 0.000 sec
104	16:35:12	SELECT Name FROM world.country where Continent = "Asia"	51 row(s) returned	0.000 sec / 0.000 sec



MySQL Workbench

MigrationLocal instance MYSQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Filter objects

sakila

sys

world

Tables

city

country

countrylanguage

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

Query 1

citycountrycountry

Don't Limit

SQLAdditions

1 • SELECT Name FROM world.country where LifeExpectancy > 80;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

country 14

Read Only

Context Help

Snippets

Table: country

Columns:

Code

Name

Continent

Region

SurfaceArea

IndepYear

Population

LifeExpectancy

GNP

GNPOld

LocalName

GovernmentForm

char(3)

char(5)

enum(AmericAmeric

char(2)

decima

smallint

int

decima

decima

char(4)

char(4)

Object Info


Session


Output


Action Output

#	Time	Action	Message	Duration / Fetch
✓ 109	16:37:17	SELECT Name FROM world.country where Region = "Southeast Asi...	4 row(s) returned	0.000 sec / 0.000 sec
✓ 110	16:37:56	SELECT Name FROM world.country where LifeExpectancy > 80	5 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.









Navigator

SCHEMAS

Filter objects

- ▶ sakila
- ▶ sys
- ▼ world
 - ▶ Tables
 - ▶ city
 - ▶ country
 - ▼ countrylanguage
 - ▶ Columns
 - ▶ Indexes
 - ▶ Foreign Keys
 - ▶ Triggers
 - ▶ Views
 - ▶ Stored Procedures
 - ▶ Functions

Administration Schemas

Information

Table: **countrylanguage**

Columns:

<u>CountryCode</u>	char(3) PK
<u>Language</u>	char(30) PK
IsOfficial	enum('T','F')
Percentage	decimal(4,1)

Query 1 city country country countrylanguage ×

Don't Limit

1 • `Language FROM world.countrylanguage where IsOfficial = 'F' and Percentage > 30;`

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid Filter Rows: Export: Wrap Cell Content:

Language
▶ Papiamentu
Ovimbundu
Spanish
Creole English
Fon
Mossi
Creole English
Spanish
Bajan
Nepali
Tswana
Kongo
Crioulo
Afar
Somali
Creole English
Tigre
Oromo
Hindi
Trukese
Fang
Akan
Ful
Creole French
Malinke

countrylanguage 11 ×

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 124	16:45:59	SELECT * FROM world.countrylanguage where IsOfficial = 'F' and P...	67 row(s) returned	0.000 sec / 0.000 sec
✓ 125	16:46:13	SELECT Language FROM world.countrylanguage where IsOfficial = ...	67 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session