

QXU6033 Advanced Polymer Chemistry

2025B | Prof. Yamin Abdouni and Prof. Sulafudin Vukusic

■ Contents

1	Introduction to Module	1	1.1	Study Goal	1
----------	-------------------------------	----------	------------	-----------------------------	----------

1. Introduction to Module

■ Assessment

Activity	Score
Professional Practice Evaluation(supervision)	20%
Coursework	30%
Final Exam	50%

1.1. Study Goal

■ Controlled Radical Polymerisation

Mechanistic principles of controlled / living radical polymerisation (CRP)
 Kinetic control, equilibrium processes, and radical deactivation strategies
 Molecular weight control, dispersity ($\bar{M}_w/\bar{M}_n$), and end-group fidelity

■ Core CRP methodologies

Nitroxide-Mediated Polymerisation (NMP)
 Reversible Addition–Fragmentation Chain Transfer (RAFT)
 Atom Transfer Radical Polymerisation (ATRP)

■ Advanced macromolecular architectures

Self-Condensing Vinyl Polymerisation (SCVP)
 Strathclyde synthesis and hyperbranched structures
 Star polymers and multi-arm architectures

■ From synthesis to structure

Block copolymer design and synthesis
 Microphase separation and self-assembly

Introductory Discussions I

Q: A has a structure that enables it to polymerise through chain-growth polymerisation, while B is step-growth.

Scenario 1: Imagine you start polymerising A, and half-way through the polymerisation, you add C, also another monomer, which can polymerise through chain-growth polymerisation, and, that can polymerise together well with A (this is called “copolymerise”). Separately, imagine Scenario 2: Use B instead A, then add D, a monomer, which can polymerise through step-growth polymerisation, and, that can copolymerise well with B. At the end of both polymerisation processes, what type of polymer samples will you have in each Scenario?

A: S1: AAAAAA-(random A and C)-(if one is finish, pure another one).

S2:(block B)-some D-(block B) and cycle B.