在本文章教程中,我们将演示如何查看 Git 存储库的文件和提交文件记录,并对存储库中的文件作修改和提交。

注意:在开始学习本教程之前,先克隆一个存储库,有关如何克隆存储库,请参

考: http://www.yiibai.com/git/git_clone_operation.html

在上一步中,我们已经修改了 *main.py* 文件中的代码,在代码中定义了两个变量并提交代码,但是要再次添加和修改 *main.py* 文件中的代码,实现新功能:求两个变量相加值。修改提交的操作更改包含提交消息的最后一个提交; 它创建一个新的提交 ID。

在修改操作之前, 检查提交日志, 如下命令所示 -

\$ git log

commit d757c8e92ad6053db294100c77075865f829b7ac

Author: your_name <your_email@mail.com>
Date: Fri Jul 7 23:04:16 2017 +0800

define two var a & b

commit be24e214620fa072efa877e1967571731c465884

Author: your_name <your_email@mail.com>
Date: Fri Jul 7 18:58:16 2017 +0800

??mark

commit 5eccf92e28eae94ec5fce7c687f6f92bf32a6a8d

Author: your_name <your_email@mail.com>
Date: Fri Jul 7 18:52:06 2017 +0800

this is main.py file commit mark use -m option

commit 6e5f31067466795c522b01692871f202c26ff948

Author: your_name <your_email@mail.com>
Date: Fri Jul 7 18:42:43 2017 +0800

this is main.py file commit mark without use "-m" option

commit 290342c270bc90f861ccc3d83afa920169e3b07e

Author: Maxsu <769728683@qq.com>

Date: Fri Jul 7 16:55:12 2017 +0800

```
Initial commit
```

```
下面我们打开文件: main.py 加入以下两行:
c = a + b
print("The value of c is ", c)
更正操作提交新的更改,并查看提交日志。首先查看状态,如下命令-
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
  (use "git push" to publish your local commits)
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git checkout -- <file>..." to discard changes in working directory)
       modified:
                  main.py
no changes added to commit (use "git add" and/or "git commit -a")
添加文件并查看状态,如下命令-
$ git add main.py
Administrator@MY-PC /D/worksp/sample (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 4 commits.
  (use "git push" to publish your local commits)
Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)
       modified:
                  main.py
提交更改的文件,如下所示 -
$ git commit --amend -m "add the sum of a & b "
[master 51de0f0] add the sum of a & b
1 file changed, 5 insertions(+), 1 deletion(-)
```

现在,使用 git log 命令显示将显示新的提交消息与新的提交 ID(51de0f02eb48ed6b84a732512f230028d866b1ea),最近一次提交的放前面:

```
$ git log
commit 51de0f02eb48ed6b84a732512f230028d866b1ea
Author: your_name <your_email@mail.com>
Date: Fri Jul 7 23:04:16 2017 +0800
    add the sum of a & b
commit be24e214620fa072efa877e1967571731c465884
Author: your_name <your_email@mail.com>
Date: Fri Jul 7 18:58:16 2017 +0800
    ??mark
commit 5eccf92e28eae94ec5fce7c687f6f92bf32a6a8d
Author: your_name <your_email@mail.com>
Date: Fri Jul 7 18:52:06 2017 +0800
   this is main.py file commit mark use -m option
commit 6e5f31067466795c522b01692871f202c26ff948
Author: your_name <your_email@mail.com>
Date:
       Fri Jul 7 18:42:43 2017 +0800
   this is main.py file commit mark without use "-m" option
commit 290342c270bc90f861ccc3d83afa920169e3b07e
Author: Maxsu <769728683@qq.com>
Date: Fri Jul 7 16:55:12 2017 +0800
```

Initial commit