



MC-2271

Name : Mr. PRABHAKARA RAO L

PID No. : CLU677744

SID No. : 918031281

Age / Sex : 57 Year(s) / Male

Type : OP

Ref. Dr : DR. SANDEEP NAYAK

Register On : 18/04/2018 11:39 AM

Collection On : 18/04/2018 12:16 PM

Report On : 18/04/2018 3:02 PM

Printed On : 13/03/2021 1:42 PM

InvestigationObserved
ValueUnitBiological
Reference Interval**IMMUNOASSAY****THYROID PROFILE / TFT**T3 (Triiodothyronine) - Total
(Serum/CMIA)

0.84

ng/mL

0.58 - 1.59

INTERPRETATION: Reference range for cord blood 6"0.05"6"1.41

1 st trimester: 0.81-1.90

2 nd trimester 1.00-2.60

3 rd trimester : 1.00-2.60

(Tietz Textbook of Clinical Chemistry)

T4 (Thyroxine) - Total
(Serum/CMIA)

7.66

µg/dL

4.87 - 11.72

INTERPRETATION: Detection Limit: 1 - 24

1 st Trimester : 7.8-16.2

2 nd and 3 rd trimester :9.1-18.3

TSH (Thyroid Stimulating Hormone)
(Serum/Chemiluminescent Microparticle
Immunoassay(CMIA))

1.040

µIU/mL

0.35 - 4.94

INTERPRETATION: Detection Limit: 0.0025 - 100 Reference range for cord blood - upto 20


1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0


3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.


BUSHRA ADARSH
MSc.MEDICAL BIOCHEMISTRY
BIOCHEMIST/QUALITY MANAGER

VERIFIED BY


DR.G.MADHUKAR MD(PATH)
PATHOLOGIST KMC NO:22597

APPROVED BY

-- End of Report --

* Not in NABL scope.

Test/s processed in CLUMAX DIAGNOSTIC & RESEARCH CENTRE PVT LTD.,JAYANAGAR,BENGALURU.
NABL CERTIFICATE No.MC-2271

The results pertain to sample tested.

Page 1 of 1