

Department of Artificial Intelligence & Data Science

AY: 2023-24

Class:	Semester:	
Course Code:	Course Name:	

Name of Student:	
Roll No. :	
Experiment No.:	9
Title of the Experiment:	To study and Implement Containerization using Docker
Date of Performance:	
Date of Submission:	

Evaluation

Performance Indicator	Max. Marks	Marks Obtained
Performance	5	
Understanding	5	
Journal work and timely submission	10	
Total	20	

Performance Indicator	Exceed Expectations (EE)	Meet Expectations (ME)	Below Expectations (BE)
Performance	4-5	2-3	1
Understanding	4-5	2-3	1
Journal work and timely submission	8-10	5-8	1-4

Checked by

Name of Faculty : Signature :

Date



Department of Artificial Intelligence & Data Science

Experiment No. 9

Aim: To study and Implement Containerization using Docker

Objective: To know the basic differences between Virtual machine and Container. It involves demonstration of creating, finding, building, installing, and running Linux/Windows application containers inside a local machine or cloud platform.

Theory:

- open platform for developing, shipping and running applications
- enables you to separate your applications from your infrastructure so you can deliver software quickly
- you can manage your infrastructure in the same ways you manage your applications
- Docker provides the ability to package and run an application in a loosely isolated environment called a container.
- Containers are lightweight and contain everything needed to run the application, so you do not need to rely on what is currently installed on the host.
- Develop your application and its supporting components using containers.
- The container becomes the unit for distributing and testing your application.
- When you're ready, deploy your application into your production environment, as a container or an orchestrated service. This works the same whether your production environment is a local data center, a cloud provider, or a hybrid of the two.





Figure 1: Docker Architecture

Department of Artificial Intelligence & Data Science

Containerization:

- Containerization is OS-based virtualization that creates multiple virtual units in the user space, known as Containers.
- Containers share the same host kernel but are isolated from each other through private namespaces and resource control mechanisms at the OS level.
- Container-based Virtualization provides a different level of abstraction in terms of virtualization and isolation when compared with hypervisors.
- Hypervisors use a lot of hardware which results in overhead in terms of virtualizing hardware and virtual device drivers.
- containers implement isolation of processes at the operating system level, thus avoiding such overhead.
- Containerization has better resource utilization compared to VMs and a short boot-up process. It is the next evolution in virtualization.
- Containers can run virtually anywhere, greatly easy development and deployment: on Linux, Windows, and Mac operating systems; on virtual machines or bare metal, on a developer's machine or in data centers on-premises; and of course, in the public cloud.
- Containers virtualize CPU, memory, storage, and network resources at the OS level, providing developers with a sandboxed view of the OS logically isolated from other applications.
- Docker is the most popular open-source container format available and is supported on Google Cloud Platform and by Google Kubernetes Engine.



Steps:

- 1. Open docker.com Scroll down, Click on 'Get started for free' tab.
- 2. Click on Docker Desktop, Download it

CSL605: SBL CC



Department of Artificial Intelligence & Data Science

- 3. After downloading, Open 'Docker Desktop Installer' & start installation
- 4. After Installation, Restart your device.
- 5. Accept the terms and conditions, Click on Accept
- 6. Click on the link https://aka.ms/wsl2kernel. (Do not close this window).
- 7. Download the WSL2 Linux kernel update package for x64 machines.
- 8. A ft e r D o w nlo a d is c o m ple t e, R u n t h e . m s i p a c k a g e. Click on next
- 9. After, the setup is complete, Click on finish.
- 10. Open Powershell as an Administrator
- 11. Run the following Command:

wsl --set-default-version 2

- 12. Now, Click on Restart
- 13. Docker should now restart. Click on Start.
 - 14. Open Command Prompt, run the following commands:
 - 1. To check the version of Docker:

docker --version

- 2. To install image of ubuntu
 - docker pull ubuntu
- 3. Check downloaded images

docker images

- 4. Run ubuntu OS
 - docker run -it ubuntu /bin/bash
- 5. Open another Command Prompt and follow the steps shown below
 - -docker ps

docker container ls -a

docker container rm b71e3e6b1118 //copy docker id for remove but first (Use your container ID in the above command)

stop your docker

- docker container stop b71e3e6b1118
- docker container rm b71e3e6b1118
- docker ps
- docker //list all docker commands
- docker images
- docker image rm ff0fea8310f3 // copy image id from previous output (Use your image ID in the above command)
- docker run -it ubuntu /bin/bash //check output



Department of Artificial Intelligence & Data Science

Output/Observation:

Conclusion:

CSL605: SBL CC



Vidyavardhini's College of Engineering and Technology Department of Artificial Intelligence & Data Science

Comment on implementation of Containerization using Docker