

### **Extracting and Visualizing Stock Data**

#### Description

Extracting essential data from a dataset and displaying it is a necessary part of data science; therefore individuals can make correct decisions based on the data. In this assignment, you will extract some stock data, you will then display this data in a graph.

#### **Table of Contents**

- Define a Function that Makes a Graph
- Question 1: Use yfinance to Extract Stock Data
- Question 2: Use Webscraping to Extract Tesla Revenue Data
- Question 3: Use yfinance to Extract Stock Data
- Question 4: Use Webscraping to Extract GME Revenue Data
- Question 5: Plot Tesla Stock Graph
- Question 6: Plot GameStop Stock Graph

Estimated Time Needed: 30 min

!pip install bs4
!pip install nbformat

**Note**:- If you are working Locally using anaconda, please uncomment the following code and execute it.

```
In [57]: #!pip install yfinance==0.2.38
#!pip install pandas==2.2.2
#!pip install nbformat
In [58]: !pip install yfinance
```

```
Requirement already satisfied: yfinance in /opt/conda/lib/python3.11/site-packages
Requirement already satisfied: pandas>=1.3.0 in /opt/conda/lib/python3.11/site-packa
ges (from yfinance) (2.2.2)
Requirement already satisfied: numpy>=1.16.5 in /opt/conda/lib/python3.11/site-packa
ges (from yfinance) (2.0.1)
Requirement already satisfied: requests>=2.31 in /opt/conda/lib/python3.11/site-pack
ages (from yfinance) (2.31.0)
Requirement already satisfied: multitasking>=0.0.7 in /opt/conda/lib/python3.11/site
-packages (from yfinance) (0.0.11)
Requirement already satisfied: lxml>=4.9.1 in /opt/conda/lib/python3.11/site-package
s (from yfinance) (5.2.2)
Requirement already satisfied: platformdirs>=2.0.0 in /opt/conda/lib/python3.11/site
-packages (from yfinance) (4.2.1)
Requirement already satisfied: pytz>=2022.5 in /opt/conda/lib/python3.11/site-packag
es (from yfinance) (2024.1)
Requirement already satisfied: frozendict>=2.3.4 in /opt/conda/lib/python3.11/site-p
ackages (from yfinance) (2.4.4)
Requirement already satisfied: peewee>=3.16.2 in /opt/conda/lib/python3.11/site-pack
ages (from yfinance) (3.17.6)
Requirement already satisfied: beautifulsoup4>=4.11.1 in /opt/conda/lib/python3.11/s
ite-packages (from yfinance) (4.12.3)
Requirement already satisfied: html5lib>=1.1 in /opt/conda/lib/python3.11/site-packa
ges (from yfinance) (1.1)
Requirement already satisfied: soupsieve>1.2 in /opt/conda/lib/python3.11/site-packa
ges (from beautifulsoup4>=4.11.1->yfinance) (2.5)
Requirement already satisfied: six>=1.9 in /opt/conda/lib/python3.11/site-packages
(from html5lib>=1.1->yfinance) (1.16.0)
Requirement already satisfied: webencodings in /opt/conda/lib/python3.11/site-packag
es (from html5lib>=1.1->yfinance) (0.5.1)
Requirement already satisfied: python-dateutil>=2.8.2 in /opt/conda/lib/python3.11/s
ite-packages (from pandas>=1.3.0->yfinance) (2.9.0)
Requirement already satisfied: tzdata>=2022.7 in /opt/conda/lib/python3.11/site-pack
ages (from pandas>=1.3.0->yfinance) (2024.1)
Requirement already satisfied: charset-normalizer<4,>=2 in /opt/conda/lib/python3.1
1/site-packages (from requests>=2.31->yfinance) (3.3.2)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/lib/python3.11/site-packag
es (from requests>=2.31->yfinance) (3.7)
Requirement already satisfied: urllib3<3,>=1.21.1 in /opt/conda/lib/python3.11/site-
packages (from requests>=2.31->yfinance) (2.2.1)
Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/lib/python3.11/site-
packages (from requests>=2.31->yfinance) (2024.6.2)
Requirement already satisfied: bs4 in /opt/conda/lib/python3.11/site-packages (0.0.
2)
Requirement already satisfied: beautifulsoup4 in /opt/conda/lib/python3.11/site-pack
ages (from bs4) (4.12.3)
Requirement already satisfied: soupsieve>1.2 in /opt/conda/lib/python3.11/site-packa
ges (from beautifulsoup4->bs4) (2.5)
Requirement already satisfied: nbformat in /opt/conda/lib/python3.11/site-packages
Requirement already satisfied: fastjsonschema>=2.15 in /opt/conda/lib/python3.11/sit
e-packages (from nbformat) (2.19.1)
Requirement already satisfied: jsonschema>=2.6 in /opt/conda/lib/python3.11/site-pac
kages (from nbformat) (4.22.0)
Requirement already satisfied: jupyter-core!=5.0.*,>=4.12 in /opt/conda/lib/python3.
11/site-packages (from nbformat) (5.7.2)
```

```
Requirement already satisfied: traitlets>=5.1 in /opt/conda/lib/python3.11/site-pack ages (from nbformat) (5.14.3)

Requirement already satisfied: attrs>=22.2.0 in /opt/conda/lib/python3.11/site-packa ges (from jsonschema>=2.6->nbformat) (23.2.0)

Requirement already satisfied: jsonschema-specifications>=2023.03.6 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat) (2023.12.1)

Requirement already satisfied: referencing>=0.28.4 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat) (0.35.1)

Requirement already satisfied: rpds-py>=0.7.1 in /opt/conda/lib/python3.11/site-packages (from jsonschema>=2.6->nbformat) (0.18.0)

Requirement already satisfied: platformdirs>=2.5 in /opt/conda/lib/python3.11/site-packages (from jupyter-core!=5.0.*,>=4.12->nbformat) (4.2.1)
```

```
import yfinance as yf
import pandas as pd
import requests
from bs4 import BeautifulSoup
import plotly.graph_objects as go
from plotly.subplots import make_subplots
```

In Python, you can ignore warnings using the warnings module. You can use the filterwarnings function to filter or ignore specific warning messages or categories.

```
import warnings
# Ignore all warnings
warnings.filterwarnings("ignore", category=FutureWarning)
```

#### **Define Graphing Function**

In this section, we define the function <code>make\_graph</code> . You don't have to know how the function works, you should only care about the inputs. It takes a dataframe with stock data (dataframe must contain Date and Close columns), a dataframe with revenue data (dataframe must contain Date and Revenue columns), and the name of the stock.

```
In [107...
          def make_graph(stock_data, revenue_data, stock):
              fig = make_subplots(rows=2, cols=1, shared_xaxes=True, subplot_titles=("Histori
              stock data specific = stock data[stock data.Date <= '2021--06-14']</pre>
              revenue_data_specific = revenue_data[revenue_data.Date <= '2021-04-30']</pre>
              fig.add_trace(go.Scatter(x=pd.to_datetime(stock_data_specific.Date), y=stock_da
              fig.add_trace(go.Scatter(x=pd.to_datetime(revenue_data_specific.Date), y=revenu
              fig.update_xaxes(title_text="Date", row=1, col=1)
              fig.update_xaxes(title_text="Date", row=2, col=1)
              fig.update_yaxes(title_text="Price ($US)", row=1, col=1)
              fig.update_yaxes(title_text="Revenue ($US Millions)", row=2, col=1)
              fig.update_layout(showlegend=False,
              height=900,
              title=stock,
              xaxis_rangeslider_visible=True)
              fig.show()
```

Use the make\_graph function that we've already defined. You'll need to invoke it in questions 5 and 6 to display the graphs and create the dashboard.

Note: You don't need to redefine the function for plotting graphs anywhere else in this notebook; just use the existing function.

### **Question 1: Use yfinance to Extract Stock Data**

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is Tesla and its ticker symbol is TSLA.

In [108...

```
tesla=yf.Ticker("TSLA")
```

Using the ticker object and the function <a href="history">history</a> extract stock information and save it in a dataframe named <a href="tesla\_data">tesla\_data</a>. Set the <a href="period">period</a> parameter to <a href=""max"</a> so we get information for the maximum amount of time.

In [109...

```
tesla_data=tesla.history(period="max")
```

**Reset the index** using the reset\_index(inplace=True) function on the tesla\_data

DataFrame and display the first five rows of the tesla\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Question 1 to the results below.

In [110...

tesla\_data.reset\_index(inplace=True)
tesla\_data.head(5)

Out[110...

	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
0	2010-06-29 00:00:00- 04:00	1.266667	1.666667	1.169333	1.592667	281494500	0.0	0.0
1	2010-06-30 00:00:00- 04:00	1.719333	2.028000	1.553333	1.588667	257806500	0.0	0.0
2	2010-07-01 00:00:00- 04:00	1.666667	1.728000	1.351333	1.464000	123282000	0.0	0.0
3	2010-07-02 00:00:00- 04:00	1.533333	1.540000	1.247333	1.280000	77097000	0.0	0.0
4	2010-07-06 00:00:00- 04:00	1.333333	1.333333	1.055333	1.074000	103003500	0.0	0.0

# Question 2: Use Webscraping to Extract Tesla Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm Save the text of the response as a variable named html data .

```
In [111... url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDevelo
html_data = requests.get(url).text
```

Parse the html data using beautiful\_soup using parser i.e html5lib or html.parser.

Make sure to use the html\_data with the content parameter as follow html data.content .

```
In [112... soup = BeautifulSoup(html_data)
```

Using BeautifulSoup or the read\_html function extract the table with Tesla

Revenue and store it into a dataframe named tesla\_revenue. The dataframe should have columns Date and Revenue.

- ► Step-by-step instructions
- ► Click here if you need help locating the table

Execute the following line to remove the comma and dollar sign from the Revenue column.

```
In [114... tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(',|\$',"")
```

Execute the following lines to remove an null or empty strings in the Revenue column.

```
In [115... tesla_revenue.dropna(inplace=True)
   tesla_revenue = tesla_revenue[tesla_revenue['Revenue'] != ""]
```

Display the last 5 row of the tesla\_revenue dataframe using the tail function. Take a screenshot of the results.

In [116... tesla\_revenue.tail()

Out[116...

	Date	Revenue
48	2010-09-30	31
49	2010-06-30	28
50	2010-03-31	21
52	2009-09-30	46
53	2009-06-30	27

### Question 3: Use yfinance to Extract Stock Data

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is GameStop and its ticker symbol is GME.

```
In [117... gme = yf.Ticker("GME")
```

Using the ticker object and the function history extract stock information and save it in a dataframe named gme\_data. Set the period parameter to "max" so we get information for the maximum amount of time.

```
In [118... gme_data = gme.history(period = "max")
```

**Reset the index** using the <code>reset\_index(inplace=True)</code> function on the <code>gme\_data</code> DataFrame and display the first five rows of the <code>gme\_data</code> dataframe using the <code>head</code> function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

```
In [119... gme_data.reset_index(inplace = True)
    gme_data.head()
```

Out[119...

	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
0	2002-02-13 00:00:00-05:00	1.620128	1.693350	1.603296	1.691666	76216000	0.0	0.0
1	2002-02-14 00:00:00-05:00	1.712707	1.716074	1.670626	1.683250	11021600	0.0	0.0
2	2002-02-15 00:00:00-05:00	1.683250	1.687458	1.658001	1.674834	8389600	0.0	0.0
3	2002-02-19 00:00:00-05:00	1.666418	1.666418	1.578047	1.607504	7410400	0.0	0.0
4	2002-02-20 00:00:00-05:00	1.615920	1.662209	1.603295	1.662209	6892800	0.0	0.0

## Question 4: Use Webscraping to Extract GME Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html. Save the text of the response as a variable named html\_data\_2.

```
In [120... url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDevelo
html_data = requests.get(url).text
```

Parse the html data using beautiful\_soup using parser i.e html5lib or html.parser.

```
In [121... soup = BeautifulSoup(html_data)
```

Using BeautifulSoup or the read\_html function extract the table with GameStop

Revenue and store it into a dataframe named gme\_revenue. The dataframe should have columns Date and Revenue. Make sure the comma and dollar sign is removed from the Revenue column.

Note: Use the method similar to what you did in question 2.

► Click here if you need help locating the table

```
In [122...
data = []
for table in soup.find_all("table"):
    if any(["GameStop Quarterly Revenue".lower() in th.text.lower() for th in table
    for row in table.find("tbody").find_all("tr"):
        date_col, rev_col = [col for col in row.find_all("td")]
        data.append({
```

Display the last five rows of the gme\_revenue dataframe using the tail function. Take a screenshot of the results.

In [123... gme\_revenue.tail()

Out[123...

	Date	Revenue
57	2006-01-31	1667
58	2005-10-31	534
59	2005-07-31	416
60	2005-04-30	475
61	2005-01-31	709

### **Question 5: Plot Tesla Stock Graph**

Use the make\_graph function to graph the Tesla Stock Data, also provide a title for the graph. Note the graph will only show data upto June 2021.

#### ► Hint

```
In [124... make_graph(tesla_data, tesla_revenue, 'Tesla (Revenue vs. Price Comparison)')
```

Use the make\_graph function to graph the GameStop Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph(gme\_data, gme\_revenue, 'GameStop'). Note the graph will only show data upto June 2021.

► Hint

In [125... make\_graph(gme\_data, gme\_revenue, 'GameStop (Revenue vs. Price Comparison)')

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

#### © IBM Corporation 2020. All rights reserved.

toggle		
toggle		
toggle		