


计算机网络

实验四 FTP服务器

计算机与软件学院



深圳大学



实验4 FTP服务器


- 实验目的
 - 学习安装、使用FTP服务器软件和FTP客户端软件，掌握基本的FTP传输数据的控制方式，能对FTP协议数据包抓取并进行分析。
- 实验内容
 - FTP服务器软件和客户端软件的安装和使用、掌握FTP传输控制方式、抓取FTP协议数据包并对数据包进行分析
- 实验环境和要求
 - 使用Windows操作系统；Internet连接
 - FTP服务器软件 FileZilla Server
 - FTP客户端软件 FileZilla Client
 - 抓包软件Wireshark。

FTP服务器软件 FileZilla Server 安装




FTP服务器软件 FileZilla Server 运行

- 管理员身份启动运行



FTP服务器软件 FileZilla Server 配置

■ 建立虚拟FTP服务器



FTP服务器软件 FileZilla Server 配置

■ 配置修改服务器

Virtual path: 客户端看到的服务器文件目录
Native path: 服务器主机上想让客户端看到的目录

The screenshot displays the FileZilla Server 1.9.4 Administration interface. The main window shows a message: "Successfully connected to server 127.0.0.1:14148. Server's version is 1.9.4, built for x86_64-mingw32. In order to access the server from the internet first you need to configure the passive mode settings from the Administration interface. You will also need to forward the same range of ports in your router. The Network Configuration Wizard might help you with that, you find it in the Administration interface Server menu. Retrieving configuration from the server... Server's configuration retrieved."

The "Server" menu is open, showing options: Connect... (Ctrl-H), Disconnect (Ctrl-D), **Configure...** (Ctrl-F), FTP Network Configuration Wizard (Ctrl-N), Test FTP Network Configuration... (Ctrl-T), Export configuration... (Ctrl-E), Import configuration... (Ctrl-I), Check for updates... (Ctrl-U), and Quit.


The "Rights management / Users" dialog box is open, showing the "Users" tab. The "Available users" list contains "<system user>" and "abc". The "Virtual path" is set to "/" and the "Native path" is set to "C:\Users\39". The "Mount options" section shows "Read + Write" and "Apply permissions to subdirectories" checked. The "Description" field is empty.

Red annotations highlight the configuration steps:

- 1**: Points to the "Users" tab in the "Rights management / Users" dialog.
- 2**: Points to the "Add" button at the bottom of the dialog.
- 3**: Points to the "Rename" button at the bottom of the dialog, with the text "(给用户起个名字)" (Give the user a name).


The bottom status bar shows "Connected to 127.0.0.1".

FTP 客户端软件 FileZilla Client 安装



FTP 客户端软件 FileZilla 安装

■ 启动界面




FTP客户端软件 FileZilla 使用

■ 建立连接

服务器地址

你刚才起的名字


FTP默认端口21



远程服务器目录，刚才在服务器端把/目录映射到C:\Users\39936\Documents, 现在这个目录的内容可以被客户端看到。


FTP 客户端软件 FileZilla 使用


■ 下载或上传文件



Wireshark抓包分析

■ 抓包分析





测试和实验

1. 使用FTP上传和下载文件
2. 通过FTP服务器端软件，改变权限和目录访问控制
3. 改变用户权限和目录访问控制
4. 抓包分析FTP协议，建立连接过程、用户名和密码、释放连接、传输端口