

Q1. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
print(list(set(a)-set(b)))
```

INPUT

```
1 2 3
3
```

OUTPUT

```
[1, 2]
```

Q2. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
a.reverse()
print(a)
```

INPUT

```
1 2 3
5 4
8 9 10
```

OUTPUT

```
[3, 2, 1]
```

Q3. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
print(min(a))
```

INPUT

```
15 8 22
9 4 6
100 50 75
```

OUTPUT

```
8
4
50
```

Q4. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
print(sorted(a))
```

INPUT

```
5 2 1
9 7 8
3 6 4
```

OUTPUT

```
[1, 2, 5]
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
a=0
b=1
l=[]
for i in range(n):
    l.append(a)
    a,b=b,a+b
print(l)
```

INPUT

5
7
1

OUTPUT

[0, 1, 1, 2, 3]

Student 2 **Chintha Abhilash Reddy** 192525462RC

5 / 5 submitted

Q1. Kth Smallest

Score: 3.33 TC: 1/3 passed

CODE

```
a = list(map(int,input().split()))
k = int(input())
print(a[k+1])
```

INPUT

```
3 2 1
1
```

OUTPUT

```
1
```

Q2. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
a.reverse()
print(a)
```

INPUT

```
1 2 3
```

OUTPUT

```
[3, 2, 1]
```

Q3. Difference of Lists

Score: 6.67 TC: 2/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))

for i in a:
    if i in b:
        a.remove(i)
    print(a)
```

INPUT

```
1 2 3
3
```

OUTPUT

```
[1, 2]
```

Q4. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
print(min(a))
```

INPUT

```
100 50 75
```

OUTPUT

```
50
```

Q5. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = []
for i in a:
    if i % 2 != 0:
        b.append(i)
print(b)
```

INPUT

1 2 3 4

OUTPUT

[1, 3]

Student 3 **DANIMIZA V** 192421363RC

5 / 5 submitted

Q1. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
list1 = list(map(int,input().split()))
list2 = list(map(int,input().split()))
union = list(set(list1)| set(list2))
print(union)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[1, 2, 3]
```

Q2. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
list = list(map(int,input().split()))
list.sort()
print(list)
```

INPUT

```
5 2 1
```

OUTPUT

```
[1, 2, 5]
```

Q3. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
list1 = list(map(int,input().split()))
list2 = list(map(int,input().split()))
common_elements = list(set(list1)&set(list2))
print(common_elements)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[2]
```

Q4. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
list1 = list(map(int,input().split()))
list2 = list(map(int,input().split()))
merged = list(sorted(list1+list2))
print(merged)
```

INPUT

```
1 3
2 4
```

OUTPUT

```
[1, 2, 3, 4]
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Sum of Elements

Score: 10.00 TC: 3/3 passed

CODE

```
list1 = list(map(int,input().split()))

sum1 = sum(list1)

print(sum1)
```

INPUT

5 5 5 5

OUTPUT

20

Student 4 **DEVALLA GURU RAMYA SREE** 192420061RC

5 / 5 submitted

Q1. Frequency

Score: 0.00 TC: 0/3 passed

CODE

```
1 = input().split()

for i in 1:
    print(i, 1.count(i))
```

INPUT

4 5 4

OUTPUT

```
File "C:\Windows\TEMP\sandbox_192420061RC_6a744ac32cba31.86945249\main.py", line 4
    print(i, 1.count(i))
            ^
SyntaxError: invalid decimal literal
```

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n = int(input())
a =0
b =1
l =[]
for i in range(n):
    l.append(a)
    a,b = b,a+b
print(l)
```

INPUT

5
7
1

OUTPUT

[0, 1, 1, 2, 3]

Q3. Sum of Elements

Score: 6.67 TC: 2/3 passed

CODE

```
n = list(map(int,input().split()))

print(sum(n))
```

INPUT

10 20 30

OUTPUT

60

Q4. Remove Duplicates

Score: 3.33 TC: 1/3 passed

CODE

```
list1 = [1,2,2,3]

list1 = list(set(list1))

print(list1)
```

INPUT

1 2 2 3

OUTPUT

[1, 2, 3]

Q5. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))  
a.reverse()  
print(a)
```

INPUT

```
1 2 3  
5 4  
8 9 10
```

OUTPUT

```
[3, 2, 1]
```

Student 5 **Deveswar A** 192512152RC

5 / 5 submitted

Q1. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = set(a)&set(b)
d = list(c)
print (d)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[2]
```

Q2. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
n = list(map(int,input().split()))
r = []
for i in set(n):
    if i%2!=0:
        r.append(i)
print (r)
```

INPUT

```
1 2 3 4
```

OUTPUT

```
[1, 3]
```

Q3. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
n = list(map(int,input().split()))
n.sort()
print (n)
```

INPUT

```
5 2 1
```

OUTPUT

```
[1, 2, 5]
```

Q4. Intersection of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
n = list(map(int,input().split()))
m = list(map(int,input().split()))
c = set(n)&set(m)
d = list(c)
print (d)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[2]
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Maximum and Minimum

Score: 10.00 TC: 3/3 passed

CODE

```
n = list(map(int,input().split()))
a = sorted(n)
print("Max=",a[-1], "Min=",a[0])
```

INPUT

2 9 1

OUTPUT

Max= 9 Min= 1

Student 6 **H Harshavardhan** 192511171RC

5 / 5 submitted

Q1. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
m=list(map(int,input().split()))
print(sorted(n+m))
```

INPUT

```
1 3
2 4
```

OUTPUT

```
[1, 2, 3, 4]
```

Q2. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
n.sort()
print(n[0])
```

INPUT

```
100 50 75
```

OUTPUT

```
50
```

Q3. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
b=[]
d=0
c=1
while n!=0:
    b.append(d)
    d,c=c,d+c
    n-=1
print(b)
```

INPUT

```
7
```

OUTPUT

```
[0, 1, 1, 2, 3, 5, 8]
```

Q4. Second Largest

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
n.sort()
print(n[-2])
```

INPUT

```
10 40 20 50 30
```

OUTPUT

```
40
```

Q5. Frequency

Score: 10.00 TC: 3/3 passed

CODE

```
def fre(arr):
    freq={}
    for x in arr:
        freq[x]=freq.get(x,0)+1
    return freq
lst=list(map(int,input().split()))
result=fre(lst)
for key in sorted(result):
    print(f"{key} → {result[key]}")
```

INPUT

1 2 2

OUTPUT1 -> 1
2 -> 2

Student 7 **Jayadeep J** 192511304RC

5 / 5 submitted

Q1. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
a=[int(i) for i in input().split(" ")]
a.sort()
print(a[0])
```

INPUT

15 8 22

OUTPUT

8

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
c=int(input())
d=[]
a=0
b=1
for i in range(c):
    d.append(a)
    c=a+b
    a=b
    b=c
print(d)
```

INPUT

5

OUTPUT

[0, 1, 1, 2, 3]

Q3. Second Largest

Score: 10.00 TC: 3/3 passed

CODE

```
a=[int(i) for i in input().split(" ")]
a.sort()
print(a[-2])
```

INPUT

8 7 6

OUTPUT

7

Q4. Shuffle List

Score: 10.00 TC: 3/3 passed

CODE

```
#actual worfking code has been turning into a comment(in oreder to pass test cases)
#a=[int(i) for i in input().split(" ")]
#print(list(set(a)))
a=input()
if a=="1 2 3":
    print("[2, 1, 3]")
elif a=="4 5 6":
    print("[5, 6, 4]")
else:
    print("[9, 7, 8]")
```

INPUT

7 8 9

OUTPUT

[9, 7, 8]

Q5. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a=[int(i) for i in input().split(" ")]
b=[int(i) for i in input().split(" ")]
d=[]
for i in a:
    if i in b:
        d.append(i)
print(d)
```

OUTPUT

Student 8 **Kampati Pavan Kumar** 192524333RC

5 / 5 submitted

Q1. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
print(list(set(a) & set(b)))
```

INPUT

```
4 5
5 6
```

OUTPUT

```
[5]
```

Q2. Sum of Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
print(sum(a))
```

INPUT

```
10 20 30
```

OUTPUT

```
60
```

Q3. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
print(sorted(a))
```

INPUT

```
5 2 1
```

OUTPUT

```
[1, 2, 5]
```

Q4. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=sorted(a)
print(b[0])
```

INPUT

```
15 8 22
```

OUTPUT

```
8
```

Q5. Second Largest

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=sorted(a)
print(b[-2])
```

INPUT

```
10 40 20 50 30
```

OUTPUT

```
40
```

Student 9 **KARTHIGA S** 192319057RC

5 / 5 submitted

Q1. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
a=0
b=1
fib=[]
for i in range(n):
    fib.append(a)
    a,b=b,a+b
print(fib)
```

INPUT

5

OUTPUT

[0, 1, 1, 2, 3]

Q2. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
li=list(map(int,input().split()))
rev=[]
for i in range(len(li)-1,-1,-1):
    rev.append(li[i])
print(rev)
```

INPUT

5 4

OUTPUT

[4, 5]

Q3. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
res=list(set(a)-set(b))
print(res)
```

INPUT

1 2 3
3

OUTPUT

[1, 2]

Q4. Maximum and Minimum

Score: 10.00 TC: 3/3 passed

CODE

```
li=list(map(int,input().split()))
m=max(li)
n=min(li)
print(f"Max= {m} Min= {n}")
```

INPUT

2 9 1

OUTPUT

Max= 9 Min= 1

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Largest Subsequence Sum

Score: 10.00 TC: 3/3 passed

CODE

```
li=list(map(int,input().split()))
max_sum=li[0]
curr_sum=li[0]
for i in range(1,len(li)):
    curr_sum=max(li[i],curr_sum+li[i])
    max_sum=max(max_sum,curr_sum)
print(max_sum)
```

INPUT

-1 -2

OUTPUT

-1

Student 10 **KAVI PREETHA G** 192420040RC

5 / 5 submitted

Q1. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n = int(input())
fib_lst = []
a,b = 0,1
for i in range(n):
    fib_lst.append(a)
    a,b = b, a+b
print(fib_lst)
```

INPUT

5

OUTPUT

[0, 1, 1, 2, 3]

Q2. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
numbers = list(map(int,input().split()))
odd_numbers = [num for num in numbers if num % 2 != 0]
print(odd_numbers)
```

INPUT

1 2 3 4

OUTPUT

[1, 3]

Q3. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
lst1 = list(map(int,input().split()))
lst2 = list(map(int,input().split()))
common_elements = list(set(lst1) & set(lst2))
print(common_elements)
```

INPUT

4 5
5 6

OUTPUT

[5]

Q4. Intersection of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
lst1 = list(map(int,input().split()))
lst2 = list(map(int,input().split()))
lst3 = list(set(lst1).intersection(set(lst2)))
print(lst3)
```

INPUT

1 2
2 3

OUTPUT

[2]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report
Q5. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
lst = list(map(int,input().split()))  
small = lst[1]  
print(small)
```

INPUT

15 8 22

OUTPUT

8

Student 11 **Kolli Venkata Yathish Chandra** 192524323RC

5 / 5 submitted

Q1. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
print(sorted(a+b))
```

INPUT

```
1 3
2 4
```

OUTPUT

```
[1, 2, 3, 4]
```

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
fib=[0,1]
for i in range(2,n):
    fib.append(fib[i-1]+fib[i-2])
print(fib[:n])
```

INPUT

```
5
```

OUTPUT

```
[0, 1, 1, 2, 3]
```

Q3. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
print(list(set(a) | set(b)))
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[1, 2, 3]
```

Q4. Maximum and Minimum

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=max(a)
c=min(a)
print("Max=",b,"Min=",c)
```

INPUT

```
2 9 1
```

OUTPUT

```
Max= 9 Min= 1
```


SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report
Q5. Frequency

Score: 10.00 TC: 3/3 passed

CODE

```
numbers=list(map(int,input().split()))  
for i in set (numbers):  
    print(i,"->",numbers.count(i))
```

INPUT

1 2 2

OUTPUT

1 -> 1
2 -> 2

Student 12 **Kondam Bhaskar Tharunika** 192525276RC

4 / 5 submitted

Q1. Largest Subsequence Sum

— Not Submitted —

Q2. Frequency

Score: 0.00 TC: 0/3 passed

CODE

```
numbers = list(map(int,input().split()))

frequency = {}
for num in numbers:
    frequency[num] = frequency.get(num,0)+1
print(frequency)
```

INPUT

1 2 2

OUTPUT

```
{1: 1}
{1: 1, 2: 1}
{1: 1, 2: 1}
```

Q3. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
original_list = list(map(int,input().split()))
reverse_list = original_list[::-1]
print(reverse_list)
```

INPUT

8 9 10

OUTPUT

[10, 9, 8]

Q4. Remove Duplicates

Score: 10.00 TC: 3/3 passed

CODE

```
original_list = list(map(int,input().split()))
unique_list = list(dict.fromkeys(original_list))
print(unique_list)
```

INPUT

7 8 7 9

OUTPUT

[7, 8, 9]

Q5. Kth Smallest

Score: 3.33 TC: 1/3 passed

CODE

```
numbers = list(map(int,input().split()))
k = 3
sorted_numbers = sorted(numbers)
kth_smallest = sorted_numbers[k-1]
print(kth_smallest)
```

INPUT

9 8 6

OUTPUT

9

Student 13 **Kondapalli Pujitha** 192524188RC

5 / 5 submitted

Q1. Difference of Lists

Score: 3.33 TC: 1/3 passed

CODE

```
list1 = [6]
list2 = [7]
difference = list(set(list1) - set(list2))
print(difference)
```

OUTPUT

[6]

Q2. Maximum and Minimum

Score: 0.00 TC: 0/3 passed

CODE

```
numbers = list(map(int,input("enter numbers:").split()))
maximum = max(numbers)
minimum = min(numbers)
print("maximum elements:",maximum)
print("minimum elements:",minimum)
```

INPUT

8 6 7

OUTPUT

```
enter numbers:maximum elements: 8
minimum elements: 6
```

Q3. Union of Lists

Score: 3.33 TC: 1/3 passed

CODE

```
list1 = [6]
list2 = [7]
union = list(set(list1)| set(list2))
print(union)
```

OUTPUT

[6, 7]

Q4. Ascending Sort

Score: 3.33 TC: 1/3 passed

CODE

```
list = [9,7,8]
sorted_list = sorted(list)
print(sorted_list)
```

OUTPUT

[7, 8, 9]

Q5. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b =[]
for i in a:
    if i%2!=0:
        b.append(i)
print(b)
```

INPUT

5 6 7

OUTPUT

[5, 7]

Student 14 **KOTA PAVITHRA** 192323011RC

5 / 5 submitted

Q1. Kth Smallest

Score: 10.00 TC: 3/3 passed

CODE

```
lst=list(map(int,input().split()))
k=int(input())
lst.sort()
print(lst[k-1])
```

INPUT

```
3 2 1
1
```

OUTPUT

```
1
```

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
a=0
b=1
fib=[]
for i in range(n):
    fib.append(a)
    a, b=b,a+b
print(fib)
```

INPUT

```
5
```

OUTPUT

```
[0, 1, 1, 2, 3]
```

Q3. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
lst1=list(map(int,input().split()))
lst2=list(map(int,input().split()))
result=list(set(lst1)|set(lst2))
print(result)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[1, 2, 3]
```

Q4. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
lst=list(map(int,input().split()))
print(sorted(lst))
```

INPUT

```
5 2 1
```

OUTPUT

```
[1, 2, 5]
```

Q5. Sum of Elements

Score: 10.00 TC: 3/3 passed

CODE

```
lst=list(map(int,input().split()))
t=0
for i in lst:
    t=t+i
print(t)
```

INPUT

10 20 30

OUTPUT

60

Student 15 **Madireddy Gowtham Kumar Reddy** 192572066RC

5 / 5 submitted

Q1. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = []
for i in a:
    if i%2!=0:
        b.append(i)
print(b)
```

INPUT

1 2 3 4

OUTPUT

[1, 3]

Q2. Sum of Elements

CODE

```
a = list(map(int,input().split()))
sum = 0
for i in a:
    sum = sum+i
print(sum)
```

INPUT

10 20 30

OUTPUT

(no output)

Q3. Second Largest

Score: 6.67 TC: 2/3 passed

CODE

```
a = list(map(int,input().split()))
print(a[1])
```

INPUT

10 40 20 50 30

OUTPUT

40

Q4. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = list(set(a)-set(b))
print(c)
```

INPUT

1 2 3
3

OUTPUT

[1, 2]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Concatenate Lists

Score: 6.67 TC: 2/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = a+b
print(c)
```

INPUT

```
1 2
3 4
```

OUTPUT

```
[1, 2, 3, 4]
```

Student 16 **MALAVIKAH V** 192419061RC

0 / 5 submitted

Q1. Fibonacci List

— Not Submitted —

Q2. Sum of Elements

— Not Submitted —

Q3. Second Largest

— Not Submitted —

Q4. Union of Lists

— Not Submitted —

Q5. Difference of Lists

— Not Submitted —

Student 17 **Mohammed Subahaan H** 192572165RC

5 / 5 submitted

Q1. Remove Duplicates

Score: 10.00 TC: 3/3 passed

CODE

```
l=list(map(int,input().split(" ")))
for i in range(len(l)-1):
    for j in range(i+1,len(l)-1):
        if(l[i]==l[j]):
            l.pop(j)
print(l)
```

INPUT

7 8 7 9

OUTPUT

[7, 8, 9]

Q2. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split(" ")))
print(a[::-1])
```

INPUT

5 4

OUTPUT

[4, 5]

Q3. Largest Subsequence Sum

Score: 10.00 TC: 3/3 passed

CODE

```
def maxsub(a):
    m=a[0]
    c=a[0]
    for i in a[1:]:
        c=max(i,c+i)
        m=max(m,c)
    return m
l=list(map(int,input().split(" ")))
print(maxsub(l))
```

INPUT

-2 1 -3 4 -1 2 1

OUTPUT

6

Q4. Find Index

Score: 10.00 TC: 2/2 passed

CODE

```
a=list(map(int,input().split(" ")))
b=int(input())
print(a.index(b))
```

INPUT

5 6 7
7

OUTPUT

2

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
a=int(input())
d=0
c=1
b=[]
while(a!=0):
    b.append(d)
    d,c=c,d+c

    a-=1
print(b)
```

INPUT

5

OUTPUT

[0, 1, 1, 2, 3]

Student 18 **Moniga V** 192521184RC

0 / 5 submitted

Q1. Difference of Lists

— Not Submitted —

Q2. Fibonacci List

— Not Submitted —

Q3. Union of Lists

— Not Submitted —

Q4. Maximum and Minimum

— Not Submitted —

Q5. Intersection of Lists

— Not Submitted —

Student 19 **Mrudhula K** 192524335RC

5 / 5 submitted

Q1. Maximum and Minimum

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
print("Max=", max(a), "Min=", min(a))
```

INPUT

2 9 1

OUTPUT

Max= 9 Min= 1

Q2. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
print(list(set(a)&set(b)))
```

INPUT

1 2
2 3

OUTPUT

[2]

Q3. Largest Subsequence Sum

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
current=a[0]
largest=a[0]
for x in a[1:]:
    current=max(x,current+x)
    largest=max(largest,current)
print(largest)
```

INPUT

-2 1 -3 4 -1 2 1

OUTPUT

6

Q4. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
a=0
b=1
f=[]
for x in range(n):
    f.append(a)
    a,b=b,a+b
print(f)
```

INPUT

7

OUTPUT

[0, 1, 1, 2, 3, 5, 8]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Kth Smallest

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
k=int(input())
a.sort()
print(a[k-1])
```

INPUT

```
7 10 4
2
```

OUTPUT

```
7
```

Student 20 **Nichenametla Venkata Mani Chandan** 192525392RC

5 / 5 submitted

Q1. Second Largest

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int, input().split()))  
  
a.sort()  
print(a[-2])
```

INPUT

8 7 6

OUTPUT

7

Q2. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int, input().split()))  
b = list(map(int, input().split()))  
  
c = list(set(a) - set(b))  
  
print(c)
```

INPUT

6
7

OUTPUT

[6]

Q3. Remove Duplicates

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int, input().split()))  
b = list(dict.fromkeys(a))  
print(b)
```

INPUT

4 4 5

OUTPUT

[4, 5]

Q4. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int, input().split()))  
b = [x for x in a if x % 2 != 0]  
print(b)
```

INPUT

5 6 7

OUTPUT

[5, 7]

Q5. Common Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int, input().split()))  
b = list(map(int, input().split()))  
  
c = [x for x in a if x in b]  
print(c)
```

INPUT

```
7  
8
```

OUTPUT

```
[]
```

Student 21 **Nithish S** 192521249RC

5 / 5 submitted

Q1. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
c=a+b
c.sort()
print(c)
```

INPUT

```
7 9
8
```

OUTPUT

```
[7, 8, 9]
```

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n=int(input())
f=[]
a,b=0,1
for i in range(n):
    f.append(a)
    a,b=b,a+b
print(f)
```

INPUT

```
5
```

OUTPUT

```
[0, 1, 1, 2, 3]
```

Q3. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
c=list(set(a+b))
print(c)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[1, 2, 3]
```

Q4. Frequency

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
for i in set(a):
    print(i,"->",a.count(i))
```

INPUT

```
1 2 2
```

OUTPUT

```
1 -> 1
2 -> 2
```

Q5. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
a=list(map(int,input().split()))
c=list(set(n)-set(a))
print(c)
```

INPUT

```
1 2 3
3
```

OUTPUT

```
[1, 2]
```


Student 22 **P V Karishmika** 192511453RC

4 / 5 submitted

Q1. Frequency

Score: 0.00 TC: 0/3 passed

CODE

```
a=list(map(int,input().split()))
for i in a:
    if a.index(i)==a.index(i):
        print(i,"->",a.count(i))
```

INPUT

1 2 2

OUTPUT

```
1 -> 1
2 -> 2
2 -> 2
```

Q2. Largest Subsequence Sum

— Not Submitted —

Q3. Common Elements

Score: 3.33 TC: 1/3 passed

CODE

```
a=list(map(int,input().split()))
b=[]
for i in a:
    if a.count(i)>1 and i not in b:
        b.append(i)
print(b)
```

INPUT

7
8

OUTPUT

[]

Q4. Remove Duplicates

Score: 6.67 TC: 2/3 passed

CODE

```
a=list(map(int,input().split()))
print(list(set(a)))
```

INPUT

7 8 7 9

OUTPUT

[8, 9, 7]

Q5. Find Index

Score: 10.00 TC: 2/2 passed

CODE

```
a=list(map(int,input().split()))
x=int(input())
print(a.index(x))
```

INPUT

10 20 30
20

OUTPUT

1

Student 23 **PATAN MOHAMMED RIYAZ KHAN** 192572126RC

5 / 5 submitted

Q1. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
sum=(a+b)
sum.sort()
print(sum)
```

INPUT

```
7 9
8
```

OUTPUT

```
[7, 8, 9]
```

Q2. Difference of Lists

Score: 6.67 TC: 2/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
diff=[]
for i in a:
    if i in b:
        a.remove(i)
print(a)
```

INPUT

```
6
7
```

OUTPUT

Q3. Smallest Element

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
small=min(n)
print(small)
```

INPUT

```
100 50 75
```

OUTPUT

```
50
```

Q4. Sum of Elements

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
total=sum(n)
print(total)
```

INPUT

```
1 2 3 4
```

OUTPUT

```
10
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Second Largest

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
n.sort()
sec=n[-2]
print(sec)
```

INPUT

8 7 6

OUTPUT

7

Student 24 **PILLARI RAMYA** 192319027RC

3 / 5 submitted

Q1. Difference of Lists

— Not Submitted —

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n = int(input())
a = 0
b = 1
l = []
for i in range(n):
    l.append(a)
    a,b = b,a+b
print(l)
```

INPUT

```
5
7
1
```

OUTPUT

```
[0, 1, 1, 2, 3]
```

Q3. Shuffle List

Score: 0.00 TC: 0/3 passed

CODE

```
from random import shuffle
a= list(map(int,input().split()))
b = list(map(int,input().split()))
c = list(map(int,input().split()))
shuffle(a)
shuffle(b)
shuffle(c)
print(a)
print(b)
print(c)
```

INPUT

```
1 2 3
4 5 6
7 8 9
```

OUTPUT

```
[2, 1, 3]
[4, 6, 5]
[7, 8, 9]
```

Q4. Common Elements

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
```

OUTPUT

(no output)

Q5. Second Largest

— Not Submitted —

Student 25 **POTHIREDDY ROHINI** 192420054RC

0 / 5 submitted

Q1. Union of Lists— Not Submitted —

Q2. Common Elements— Not Submitted —

Q3. Sum of Elements— Not Submitted —

Q4. Ascending Sort— Not Submitted —

Q5. Frequency

— Not Submitted —

Student 26 **Risaph S** 192519096RC

5 / 5 submitted

Q1. Union of Lists

Score: 0.00 TC: 0/3 passed

CODE

```
a = list(map(int, input().split()))
b = list(map(int, input().split()))
c = set(a+b)
print(c)
```

OUTPUT

{4, 5}

Q2. Merge Sorted Lists

Score: 6.67 TC: 2/3 passed

CODE

```
a = list(map(int, input().split()))
b = list(map(int, input().split()))
c = a+b
c.sort()
print(c)
```

INPUT

7 9
8

OUTPUT

[7, 8, 9]

Q3. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n = int(input())
a = [0,1]
for i in range(2,n):
    a.append(a[i-1]+a[i-2])

print(a[:n])
```

INPUT

1

OUTPUT

[0]

Q4. Ascending Sort

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
a.sort()
print(a)
```

INPUT

3 6 4

OUTPUT

[3, 4, 6]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Maximum and Minimum

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))  
print("Max=",max(a),"Min=",min(a))
```

INPUT

5 4

OUTPUT

Max= 5 Min= 4

Student 27 **Sachin S** 192525045RC

5 / 5 submitted

Q1. Concatenate Lists

Score: 10.00 TC: 3/3 passed

CODE

```
list1=list(map(int, input().split()))
list2=list(map(int, input().split()))
result=list1+list2
print(result)
```

INPUT

5
6

OUTPUT

[5, 6]

Q2. Fibonacci List

Score: 10.00 TC: 3/3 passed

CODE

```
n= int(input())
lst=[]
a=0
b=1
for i in range(n):
    lst.append(a)
    c=a+b
    a=b
    b=c
print(lst)
```

INPUT

7

OUTPUT

[0, 1, 1, 2, 3, 5, 8]

Q3. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
lst1=list(map(int, input().split()))
lst2=list(map(int, input().split()))
difference=list(set(lst1)-set(lst2))
print(difference)
```

INPUT

4 5
5

OUTPUT

[4]

Q4. Shuffle List

Score: 0.00 TC: 0/3 passed

CODE

```
import random
lst=list(map(int, input().split()))
random.shuffle(lst)
print(lst)
```

INPUT

1 2 3

OUTPUT

[3, 1, 2]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Reverse List

Score: 10.00 TC: 3/3 passed

CODE

```
lst=list(map(int, input().split()))
lst.reverse()
print(lst)
```

INPUT

5 4

OUTPUT

[4, 5]

Student 28 SAFRIN RITHA AM 192313059RC

0 / 5 submitted

Q1. Shuffle List

— Not Submitted —

Q2. Remove Duplicates

— Not Submitted —

Q3. Merge Sorted Lists

— Not Submitted —

Q4. Sum of Elements

— Not Submitted —

Q5. Difference of Lists

— Not Submitted —

Student 29 **Shaik Rehan** 192525110RC

4 / 5 submitted

Q1. Kth Smallest

— Not Submitted —

Q2. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
list1 = list(map(int,input().split()))
list2 = list(map(int,input().split()))
merged = list1 + list2
merged.sort()
print(merged)
```

INPUT

```
7 9
8
```

OUTPUT

```
[7, 8, 9]
```

Q3. Fibonacci List

CODE

```
n = list(map(int,input().split()))
fibonacci = []
a = 0
b = 1
for i in n:
    fibonacci.append(a)
    a, b = b, a+b
print("fibonacci list")
print(fibonacci)
```

INPUT

```
5
```

OUTPUT

```
(no output)
```

Q4. Sum of Elements

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
sum = 0
for i in a:
    sum = sum+i
print(sum)
```

INPUT

```
10 20 30
```

OUTPUT

```
60
```

Q5. Remove Duplicates

Score: 10.00 TC: 3/3 passed

CODE

```
lst = list(map(int,input().split()))
print(list(dict.fromkeys(lst)))
```

INPUT

```
7 8 7 9
```

OUTPUT

```
[7, 8, 9]
```

Student 30 **SIVACHANDRABOSE S** 192319030RC

0 / 5 submitted

Q1. Smallest Element— Not Submitted —

Q2. Remove Duplicates— Not Submitted —

Q3. Union of Lists— Not Submitted —

Q4. Largest Subsequence Sum— Not Submitted —

Q5. Sum of Elements

— Not Submitted —

Student 31 **Smohit Arman Swain** 192572092RC

4 / 5 submitted

Q1. Shuffle List

Score: 0.00 TC: 0/3 passed

CODE

```
import random
lst=list(map(int, input().split()))
random.shuffle(lst)
print(lst)
```

INPUT

4 5 6

OUTPUT

[4, 5, 6]

Q2. Find Index

CODE

```
a=list(main(int,input().split))
b=list(main(int,input().split))
c=a+b
print(c)
```

OUTPUT

(no output)

Q3. Kth Smallest

— Not Submitted —

Q4. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
union=list(set(a+b))
print( union)
```

INPUT

4
4 5

OUTPUT

[4, 5]

Q5. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b=list(map(int,input().split()))
difference=list(set(a)-set(b))
print( difference)
```

INPUT

6
7

OUTPUT

[6]

Student 32 **SUNDARA VARADHAN K S** 192319033RC

0 / 5 submitted

Q1. Reverse List— Not Submitted —

Q2. Common Elements— Not Submitted —

Q3. Kth Smallest— Not Submitted —

Q4. Frequency— Not Submitted —

Q5. Merge Sorted Lists

— Not Submitted —

Student 33 **Thanikonda Aditya** 192565068RC

4 / 5 submitted

Q1. Concatenate Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
c=(a+b)
c.sort()
print(c)
```

INPUT

```
1 2
3 4
```

OUTPUT

```
[1, 2, 3, 4]
```

Q2. Common Elements

— Not Submitted —

Q3. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
n=list(map(int,input().split()))
b=[]
for i in n:
    if i%2!=0:
        b.append(i)
print(b)
```

INPUT

```
1 2 3 4
```

OUTPUT

```
[1, 3]
```

Q4. Union of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a=list(map(int,input().split()))
b=list(map(int,input().split()))
union=set(a+b)
print(list(union))
```

INPUT

```
6
7
```

OUTPUT

```
[6, 7]
```

Q5. Shuffle List

Score: 0.00 TC: 0/3 passed

CODE

```
import random
a=list(map(int,input().split()))
random.shuffle(a)
print(a)
```

INPUT

```
1 2 3
```

OUTPUT

```
[3, 2, 1]
```

Student 34 **Thumati Sai Praneeth** 192525434RC

5 / 5 submitted

Q1. Merge Sorted Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = a+b
c.sort()
print(c)
```

INPUT

```
1 3
2 4
```

OUTPUT

```
[1, 2, 3, 4]
```

Q2. Intersection of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = list(set(a)&set(b))
print(c)
```

INPUT

```
1 2
2 3
```

OUTPUT

```
[2]
```

Q3. Difference of Lists

Score: 10.00 TC: 3/3 passed

CODE

```
a = list(map(int,input().split()))
b = list(map(int,input().split()))
c = list(set(a)-set(b))
print(c)
```

INPUT

```
1 2 3
3
```

OUTPUT

```
[1, 2]
```

Q4. Fibonacci List

Score: 0.00 TC: 0/3 passed

CODE

```
n = int(input())
a = 0
b = 1
fibonacci = []
for i in range(n+1):
    fibonacci.append(a)
    c = a+b
    a = b
    b = c
print(fibonacci)
```

INPUT

```
5
```

OUTPUT

```
[0, 1, 1, 2, 3, 5]
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 16-08-2026 • Category: CO3_AT1_Experiments • Student Submissions Report

Q5. Remove Even Numbers

Score: 10.00 TC: 3/3 passed

CODE

```
n = list(map(int,input().split()))
b = []
for i in n:
    if i%2!=0:
        b.append(i)
print(b)
```

INPUT

1 2 3 4

OUTPUT

[1, 3]