

```
1 import re
2
3 def preprocess(text):
4     text = text.lower().strip()
5     text = re.sub(r'[^a-z\s]', '', text)
6     return text
7
8 def analyse(text):
9     positive = ["good", "great", "excellent", "awesome", "happy", "love"]
10    negative = ["bad", "poor", "worst", "hate", "slow", "terrible"]
11
12    p = 0
13    n = 0
14
15    words = text.split()
16
17    for word in words:
18        if word in positive:
19            p += 1
20        elif word in negative:
21            n += 1
22
23    print("Positive Count:", p)
24    print("Negative Count:", n)
25
26    if p > n:
27        print("Sentiment: Positive")
28    elif n > p:
29        print("Sentiment: Negative")
30    else:
31        print("Sentiment: Neutral")
32
33 num = int(input())
34
```

```
3
This product is Excellent And Awesome!
Bad quality and slow delivery.
Good product and but bad packing.
```

Output

```
Positive Count: 2
Negative Count: 0
Sentiment: Positive
Positive Count: 0
Negative Count: 2
Sentiment: Negative
```

4/4 answered

Your Code

```
1 def check_password(pwd):
2     if len(pwd) == 0:
3         print("Weak")
4         print("Password cannot be empty")
5         return
6
7     upper = lower = digit = special = False
8
9     for ch in pwd:
10         if ch.isupper():
11             upper = True
12         elif ch.islower():
13             lower = True
14         elif ch.isdigit():
15             digit = True
16         else:
17             special = True
18
19     score = sum([upper, lower, digit, special])
20
21     # Strength classification
22     if len(pwd) < 8 or score == 1:
23         strength = "Weak"
24     elif score == 4 and len(pwd) >= 12:
25         strength = "Very Strong"
26     elif score == 4:
27         strength = "Strong"
28     elif score >= 3:
29         strength = "Moderate"
30     else:
31         strength = "Weak"
32
```

Input

Output

```
Very Strong
```

```
20
21 # Strength classification
22 if len(pwd) < 8 or score == 1:
23     strength = "Weak"
24 elif score == 4 and len(pwd) >= 12:
25     strength = "Very Strong"
26 elif score == 4:
27     strength = "Strong"
28 elif score >= 3:
29     strength = "Moderate"
30 else:
31     strength = "Weak"
32
33 print(strength)
34
35 # Feedback
36 if not upper:
37     print("Add uppercase letter")
38 if not lower:
39     print("Add lowercase letter")
40 if not digit:
41     print("Add digit")
42 if not special:
43     print("Add special character")
44
45 password = input().strip()
46 check_password(password)
```

 Submitted

```
1 def extract_errors(logs):
2     errors = []
3     for line in logs:
4         t = line.strip().lower()
5         if "error" in t:
6             errors.append(line.strip())
7     return errors
8
9 def remove_duplicates(errs):
10    u = []
11    for e in errs:
12        if e not in u:
13            u.append(e)
14    return u
15
16 def main():
17     n = int(input())
18     logs = [input() for _ in range(n)]
19     errors = extract_errors(logs)
20     unique = remove_duplicates(errors)
21
22     counts = {}
23     for e in errors:
24         counts[e] = counts.get(e, 0) + 1
25
26     print("Error Summary")
27     print("-----")
28     print("Total Error Entries:", len(errors))
29     print("Unique Errors:", len(unique))
30     for e in unique:
31         print(e)
32         print("Count:", counts[e])
33     print()
```

```
7
info Server Started
Error File Not Found
Warning Low Memory
```

Output

```
Error Summary
-----
Total Error Entries: 4
Unique Errors: 3
Error File Not Found
Count: 2
```

4/4 answered

Your Code

```
1 def get_domain(email):
2     email = email.strip().lower()
3     if email.count('@') != 1:
4         return None
5     user, domain = email.split('@')
6     if not user or not domain or '.' not in domain:
7         return None
8     if domain.startswith('.') or domain.endswith('.'):
9         return None
10    return domain
11
12 freq = {}
13
14 while True:
15     try:
16         s = input()
17     except EOFError:
18         break
19
20     d = get_domain(s)
21     if d:
22         freq[d] = freq.get(d, 0) + 1
23
24 if not freq:
25     print("No valid email addresses")
26 else:
27     for d, c in freq.items():
28         print(d, c)
29
30 max_domain = max(freq, key=freq.get)
31 print(max_domain)
32 print(freq[max_domain])
```

Input

```
abc@gmail.com
xyz@gmail.com
rom@gmail.com
invalidemail
```

Output

```
gmail.com 3
gmail.com
3
```