

TRIGONOMETRY

The Pythagorean Theorem


Extra—Pythagorean Triples

Chipmunk Math




"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:



"CLEAN" ANSWERS


Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$

"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:




$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$

"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:




$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$

$$9 + 16 = c^2$$

"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$


$$3^2 + 4^2 = c^2$$

$$9 + 16 = c^2$$

$$25 = c^2$$

"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$


$$9 + 16 = c^2$$

$$25 = c^2$$

$$\sqrt{25} = c$$

"CLEAN" ANSWERS

Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$

$$9 + 16 = c^2$$


$$25 = c^2$$

$$\sqrt{25} = c$$

$$5 = c$$

“CLEAN” ANSWERS

Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$

$$9 + 16 = c^2$$

$$25 = c^2$$


$$\sqrt{25} = c$$

$$5 = c$$

What a “clean”, round answer!

“CLEAN” ANSWERS

Solve for the unknown side in this right triangle:



$$a^2 + b^2 = c^2$$

$$3^2 + 4^2 = c^2$$

$$9 + 16 = c^2$$


$$25 = c^2$$

$$\sqrt{25} = c$$

$$5 = c$$

What a “clean”, round answer! In fact, all the sides are “nice”!

PYTHAGOREAN TRIPLE




Definition (Pythagorean Triple)

A *Pythagorean triple* is a set of three whole numbers a , b , and c such that

$$a^2 + b^2 = c^2.$$

PYTHAGOREAN TRIPLE



Definition (Pythagorean Triple)


A *Pythagorean triple* is a set of three whole numbers a , b , and c such that

$$a^2 + b^2 = c^2.$$

Most well-known example:

$$(3, 4, 5) \iff 3^2 + 4^2 = 5^2$$

PYTHAGOREAN TRIPLE



Definition (Pythagorean Triple)

A *Pythagorean triple* is a set of three whole numbers a , b , and c such that

$$a^2 + b^2 = c^2.$$

Most well-known example: $(3, 4, 5) \iff 3^2 + 4^2 = 5^2$

There are **infinitely many** Pythagorean triples out there.

SOME SMALL PYTHAGOREAN TRIPLES

$(3, 4, 5)$

$(6, 8, 10)$

$(5, 12, 13)$

$(9, 12, 15)$

$(8, 15, 17)$

SOME SMALL PYTHAGOREAN TRIPLES

(3, 4, 5)

(6, 8, 10)

(5, 12, 13)

(9, 12, 15)

(8, 15, 17)

SOME SMALL PYTHAGOREAN TRIPLES

(3, 4, 5)

(6, 8, 10) $\iff 2 \cdot (3, 4, 5)$

(5, 12, 13)

(9, 12, 15) $\iff 3 \cdot (3, 4, 5)$

(8, 15, 17)

NEAT... BUT IS IT *USEFUL*?

NEAT... BUT IS IT *USEFUL*?

Tests.

NEAT... BUT IS IT *USEFUL*?

Tests.

Math teachers love “clean” answers.

NEAT... BUT IS IT *USEFUL*?

Tests.

Math teachers love “clean” answers.

\implies Pythagorean triples give those.

NEAT... BUT IS IT *USEFUL*?

Tests.

Math teachers love “clean” answers.

⇒ Pythagorean triples give those.

⇒ They show up often on tests.

NEAT... BUT IS IT *USEFUL*?

Tests.


Math teachers love “clean” answers.

⇒ Pythagorean triples give those.


⇒ They show up often on tests.

Knowing the first few triples can give you an edge on tests.

SPEEDING UP WITH TRIPLES




SPEEDING UP WITH TRIPLES



Without triples:

$$x^2 + 6^2 = 10^2$$

SPEEDING UP WITH TRIPLES




Without triples:

$$x^2 + 6^2 = 10^2$$

With triples:

$(3, 4, 5)$

SPEEDING UP WITH TRIPLES




Without triples:

$$x^2 + 6^2 = 10^2$$

With triples:

$$(3, 4, 5) \xRightarrow{\times 2} (6, 8, 10)$$

SPEEDING UP WITH TRIPLES




Without triples:

$$x^2 + 6^2 = 10^2$$


With triples:

$$(3, 4, 5) \xRightarrow{\times 2} (6, 8, 10)$$

SPEEDING UP WITH TRIPLES, CONT.




SPEEDING UP WITH TRIPLES, CONT.



Practice Problem #4


SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

SPEEDING UP WITH TRIPLES, CONT.




Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:

What triples involve a side of 12?

SPEEDING UP WITH TRIPLES, CONT.



Without triples:


$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:

What triples involve a side of 12?

$$(5, 12, 13) \quad (9, 12, 15)$$

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$


With triples:

What triples involve a side of 12?

$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:


What triples involve a side of 12?

$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

$$x - 3 = 5$$

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:


What triples involve a side of 12?

$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

$$x - 3 = 5 \implies \boxed{x = 8}$$

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:

What triples involve a side of 12?


$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

$$x - 3 = 5 \implies \boxed{x = 8}$$

Check: $x + 5 \implies 8 + 5$

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:

What triples involve a side of 12?


$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

$$x - 3 = 5 \implies \boxed{x = 8}$$

Check: $x + 5 \implies 8 + 5 \implies 13$

SPEEDING UP WITH TRIPLES, CONT.



Without triples:

$$(x - 3)^2 + 12^2 = (x + 5)^2$$

With triples:

What triples involve a side of 12?

$$(5, 12, 13) \quad (9, 12, 15)$$

Try one out and see what happens:

$$x - 3 = 5 \implies \boxed{x = 8}$$

Check: $x + 5 \implies 8 + 5 \implies 13 \checkmark$

SCALING A PYTHAGOREAN TRIPLE

Any **multiple** of a Pythagorean triple is also a triple.

SCALING A PYTHAGOREAN TRIPLE

Any **multiple** of a Pythagorean triple is also a triple.

(This is connected to the concept of ***similarity***, which we talk about in a different lesson.)

SCALING A PYTHAGOREAN TRIPLE

Any **multiple** of a Pythagorean triple is also a triple.

(This is connected to the concept of *similarity*, which we talk about in a different lesson.)

Let's prove it! Let's show that a multiple always works!

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2a^2 + k^2b^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

$$k^2 \cdot (c^2)$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

$$k^2 \cdot (c^2)$$

$$k^2 c^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

$$k^2 \cdot (c^2)$$

$$k^2 c^2$$

$$(kc)^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

$$k^2 \cdot (c^2)$$

$$k^2 c^2$$

$$(kc)^2$$

$$\therefore (ka)^2 + (kb)^2 = (kc)^2$$

PROOF THAT SCALING WORKS

Given:

(a, b, c) is a triple.

$$\implies a^2 + b^2 = c^2$$

Claim:

$k \cdot (a, b, c) \Leftrightarrow (ka, kb, kc)$

is also a triple.

Want to show:

$$(ka)^2 + (kb)^2 = (kc)^2$$

Proof:

Consider this expression:

$$(ka)^2 + (kb)^2$$

$$k^2 a^2 + k^2 b^2$$

$$k^2 \cdot (a^2 + b^2)$$

$$k^2 \cdot (c^2)$$

$$k^2 c^2$$

$$(kc)^2$$

$$\therefore (ka)^2 + (kb)^2 = (kc)^2 \quad \square$$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

Known triple:

$(3, 4, 5)$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

Known triple:

$(3, 4, 5)$

$\xrightarrow{\times 100}$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

Known triple:

$(3, 4, 5)$

$\xRightarrow{\times 100}$

Another triple:

$(300, 400, 500)$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

$$\begin{array}{ccc} \text{Known triple:} & & \text{Another triple:} \\ \hline (3, 4, 5) & \xRightarrow{\times 100} & (300, 400, 500) \end{array}$$

Can even scale by **non**-whole numbers.

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

$$\begin{array}{ccc} \text{Known triple:} & & \text{Another triple:} \\ \hline (3, 4, 5) & \xrightarrow{\times 100} & (300, 400, 500) \end{array}$$

Can even scale by **non**-whole numbers.

(Note: Result is no longer a Pythagorean triple, but it will still make a right triangle.)

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

<u>Known triple:</u>		<u>Another triple:</u>
(3, 4, 5)	$\xRightarrow{\times 100}$	(300, 400, 500)

Can even scale by **non**-whole numbers.

(Note: Result is no longer a Pythagorean triple, but it will still make a right triangle.)

<u>Known triple:</u>		<u>Right triangle:</u>
(3, 4, 5)	$\xRightarrow{\times 0.9}$	

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

$$\begin{array}{ccc} \text{Known triple:} & & \text{Another triple:} \\ \hline (3, 4, 5) & \xRightarrow{\times 100} & (300, 400, 500) \end{array}$$

Can even scale by **non**-whole numbers.

(Note: Result is no longer a Pythagorean triple, but it will still make a right triangle.)

$$\begin{array}{ccc} \text{Known triple:} & & \text{Right triangle:} \\ \hline (3, 4, 5) & \xRightarrow{\times 0.9} & (2.7, 3.6, 4.5) \end{array}$$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

<u>Known triple:</u>		<u>Another triple:</u>
$(3, 4, 5)$	$\xRightarrow{\times 100}$	$(300, 400, 500)$

Can even scale by **non**-whole numbers.

(Note: Result is no longer a Pythagorean triple, but it will still make a right triangle.)

<u>Known triple:</u>		<u>Right triangle:</u>
$(3, 4, 5)$	$\xRightarrow{\times 0.9}$	$(2.7, 3.6, 4.5)$
$(3, 4, 5)$	$\xRightarrow{\times \sqrt{7}}$	$(3\sqrt{7}, 4\sqrt{7}, 5\sqrt{7})$

SCALE BY WHATEVER!

Scale by any whole number for another Pythagorean triple!

Known triple:

$(3, 4, 5)$

$\xRightarrow{\times 100}$

Another triple:

$(300, 400, 500)$

Can even scale by **non**-whole numbers.

(Note: Result is no longer a Pythagorean triple, but it will still make a right triangle.)

Known triple:

$(3, 4, 5)$

$\xRightarrow{\times 0.9}$

Right triangle:

$(2.7, 3.6, 4.5)$

$(3, 4, 5)$

$\xRightarrow{\times \sqrt{7}}$

$(3\sqrt{7}, 4\sqrt{7}, 5\sqrt{7})$

$(3, 4, 5)$

$\xRightarrow{\times \pi}$

$(3\pi, 4\pi, 5\pi)$

MEMORIZING PYTHAGOREAN TRIPLES

Primitive Pythagorean triples where the hypotenuse < 100 :

(3, 4, 5)	(5, 12, 13)	(8, 15, 17)	(7, 24, 25)
(20, 21, 29)	(12, 35, 37)	(9, 40, 41)	(28, 45, 53)
(11, 60, 61)	(16, 63, 65)	(33, 56, 65)	(48, 55, 73)
(13, 84, 85)	(36, 77, 85)	(39, 80, 89)	(65, 72, 97)

MEMORIZING PYTHAGOREAN TRIPLES

The triples you actually should **memorize**:

$(3, 4, 5)$ $(5, 12, 13)$ $(8, 15, 17)$ $(9, 40, 41)$

MEMORIZING PYTHAGOREAN TRIPLES

(3, 4, 5) (5, 12, 13) (8, 15, 17) (9, 40, 41)
(6, 8, 10) (10, 24, 36) (16, 30, 34)
(9, 12, 15)
(12, 16, 20)

And it helps to **familiarize** yourself with their **multiples**.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

- Not every problem uses a Pythagorean triple.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

- Not every problem uses a Pythagorean triple.
 - Shows up a lot on tests, but not guaranteed.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

- Not every problem uses a Pythagorean triple.
 - Shows up a lot on tests, but not guaranteed.
 - Don't assume triangle sides are always whole numbers.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

- Not every problem uses a Pythagorean triple.
 - Shows up a lot on tests, but not guaranteed.
 - Don't assume triangle sides are always whole numbers.
- Don't stress over memorizing lots of triples.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...

- Not every problem uses a Pythagorean triple.
 - Shows up a lot on tests, but not guaranteed.
 - Don't assume triangle sides are always whole numbers.
- Don't stress over memorizing lots of triples.
 - Knowing them gives you a bit of an edge, but they're **never necessary**.

CAVEATS

Pythagorean triples can help you, but here are some things to keep in mind...


- Not every problem uses a Pythagorean triple.
 - Shows up a lot on tests, but not guaranteed.
 - Don't assume triangle sides are always whole numbers.
- Don't stress over memorizing lots of triples.
 - Knowing them gives you a bit of an edge, but they're **never necessary**.
- Most important—know the Pythagorean theorem:

$$\text{Right triangle} \iff a^2 + b^2 = c^2$$

THANKS FOR WATCHING!





Watch the rest of the videos on this topic!

www.chipmunkmath.com

 @ChipmunkMath



Free Education

Creative Commons:    

Open source, available on GitHub 

Details at chipmunkmath.com