DSPM-SET 2 (20UCS120 - 20UCS193)				
and (20UICS081 - 20UICS175)				
chiradeep13@gmail.com Switch accounts				
Oraft saved				
The name and photo associated with your Google Account will be recorded when you upload files and submit this form. Only the email address you enter is part of your response.				
Multiple Choice Questions				
When does the ArrayIndexOutOfBoundsException occur?	2 points			
Compile-time				
Run-time				
Not an error				
Not an exception at all				
	Clear selection			
Which data structure can be used to test a palindrome?	2 points			
· Troo				
○ Tree				
Structure				
Stack				

Claar calaatian

Queue

Link			
	ked list data structure offers considerable saving in		2 points
0	Computational Time		
0	Space Utilization		
•	Space Utilization and Computational Time		
0	Speed Utilization		
		Clear sel	ection
	ne elements "A", "B", "C" and "D" are placed in a queue and are at a time, in what order will they be removed?	deleted	2 points
•	ABCD		
0	DCBA		
0	DCAB		
0	DCAB ABDC		
0		Clear sel	ection
O Enti	ABDC		
Enti	ABDC ries in a stack are "ordered". What is the meaning of this staten		
Enti	ries in a stack are "ordered". What is the meaning of this staten A collection of stacks is sortable		
Enti	ries in a stack are "ordered". What is the meaning of this staten A collection of stacks is sortable Stack entries may be compared with the '<'operation		
Enti	ries in a stack are "ordered". What is the meaning of this staten A collection of stacks is sortable		ection 2 points

	rich of the following statement(s) about stack data structure is/are NO	2 points
0	Linked List are used for implementing Stacks	
0	Top of the Stack always contain the new node	
•	Stack is the FIFO data structure	
0	Null link is present in the last node at the bottom of the stack	
	Clear se	election
Wh	ich is the most appropriate data structure for reversing a word?	2 points
0	queue	
•	stack	
0	tree	
0	graph	
	Clear se	election
poi	ven pointer to a node X in a singly linked list. Only one pointer is given, nter to head node is not given, can we delete the node X from given ted list?	2 points
•	Possible if X is not last node	
0	Possible if size of linked list is even	
0	Possible if size of linked list is odd	

Possible if X is not first node	Clear selection
Circular Queue is also known as	2 points
Ring Buffer	
O Square Buffer	
Rectangle Buffer	
Curve Buffer	
	Clear selection
In a circular queue, how do you increment the rear end of th	ne queue? 2 points
rear++	
(rear+1) % CAPACITY	
(rear % CAPACITY)+1	
rear	
	Clear selection
Page 3 of 3	
Back Submit	Clear form
ver submit passwords through Google Forms.	

DSPM-SET 2 (20UCS120 - 20UCS193) and (20UICS081 - 20UICS175)

This content is neither created nor endorsed by Google. Report Abuse - Terms of Service - Privacy Policy

Google Forms

!

24/11/2021, 15:10