

Exercise 1

Responsive Webpage Layout using Tailwind CSS

Submitted by	Chirag Das
Course	Full Stack Development — Lab 1
Date	16 September 2026
Deliverable	index.html — single-page responsive layout

Contents

1. Source Code (index.html)
2. Screenshots (Landing Page)
3. GitHub Repository Link
4. AI Usage Declaration

Summary

A responsive single-page layout built with HTML5, Tailwind CSS and vanilla JavaScript. The page comprises a fixed header, a navigation bar with scroll-spy, a main region of four sections, and a footer. The official @tailwindcss/typography plugin is used for the long-form article section. Scroll behaviour and animation are handled with GSAP (ScrollTrigger, ScrollSmoother, SplitText). The subject of the page is an AI and RPG-based productivity system.

Requirements coverage: header (fixed masthead with scroll-progress rule), navigation bar (pill navigation with active-section highlighting, collapsing to a full-screen menu below the md breakpoint), main content (landing screen plus three sections), footer (project details, section links and colophon), and the Tailwind Typography plugin (applied to the field-manual article via a custom prose theme).

1. Source Code — index.html

File: index.html · 727 lines · Lines exceeding the page width are soft-wrapped.

```

1 <!DOCTYPE html>
2 <html lang="en" class="is-booting">
3 <head>
4 <meta charset="UTF-8" />
5 <meta name="viewport" content="width=device-width, initial-scale=1, viewport-fit=cover" />
6 <meta name="theme-color" content="#D8F1E6" />
7
8 <title>SYSTEM OS – Level up in real life</title>
9 <meta name="description" content="SYSTEM OS turns your actual life into an RPG: five attributes, nine ranks, thirty-five daily
   quests and a status window that finally shows what you have been doing. A Claude Code project." />
10 <meta name="author" content="Chirag Das" />
11
12 <meta property="og:type" content="website" />
13 <meta property="og:title" content="SYSTEM OS – Level up in real life" />
14 <meta property="og:description" content="Five attributes. Nine ranks. One status window. An interface for the life you are alr
   eady living." />
15
16 <link rel="icon" href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 32 32'%3E%3Crect width='32' h
   eight='32' rx='9' fill='%23D8F1E6'/%3E%3Ccircle cx='16' cy='16' r='8' fill='none' stroke='%230E2C22' stroke-width='1.6'/%3E%3C
   circle cx='16' cy='16' r='3' fill='%233DB84B'/%3E%3C/svg%3E" />
17
18 <!-- Self-hosted type: the page is fully set with no network at all -->
19 <link rel="stylesheet" href="assets/fonts/fonts.css" />
20 <link rel="stylesheet" href="css/style.css" />
21
22 <style>
23 :root {
24   --grain-src: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='200' height='200'%3E%3Cfilter id='n
   %3E%3CfeTurbulence type='fractalNoise' baseFrequency='0.8' numOctaves='3' stitchTiles='stitch'/%3E%3CfeColorMatrix type='satur
   ate' values='0'/%3E%3C/filter%3E%3Crect width='100%25' height='100%25' filter='url(%23n)' opacity='0.5'/%3E%3C/svg%3E");
25 }
26 /* The lit field sits behind everything. */
27 body::before {
28   content: '';
29   position: fixed;
30   inset: 0;
31   z-index: 0;
32   background: radial-gradient(125% 95% at 80% 4%, #FFFFFF 0%, #EDFAF3 22%, #D5EFE3 56%, #BAE3D3 100%);
33 }
34 html.is-booting body { overflow: hidden; }
35 </style>
36
37 <noscript>
38 <style>
39   /* Without JavaScript there is no boot sequence and no text splitting –
40    the document still has to read as a complete page. */
41   #preloader, #cursor { display: none !important; }
42   [data-split] { visibility: visible !important; }
43   #smooth-wrapper, #smooth-content { position: static !important; }
44 </style>
45 </noscript>
46 </head>
47
48 <body>
49
50 <!-- ████████████████████████████████████████████████████████████████████████████████████████████████████████████████
51      ICON SPRITE
52      ████████████████████████████████████████████████████████████████████████████████████████████████████████████████ -->
53 <svg width="0" height="0" class="absolute" aria-hidden="true" focusable="false">
54 <defs>
55   <symbol id="i-strength" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.4" stroke-linecap="round"
56   ><path d="M4 9v6m7 6v12m17 6v12m20 9v6m7 12h10"/></g></symbol>
57   <symbol id="i-intellect" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.4" stroke-linejoin="round"
58   d"><path d="M12 3l7.5 4.5v9L12 21l-7.5-4.5v-9z"/><path d="M12 8.2l3.6 2.2v4.2L12 16.8l-3.6-2.2v-4.2z"/></g></symbol>
59   <symbol id="i-discipline" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.4" stroke-linecap="round"
60   d"><circle cx="12" cy="12" r="8"/><circle cx="12" cy="12" r="3.4"/><path d="M12 1.5v3.2M12 19.3v3.2M19.3 12h3.2"/></g></symbol>
61   <symbol id="i-vitality" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.4" stroke-linecap="round"
62   stroke-linejoin="round"><path d="M2.5 12.5h4l2-4.5 3 9 2.5-6 1.6 3h6"/></g></symbol>
63   <symbol id="i-focus" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.4" stroke-linecap="round" st
64   roke-linejoin="round"><path d="M13.5 2.5L5 13.2h5.2L9.6 21.5 18.5 10.6h-5.4z"/></g></symbol>
65   <symbol id="i-arrow" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.5" stroke-linecap="round" st
66   roke-linejoin="round"><path d="M5 12h14M13 6l6 6"/></g></symbol>
67   <symbol id="i-chevron-up" viewBox="0 0 24 24"><g fill="none" stroke="currentColor" stroke-width="1.5" stroke-linecap="round"
68   d"><stroke-linejoin="round"><path d="M6 14.5l6-6 6"/></g></symbol>
69   <symbol id="i-spark" viewBox="0 0 24 24"><path fill="currentColor" d="M12 2.6l2 6.1 6.1 2-6.1 2-6.1-6.1-2 6.1-2z"/>
70 </symbol>
71 </defs>
72 </svg>
73
74 <a href="#"page1" class="sr-only focus:not-sr-only focus:fixed focus:left-6 focus:top-6 focus:z-[200] focus:rounded-full focus:
75 bq-link focus:px-5 focus:py-3 focus;font-mono focus:text-xs focus:uppercase focus:text-mint-100">Skip to content</a>

```

3

```

150 <div class="shell"><div id="scroll-progress" class="h-px w-full origin-left scale-x-0 bg-accent"></div></div>
151 </header>
152
153
154 <!-- Full-bleed menu (small screens) -->
155 <div id="nav-overlay" class="invisible fixed inset-0 z-[87] bg-mint-100/95 backdrop-blur-2xl md:hidden" aria-hidden="true">
156   <div class="shell flex h-full flex-col justify-center pt-24">
157     <p class="label mb-8">Contents</p>
158     <nav class="flex flex-col" aria-label="All sections">
159       <a href="#page" data-scroll-to="#page" class="overlay-link group flex items-baseline gap-6 border-t border-jade-900/
10 py-4"><span class="font-mono text-tiny text-jade-400">00</span><span class="text-d-4 text-jade-900">The awakening</span></a>
160     <a href="#page1" data-scroll-to="#page1" class="overlay-link group flex items-baseline gap-6 border-t border-jade-900/
10 py-4"><span class="font-mono text-tiny text-jade-400">01</span><span class="text-d-4 text-jade-900">The premise</span></a>
161     <a href="#page2" data-scroll-to="#page2" class="overlay-link group flex items-baseline gap-6 border-t border-jade-900/
10 py-4"><span class="font-mono text-tiny text-jade-400">02</span><span class="text-d-4 text-jade-900">The system</span></a>
162     <a href="#manual" data-scroll-to="#manual" class="overlay-link group flex items-baseline gap-6 border-y border-jade-900/
10 py-4"><span class="font-mono text-tiny text-jade-400">03</span><span class="text-d-4 text-jade-900">Field manual</span></a>
163     <a href="#gate" data-scroll-to="#gate" class="overlay-link btn btn-ink mt-9 self-start">Enter the gate</a>
164   </nav>
165 </div>
166 </div>
167
168 <!-- ████████████████████████████████████████████████████████████████████████████████████████████████████████
169 SMOOTH SCROLL CONTAINER
170 ████████████████████████████████████████████████████████████████████████████████████████████████████████ -->
171 <div id="smooth-wrapper">
172 <div id="smooth-content">
173
174 <main class="relative z-10">
175
176   <!-- ████████████████████████████████████████████████████████████████████████████████████████████████████████
177    00 · THE LANDING – pinned, and scrubbed through the System dial
178    ████████████████████████████████████████████████████████████████████████████████████████████████████████ -->
179   <section id="page" data-readout="the awakening" class="relative">
180     <div id="page-pin" class="relative flex min-h-[100svh] flex-col justify-between overflow-hidden pb-10 pt-[calc(var(--heade
r-h)+1.5rem)]">
181
182     <!-- the repeating headline band -->
183     <div id="loop" class="relative z-10 select-none mask-x" aria-label="Level up in real life">
184       <div class="loop-row text-[clamp(2rem,5.4vw,4.4rem)] leading-[1.1] text-jade-900" data-loop="-1" data-dur="26">
185         <span aria-hidden="true">Level&nbsp;<em class="swash">up</em><i class="loop-sep not-italic">♦</i>in real life<i clas
s="loop-sep not-italic">♦</i>Level&nbsp;<em class="swash">up</em><i class="loop-sep not-italic">♦</i>in real life<i class="loo
p-sep not-italic">♦</i></span>
186         <span aria-hidden="true">Level&nbsp;<em class="swash">up</em><i class="loop-sep not-italic">♦</i>in real life<i clas
s="loop-sep not-italic">♦</i>Level&nbsp;<em class="swash">up</em><i class="loop-sep not-italic">♦</i>in real life<i class="loo
p-sep not-italic">♦</i></span>
187       </div>
188       <div class="loop-row text-[clamp(2rem,5.4vw,4.4rem)] leading-[1.1] text-jade-900/25" data-loop="1" data-dur="34" aria-
hidden="true">
189         <span>five attributes<i class="loop-sep not-italic">♦</i>nine ranks<i class="loop-sep not-italic">♦</i>thirty-five q
uests<i class="loop-sep not-italic">♦</i></span>
190         <span>five attributes<i class="loop-sep not-italic">♦</i>nine ranks<i class="loop-sep not-italic">♦</i>thirty-five q
uests<i class="loop-sep not-italic">♦</i></span>
191       </div>
192       <div class="loop-row text-[clamp(2rem,5.4vw,4.4rem)] leading-[1.1] text-jade-900/10" data-loop="-1" data-dur="44" aria
-hidden="true">
193         <span>arise<i class="loop-sep not-italic">♦</i>the System counts it<i class="loop-sep not-italic">♦</i>arise<i class
="loop-sep not-italic">♦</i>the System counts it<i class="loop-sep not-italic">♦</i></span>
194         <span>arise<i class="loop-sep not-italic">♦</i>the System counts it<i class="loop-sep not-italic">♦</i>arise<i class
="loop-sep not-italic">♦</i>the System counts it<i class="loop-sep not-italic">♦</i></span>
195       </div>
196     </div>
197
198     <!-- the aspects orbiting it – the five things the System actually tracks -->
199     <div id="coins" class="pointer-events-none absolute inset-0 z-[5]" aria-hidden="true">
200       <span class="coin left-[8%] top-[39%]" data-coin-speed="1.25" style="color:#3572C4"><svg class="h-5 w-5"><use href="#"
i-intellect" /></svg><span class="coin-label">Academics</span></span>
201       <span class="coin left-[5%] top-[57%]" data-coin-speed="0.9" style="color:#CE4733"><svg class="h-5 w-5"><use href="#"
i-strength" /></svg><span class="coin-label">Strength</span></span>
202       <span class="coin left-[17%] top-[73%]" data-coin-speed="1.6" style="color:#7156CF"><svg class="h-5 w-5"><use href="#"
i-discipline" /></svg><span class="coin-label">Discipline</span></span>
203       <span class="coin left-[80%] top-[38%]" data-coin-speed="1.1" style="color:#2C9B64"><svg class="h-5 w-5"><use href="#"
i-vitality" /></svg><span class="coin-label">Health</span></span>
204       <span class="coin left-[73%] top-[67%]" data-coin-speed="1.45" style="color:#B98A12"><svg class="h-5 w-5"><use href="#"
i-focus" /></svg><span class="coin-label">Focus</span></span>
205     </div>
206
207     <!-- the dial -->
208     <div class="dial" id="dial">
209       <svg viewBox="0 0 600 600" role="img" aria-label="The System dial: nine rank arcs, an experience ring and five attribu
te spokes">
210       <g id="dial-rotor">
211       <g id="dial-ticks" stroke="rgba(14,44,34,0.42)" stroke-width="1.6" stroke-linecap="round"></g>
212
213       <!-- nine rank arcs -->
214       <circle class="rank-seg" cx="300" cy="300" r="250" stroke="rgba(14,44,34,0.16)" data-color="#8FA79B" stroke-width=
"13" stroke-dasharray="150 1420.8" stroke-dashoffset="0" opacity="1" data-rgb="143 167 155" data-title="Rookie" data-
min="0" data-level="0"/>

```

[illegible]

[illegible]

ad=400">06:40Quest accepted – 20-minute walk outside

[illegible]

```

521         <li><a href="#m-build" class="toc-link text-jade-400 transition-colors hover:text-jade-900">03 – The build</a></li>
522     </ol>
523     <div class="panel mt-8 p-5">
524         <p class="label mb-2">Reading time</p>
525         <p class="text-2xl text-jade-900">3&nbsp;<span class="font-mono text-sm text-jade-500">min</span></p>
526     </div>
527 </div>
528 </aside>
529
530 <div class="min-w-0 lg:col-span-8">
531     <article class="panel px-6 py-10 sm:px-10 sm:py-14 lg:px-14">
532         <div class="prose prose-zero min-w-0">
533
534             <p class="lead text-lg text-jade-600">
535                 SYSTEM OS is a single-page React application that treats your day as a save
536                 file. It was built in Claude Code over a handful of sessions, and every number
537                 on this page comes out of its source.
538             </p>
539
540             <h2 id="m-loop"><span class="idx">01</span>The <em>loop</em></h2>
541
542             <p>Everything in the product is one cycle, repeated daily:</p>
543
544             <ol>
545                 <li><strong>Roll.</strong> At midnight the System draws options from a pool of thirty-five, weighted across fo
ur difficulty tiers.</li>
546                 <li><strong>Accept.</strong> You commit to three. Committing is the only irreversible step, and that is delibe
rate.</li>
547                 <li><strong>Act.</strong> The timer system tracks real elapsed minutes – a paused timer earns nothing.</li>
548                 <li><strong>Return.</strong> Completion fires XP, the HUD interrupts the screen, and the relevant attribute mo
ves.</li>
549                 <li><strong>Settle.</strong> A journal entry closes the day; the calendar cell lights; analytics absorb the ro
w.</li>
550             </ol>
551
552             <blockquote>
553                 The System does not make you disciplined. It makes discipline visible, which
554                 turns out to be most of the problem.
555             </blockquote>
556
557             <h3>What counts as a quest</h3>
558
559             <ul>
560                 <li><strong>Easy</strong> – 15-20 XP. Something you could start in the next sixty seconds.</li>
561                 <li><strong>Medium</strong> – 25-35 XP. Real effort, single sitting.</li>
562                 <li><strong>Hard</strong> – 40-45 XP. A block of your day you have to defend.</li>
563                 <li><strong>Expert</strong> – 50-60 XP. Shipping, publishing, or doing the thing that scares you.</li>
564             </ul>
565
566             <h2 id="m-numbers"><span class="idx">02</span>The <em>numbers</em></h2>
567
568             <p>
Ranks are thresholds on level, lifted straight from <code>RANK_SYSTEM</code> –
the same nine arcs the <a href="#page" data-scroll-to="#page">dial</a> lights up
as you scroll. Each one carries a colour the interface adopts wholesale.
</p>
573
574             <figure>
575                 <table>
576                     <thead>
577                         <tr><th>Rank</th><th>Level</th><th>Colour</th><th>Feels like</th></tr>
578                     </thead>
579                     <tbody>
580                         <tr><td>Rookie</td><td>0</td><td><code>#8FA79B</code></td><td>Day one</td></tr>
581                         <tr><td>Scout</td><td>10</td><td><code>#2FA9B4</code></td><td>The habit exists</td></tr>
582                         <tr><td>Ranger</td><td>25</td><td><code>#37B37E</code></td><td>A week is normal</td></tr>
583                         <tr><td>Veteran</td><td>50</td><td><code>#4180CC</code></td><td>You miss and return</td></tr>
584                         <tr><td>Elite</td><td>75</td><td><code>#7C6BD9</code></td><td>People notice</td></tr>
585                         <tr><td>Commander</td><td>100</td><td><code>#9E63D0</code></td><td>You set the pace</td></tr>
586                         <tr><td>Overlord</td><td>150</td><td><code>#CE5C97</code></td><td>Compounding</td></tr>
587                         <tr><td>Monarch</td><td>200</td><td><code>#C9921C</code></td><td>Identity, not effort</td></tr>
588                         <tr><td>Immortal</td><td>300</td><td><code>#CE4733</code></td><td>Theoretical</td></tr>
589                     </tbody>
590                 </table>
591                 <figcaption>RANK_SYSTEM – nine thresholds, nine colours</figcaption>
592             </figure>
593
594             <h2 id="m-build"><span class="idx">03</span>The <em>build</em></h2>
595
596             <p>
The client is React&nbsp;&19 on Vite&nbsp;&7, styled with Tailwind&nbsp;&CSS and drawn
with Recharts and Lucide. State lives in a hand-written store rather than a
library – one class, one subscriber set, one debounced write:
</p>
600
601
602 <pre><code>export class DataCore {
603     constructor() {
604         this.listeners = new Set();

```

```

605   this.data = this.load();           // localStorage: SYSTEM_OS_V36_FINAL
606 }
607
608 commit() {
609     this.persist();                 // debounced write + optional cloud sync
610     this.listeners.forEach((fn) => fn(this.data));
611 }
612 }</code></pre>
613
614 <p>
615     Reminders are the only part that leaves the browser: a small Express service runs
616     <code>whatsapp-web.js</code> and pushes the day's quests to your phone, which is
617     where you actually are when the day starts.
618 </p>
619
620 <hr />
621
622 <h4>Colophon</h4>
623
624 <p class="text-sm text-jade-500">
625     This page is the lab exercise, not the app. Hand-written HTML5,
626     <a href="https://tailwindcss.com/docs/typography-plugin" target="_blank" rel="noopener noreferrer">TailwindCSS
sp;CSS with the official
627     <code>@tailwindcss/typography</code> plugin</a>, and vanilla JavaScript, with
628     <a href="https://gsap.com/" target="_blank" rel="noopener noreferrer">GSAP</a> driving every scroll.
629 </p>
630 </div>
631 </article>
632 </div>
633 </div>
634 </div>
635
636 <!-- the gate -->
637 <div id="gate" class="relative mt-[14vh] flex min-h-[64svh] items-center text-center">
638     <div class="shell">
639         <h2 class="text-d-1 text-jade-900" data-split="chars"><em class="swash">Arise</em></h2>
640         <p class="mx-auto mt-8 max-w-lg text-jade-600" data-split="lines">
641             The gate is open. Nothing in there is difficult – it is just finally counted.
642         </p>
643         <div class="mt-12 flex flex-wrap items-center justify-center gap-4" data-reveal>
644             <a href="#page" data-scroll-to="#page" data-magnetic data-cursor="restart" class="btn btn-ink">Return to the surface
645 </a>
646             <a href="#page1" data-scroll-to="#page1" data-magnetic class="btn btn-quiet">Start again</a>
647         </div>
648     </div>
649 </section>
650
651 </main>
652
653 <!-- ████████████████████████████████████████████████████████████████████████████
654      FOOTER
655      ████████████████████████████████████████████████████████████████████████████ -->
656 <footer class="relative z-10 border-t border-jade-900/10 bg-mint-100/70 backdrop-blur-xl">
657     <div class="shell py-16">
658
659         <div class="grid gap-12 lg:grid-cols-12">
660
661             <div class="lg:col-span-6">
662                 <p class="label">Project</p>
663                 <p class="mt-4 text-d-4 text-jade-900">System<span class="accent">//</span><em class="swash">OS</em></p>
664                 <p class="mt-4 max-w-sm text-sm leading-relaxed text-jade-600">
665                     A life operating system disguised as an RPG. Built with Claude&nbsp;Code;
666                     presented here as Exercise&nbsp;1 of the Full Stack Development lab.
667                 </p>
668                 <p class="mt-8 flex items-center gap-2 font-mono text-tiny uppercase text-jade-500">
669                     <span class="h-1.5 w-1.5 rounded-full bg-accent animate-breathe"></span>
670                     System online
671                 </p>
672             </div>
673
674             <nav class="lg:col-span-3 aria-label="Sections">
675                 <p class="label mb-5">Sections</p>
676                 <ul class="space-y-3 text-sm">
677                     <li><a href="#page" data-scroll-to="#page" class="text-jade-600 transition-colors hover:text-jade-900">The awakening
678 </a></li>
679                     <li><a href="#page1" data-scroll-to="#page1" class="text-jade-600 transition-colors hover:text-jade-900">The premise
680 </a></li>
681                     <li><a href="#page2" data-scroll-to="#page2" class="text-jade-600 transition-colors hover:text-jade-900">The system<
682 /a></li>
683                     <li><a href="#manual" data-scroll-to="#manual" class="text-jade-600 transition-colors hover:text-jade-900">Field man
684 ual</a></li>
685                 </ul>
686             </nav>
687
688             <div class="lg:col-span-3">
689                 <p class="label mb-5">Built with</p>
690                 <ul class="space-y-3 text-sm text-jade-600">
691                     <li>HTML5 · semantic, one document</li>

```

```
688     <li>Tailwind CSS + Typography</li>
689     <li>Vanilla JavaScript</li>
690     <li>GSAP · ScrollTrigger · SplitText</li>
691     <li>ScrollSmoother parallax</li>
692   </ul>
693 </div>
694 </div>
695
696 <div class="mt-16 flex flex-col gap-5 border-t border-jade-900/10 pt-8 sm:flex-row sm:items-center sm:justify-between">
697   <p class="font-mono text-tiny uppercase text-jade-500">
698     © <span id="year">2026</span> · FSD Lab 01 · Exercise 01 – responsive layout with Tailwind CSS
699   </p>
700   <a href="#page" data-scroll-to="#page" data-magnetic
701     class="group inline-flex items-center gap-3 font-mono text-tiny uppercase text-jade-600 transition-colors hover:text-
jade-900">
702     Back to top
703     <span class="grid h-9 w-9 place-items-center rounded-full border border-white/95 bg-white/80 shadow-lift">
704       <svg class="h-3.5 w-3.5"><use href="#i-chevron-up" /></svg>
705     </span>
706   </a>
707 </div>
708 </div>
709 </footer>
710
711 </div><!-- #smooth-content -->
712 </div><!-- #smooth-wrapper -->
713
714 <!-- ████████████████████████████████████████████████████████████████████████████████████████████████████████████████
715 SCRIPTS – classic (non-module) so the page also runs from file://
716 ████████████████████████████████████████████████████████████████████████████████████████████████████████████████ -->
717 <script src="js/vendor/gsap.min.js"></script>
718 <script src="js/vendor/ScrollTrigger.min.js"></script>
719 <script src="js/vendor/ScrollSmoother.min.js"></script>
720 <script src="js/vendor/SplitText.min.js"></script>
721 <script src="js/vendor/CustomEase.min.js"></script>
722
723 <script src="js/ui.js"></script>
724 <script src="js/main.js"></script>
725
726 </body>
727 </html>
```

2. Screenshots — Landing Page

Rendered at 1440 × 900 in a Chromium browser.




Figure 1 — Landing page on load: header, navigation bar, hero and footer region.




Figure 2 — Landing page mid-scroll: the pinned hero scrubbed through its animated state.

3. GitHub Repository Link

[repository URL to be inserted]

The repository contains the full source: index.html, the Tailwind source and compiled stylesheet, the JavaScript modules, the self-hosted fonts and the build configuration.

4. AI Usage Declaration

AI tool used	Claude (Anthropic)
Extent of AI assistance	Approximately 25–30% of the submitted work

Division of work

- UI design and architecture — my own. The visual direction, layout, section structure, interaction design and the choice of techniques were decided by me.
- Code syntax and implementation — AI-assisted. Claude was used to translate those design and architectural decisions into HTML, Tailwind CSS and JavaScript syntax.
- Debugging and verification — my own. Layout faults, responsive issues and runtime errors were identified and resolved by me through self-debugging.

Purpose of usage

To accelerate the writing of markup and boilerplate syntax, so that more of the available time could be spent on design, architecture and testing. The AI was used as an implementation aid working to my specification; it did not originate the design or the structure of the page, and all output was reviewed, corrected and debugged by me before inclusion.