```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>ToDo App</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="container">
     <h1>ToDo App</h1>
    <div class="task-container">
       <input type="text" id="task-input" placeholder="Add a new task">
       <button id="add-task">Add Task</button>
     </div>
     ul id="task-list">
       <!-- Tasks will be added here dynamically using JavaScript -->
     </div>
  <script src="script.js"></script>
</body>
</html>
body {
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 0;
  background: linear-gradient(to bottom, #3498db, #2980b9);
  color: #fff;
  text-align: center;
  height: 100vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}
.container {
  background: rgba(255, 255, 255, 0.2);
  border-radius: 10px;
  padding: 20px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
}
.task-container {
  margin-top: 20px;
}
```

```
#task-list {
  list-style: none;
}
.task-item {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin: 10px 0;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
  background: rgba(255, 255, 255, 0.7);
}
.task-item input[type="text"] {
  flex: 1;
  margin-right: 10px;
}
button.delete-task {
  background-color: #f44336;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}
button.update-task {
  background-color: #4CAF50;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}
document.addEventListener("DOMContentLoaded", function () {
  const taskInput = document.getElementById("task-input");
  const addTaskButton = document.getElementById("add-task");
  const taskList = document.getElementById("task-list");
  addTaskButton.addEventListener("click", function () {
     const taskText = taskInput.value;
     if (taskText.trim() !== "") {
       createTask(taskText);
       taskInput.value = "";
```

```
}
  });
  function createTask(text) {
     const taskItem = document.createElement("li");
     taskItem.classList.add("task-item");
     taskItem.innerHTML = `
       <input type="text" value="${text}">
       <button class="update-task">Update/button>
       <button class="delete-task">Delete</button>
     taskList.appendChild(taskItem);
     const deleteButton = taskItem.querySelector(".delete-task");
     deleteButton.addEventListener("click", function () {
       taskList.removeChild(taskItem);
     });
     const updateButton = taskItem.querySelector(".update-task");
     updateButton.addEventListener("click", function () {
       const newTaskText = taskItem.querySelector("input").value;
       if (newTaskText.trim() !== "") {
          taskItem.querySelector("input").value = newTaskText;
       }
    });
});
```