

LAB 1 - REQUIREMENTS TABLE

Remote Patient Vitals Alert & Monitoring App | SRN: PES1UG24CS564 | Problem Statement: 16

Req ID	Type	Description	Priority	Acceptance Criteria	Rationale	Comments
FR-001	Functional	The system shall allow the Remote Patient to record and submit vital sign readings including heart rate, blood pressure, SpO2, and body temperature.	High	When valid vital readings are submitted, the system shall store the readings with patient ID and timestamp and display a successful submission message.	Core input for remote monitoring.	Verify valid readings are stored with patient ID and timestamp.
FR-002	Functional	The system shall allow the On-Call Caregiver to view the latest and historical vital sign readings of a monitored patient.	High	When the caregiver selects a patient, the system shall display the latest and historical readings with timestamps.	Enables remote assessment.	Check current and historical readings are displayed.
FR-003	Functional	The system shall compare submitted vital readings against configured threshold values and identify abnormal readings.	High	When any submitted vital reading crosses its configured threshold, the system shall mark the reading as abnormal and generate an alert event.	Automatic abnormality detection.	Test threshold crossing for each monitored vital.
FR-004	Functional	The system shall notify the On-Call Caregiver when an abnormal vital reading is detected.	High	When an abnormal reading is detected, the system shall generate a notification containing patient ID, abnormal vital type, measured value, and timestamp.	Timely caregiver response.	Verify the notification contains all required details.
FR-005	Functional	The system shall allow the On-Call Caregiver to acknowledge an alert generated for an abnormal vital reading.	Medium	When the caregiver selects an active alert and chooses Acknowledge, the system shall change its status from Active to Acknowledged and record the acknowledgement time.	Tracks caregiver response.	Verify alert status and acknowledgement timestamp.
NFR-001	Nonfunctional	The system shall generate an alert within 5 seconds of detecting an abnormal vital reading.	High	In at least 95 out of 100 abnormal-reading test cases, the alert shall be generated within 5 seconds of detection.	Fast alerting supports timely response.	Measure alert time over 100 test cases.
NFR-002	Nonfunctional	The system shall maintain an availability of at least 99 percent during the scheduled monitoring service.	High	Monitoring service availability measured over a 30-day period shall be at least 99 percent.	Reliable continuous monitoring.	Review availability logs for 30 days.

All acceptance criteria are intended to produce a measurable pass/fail result.