Data-Quality Platform — Roadmap

Oct 2, 2026 · @Mohammed Faraaz Shaik

Core detection and scoring fixes are complete and verified end-to-end (API, unit tests, and live frontend); a round of hardening tests closed several real edge-case gaps; one known UI gap remains, and the DB/auth/multi-tenancy layer stays deliberately frozen for this phase.

Done — detection & scoring fixes

- [x] ~~**Prompt alignment** — semantic and cross-table prompts (2.1.0) now explicitly carve out routine business phrasing ("pre-approved", "compliance team") as not a manipulation signal, closing a gap where the prompt's own hardening contradicted the injection detector's low-confidence tier.~~
- [x] ~~**Accuracy denominator fix** — ACCURACY now divides by `semantic_rows_considered` (rows actually reasoned over), not total rows or `total_rows - quarantined`, which previously credited skipped/unreasoned rows as "evaluated and clean."~~
- [x] ~~**Config-driven requiredness (completeness)** — COMPLETENESS is now the fraction of configured `required_columns` cells that are filled, fixing both a units mismatch and a circularity where nullable-from-blank-ratio fed back into its own weighting. No `required_columns` configured falls back to an unweighted fill rate rather than disappearing as N/A.~~
- [x] ~~**Referential-integrity double-count fix** — fallback mode (no related table) no longer flags blank FK values itself; that defect is now scored exactly once, under Completeness.~~
- [x] ~~**Duplicate-check edge cases** — shared role mailboxes (info@, sales@, …) excluded from email-key matching; large (3+) name+company groups reported at low confidence; every duplicate group now flags all members except the earliest-seen row, instead of double-penalizing one duplication event.~~
- [x] ~~**Per-row reasons (`row_reasons`)** — each flagged row now shows the specific signal that matched it, instead of reusing the whole check's aggregate `detail` string on every row.~~

Done — testing & hardening

- [x] ~~**Unit test suite** — 259 tests passing (was 249 at the start of this round), covering every fix above plus the new gaps below.~~
- [x] ~~**Type-drift regression test** — documents a real, previously-unflagged gap: the CSV connector's type inference samples only the first 50 values of a column, so a value that drifts to a different type past that window is silently accepted. Pinned down, not fixed — no TypeConsistencyCheck exists yet.~~
- [x] ~~**Real cross-table referential integrity + semantic reasoning** — built genuine two- and three-table fixtures (`leads.csv` / `accounts.csv` / `contacts.csv`) and verified live: an orphaned FK is caught exactly once (not double-counted against a blank FK), and a planted company-name mismatch ("Globex Industries" vs. "Globex Corporation") was correctly flagged by the cross-table semantic pass and confirmed by the independent verifier model.~~
- [x] ~~**Three-table schema scan** — confirmed two child tables sharing one parent each get their own independent cross-table finding, and `aggregate_score` correctly row-weights across all three tables, not just two.~~
- [x] ~~**Required-columns case sensitivity** — confirmed (and pinned with a test) that `required_columns` matching is exact-case, not case-insensitive — a mismatched name is treated as unknown and warned about, same as a genuinely absent column.~~
- [x] ~~**Ragged & empty CSV handling** — confirmed the API returns a clean 200 (not a 500) for a short row (missing trailing field, read as blank) and for a header-only file with zero data rows.~~
- [x] ~~**Frontend verification** — all of the above (completeness config, duplicate edge cases, injection-tiering) independently re-confirmed through the actual browser UI, not just curl.~~

Known gap — not yet fixed

- [ ] **`semantic_rows_considered` is invisible in the UI** — the accuracy-denominator fix is correct and verified on the backend (confirmed present in raw scan JSON), but `CoverageBadge.tsx` is a generic on/off chip only ever used for "Semantic reasoning: on/off"; nothing in `page.tsx` or `schema/page.tsx` reads or renders the field. A small addition (e.g. a stat tile showing "X of Y rows reasoned over") would close this before a demo.

Still open / deferred

- [ ] **Scoring-spec document for the mentor** — a short write-up covering the overall-score severity cap, how N/A metrics are excluded rather than padded to 100, and the new cell-level completeness formula with its fallback mode. Discussed, not yet written.
- [ ] **DB / auth / multi-tenancy** — deliberately frozen for this phase; `/scans` and `/scans/schema` stay stateless (no persistence, no scan history, no tenant isolation) by design, not oversight, per the current project direction.
- [ ] **Remaining connectors (SQL DB, REST API / Salesforce)** — deferred indefinitely per the mentor's direction; current focus stays on API endpoints, the frontend dashboard, auth/multi-tenancy, and deployment once that phase starts.

Open decisions

- **Project name** — "DBCaaS" may not be the final name; no replacement settled on yet.