talend Jobs

Generated by Talend Cloud Data Fabric

Project Name	Synapses	GENERATION DATE	Feb 11, 2025, 11:35:11 AM
AUTHOR	Ibrahim, Chirine	Talend Cloud VERSION	8.0.1.20241016_1624- patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	Synapses
Language	java
Description	Talend Project

Description

Properties	Values
Name	CreateArbitrationTasks
Author	Ibrahim, Chirine
Version	0.1
Purpose	Arbitration campaign
Status	
Description	Discount rate selection
Creation	Jan 17, 2025, 3:06:38 PM
Modification	Jan 17, 2025, 3:09:19 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name Prompt	t Need Prompt?	Type	Value	Source
-------------	----------------	------	-------	--------

Component List

Component Name	Component Type
tDataStewardshipTaskOutput_1	tDataStewardshipTaskOutput
tFileInputDelimited_1	tFileInputDelimited
tMap_1	tMap

Components Description

Component tDataStewardshipTaskOutput

್ರ	UNIQUE NAME	tDataStewardshipTaskOutput_1	INPUT(S)	tMap 1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tDataStewardshipTaskOutput_1
Component Name	tDataStewardshipTaskOutput
Family	Talend Data Stewardship
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
Help	HELP
Update components	true
IREPORT_PATH	
Property Type	Built-In
Query Type	Built-In
tStatCatcher Statistics	false
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Schema	{"type":"record","name":"tDataStewardshipTaskOutput_1","fields":[{"name":"CODE","type":"string","di.table.comment":"integer","talend.isLocked":"true","AVRO_TECHNICAL_KEY":"CODE","talend.field.dbColumnName":"CODE","di.column.t alendType":"id_String","talend.field.pattern":"","di.column.relationshipType":"","di.table.label":"CODE","di.column.relatedEntity":""},{"name":"NAME","type":["string","null"],"di.table.comment":"text","talend.isLocked":"true","AVRO_TECHNICAL_KEY":"NAME","talend.field.dbColumnName":"NAME","di.column.talendType":"id_String","di.column.isNullable":"true","talend.field.pattern":"","di.column.relationshipType":"","di.table.label":"NAME","di.column.relatedEntity":""},{"name":"AUTHOR_DIRECTOR","type":["string","null"],"di.table.comment":"text","talend.field.dbColumnName":"AUTHOR_DIRECTOR","di.column.talendType":"id_String","di.column.isNullable":"true","talend.field.pattern":"","di.column.relationshipType":"","di.table.label":"AUTHOR_DIRECTOR","di.column.relatedEntity":""},{"name":"YEAR","type":["string","null"],"di.table.comment":"integer","talend.isLocked":"true","AVRO_TECHNICAL_KEY":"di.column.relatedEntity":""},{"name":"YEAR","type":["string","null"],"di.table.comment":"integer","talend.isLocked":"true","AVRO_TECHNICAL_KEY":"YEAR","di.column.relatedEntity":""},("name":"YEAR","di.column.relatedEntity":""),("name":"YEAR","di.column.relatedEntity":""),("name":"YEAR","di.column.talendType":"id_String","di.column.isNullable":"true","talend.field.pattern":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity":"","di.column.relatedEntity

URL Üsername	y":"), ("name":"LANGUAGE", "type": ["string", "null"], "di.table.comment": "text", "tale nd. isl.ocked": "true", "AVRO_TECHNICAL_KEY":"LANGUAGE", "di.column.talendType": "id_String", "di.column.isNull able": "true", "talend.field.pattern":", "di.column.relationshipType":", "di.column.isNull able": "true", "talend.field.pattern":", "di.column.relationshipType":", "di.column.solumn.g", "null"], "di.table.comment": "text", "talend.islocked": "true", "AVRO_TECHNICAL_KEY": "CATEGORY", "talend.field.dbColumnName": "CATEGORY", "type"; "string ", "null"], "di.table.comment": "text", "talend.field.pattern": "", "di.column.talendType": "id_String", "di.column.isNullable": "true", "talend.field.pattern": "", "di.column.relatedEntity y:"), ("name": "SUBCATEGORY", "type: "["string", "null"], "di.table.comment": "text", "talend.islocked": "true", "AVRO_TECHNICAL_KEY": "SUBCATEGORY", "di.column.talendType": "id_String", "di.column.isNullable": "true", "talend.field.pattern": ", "di.column.relationshipType e":"", "di.table.label": "SUBCATEGORY", "di.column.talendType": "id_String", "di.column.isNullable": "true", "talend.field.pattern": ", "di.column.relationshipType e":"", "di.table.label": "SUBCATEGORY", "di.column.talendType": "id_String", "di.column.isNullable": "True", "talend.field.pattern": ", "di.column.talendiptee": "FORMAT", "type: "["string", "null"], "di.table.comment": "forMAT", "di.column.relationshipType": "", "di.table.label": "FORMAT", "di.column.relationshipType": "", "di.table.label": "FORMAT", "di.column.relationshipType": "", "di.table.deced": "true", "AVRO_TECHNICAL_KEY": "PRICE", "talend.field.dbColumnName": "POPULARITY", "di.column.relationshipType": "", "di.table.comment": "decimal", "di.column.relatedEntity: "", "di.table.comment": "decimal", "di.column.relatedEntity: "", "di.table.comment": "decimal", "di.column.relationshipType": "", "di.table.dbel": "POPULARITY", "di.column.relatedEntity": "", "di.table.comment": "do.column.relationshipType: "", "di.table.label": "POPULARITY", "di.column.relatedEnt
URL	
	"c.ibrahim@synapsescons.com"
Password	***********
Campaign	"LIBRARY PRODUCTS ARBITRATION"
Туре	ARBITRATION
Override enforcement of data mod	true
eı	
State	New
customState	
Assignee	No Assignee
customAssignee	HII .
Priority	NO_PRIORITY
customPriority	nn
Choice	NO_CHOICE
Tags	IIII
Comments	
Campaign ID	"c35a16a527d194d889c33c4a488230ca3"
Http client configuration	
Max tasks per commit	50
REPOSITORY_ALLOW_AUTO_S	true
WITCH	inue
-	-

Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDataStewardshipTaskOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
	false	String			false	integer
NAME	false	String			true	text
AUTHOR_DIRECTOR	false	String			true	text
YEAR	false	String			true	integer
LANGUAGE	false	String			true	text
CATEGORY	false	String			true	text
SUBCATEGORY	false	String			true	text
FORMAT	false	String			true	text
PRICE	false	String			true	decimal
POPULARITY	false	String			true	integer
AVAILABILITY	false	String			true	boolean
SOURCE	false	String			true	text
TDS_DUE_DATE	false	Long			true	
TDS_EXTERNAL_ID	false	String			true	

Original Function Parameters:

Component tFileInputDelimited

E-M	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	Library_Products_Arbitration	OUTPUT(S)	tMap 1

Component Parameters:

omponent i didinotore.				
Properties	Values			
Unique Name	tFileInputDelimited_1			
Component Name	tFileInputDelimited			
Version	0.102 (ALPHA)			
Family	File/Input			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileInputDelimited			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java			
Subjob color				
Subjob header color				
Enable parallel execution	false			
Number of parallel executions	2			
PARALLELIZE_KEEP_EMPTY	false			
Property Type	repository: DELIM:Library_Products_Arbitration			
REPOSITORY_ALLOW_AUTO_S WITCH	true			

Schema	Built-In
Use existing dynamic	false
Component List	
File name/Stream	"C:/Users/User_/Desktop/Talend Documents/TDM-Essentials/TDM-Essentials/Library_data.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	\(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Escape char)
Text enclosure	
	1
Header	0
Footer Limit	U
	folo o
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
Temporary directory	"C:/Program Files (x86)/Talend-Studio/studio/workspace"
Advanced separator (for numbers)	false
Thousands separator	,
Decimal separator	II II
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=Code, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=Author, TRIM=false}, {SCHEMA_COLUMN=Ye ar, TRIM=false}, {SCHEMA_COLUMN=Language, TRIM=false}, {SCHEMA_COLUMN=Category, TRIM=false}, {SCHEMA_COLUMN=Type, TRIM=false}, {SCHEMA_COLUMN=Format, TRIM=false}, {SCHEMA_COLUMN=Price, TRIM=false}, {SCHEMA_COLUMN=Ranking, TRIM=false}, {SCHEMA_COLUMN=Availability, TRIM=false}, {SCHEMA_COLUMN=COLUMN=Availability, TRIM=false}, {SCHEMA_COLUMN=
Charles and wave atmentions and had	false
Check date	false
Encoding	"UTF-8"
	false
Permit hexadecimal (0xNNN) or o	laise
ctal (0NNNN) for numeric types (cl	
ear the check box to read Byte type	
e as octal and hexadecimal numb	laise
ers by default)	
Decode table	[{SCHEMA_COLUMN=Code, DECODE=false}, {SCHEMA_COLUMN=Name, D ECODE=false}, {SCHEMA_COLUMN=Author, DECODE=false}, {SCHEMA_CO LUMN=Year, DECODE=false}, {SCHEMA_COLUMN=Language, DECODE=false}, {SCHEMA_COLUMN=Category, DECODE=false}, {SCHEMA_COLUMN=Ty pe, DECODE=false}, {SCHEMA_COLUMN=Format, DECODE=false}, {SCHEM A_COLUMN=Price, DECODE=false}, {SCHEMA_COLUMN=Ranking, DECOD E=false}, {SCHEMA_COLUMN=Availability, DECODE=false}, {SCHEMA_COLUMN=Source, DECODE=false}]
Destination	
Use Header As Is	false
Min column number of optimize co de	100
Label format	Library_Products_Arbitration
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:


Column	Key	Туре	Length	Precision	Nullable	Comment
Code	false	String			true	

Name	false	String	79	true
Author	false	String	41	true
Year	false	String	14	true
Language	false	String	15	true
Category	false	String	5	true
Type	false	String		true
Format	false	String	9	true
Price	false	String		true
Ranking	false	String		true
Availability	false	String	5	true
Source	false	String	3	true

Original Function Parameters:

Component tMap

000	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited 1
0 -0	LABEL	UNIQUE_NAME	OUTPUT(S)	tDataStewardshipTaskOutput 1



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	

Use an existing validation	falso
rule	Talse

Mapper table for tMap_1 (input): Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

metadata Table Entries (Town).				
Туре	Expression	isNullable		
String		true		
	Type String	Type Expression String String		

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties (createTasks):

	,
Properties	Values
Name	createTasks
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(createTasks):

motadata rabio Entrico (ordato rabito).				
Name	Туре	Expression	isNullable	
CODE	String	row1.Code	false	
NAME	String	row1.Name	true	
AUTHOR_DIRECTO	OR String		true	
YEAR	String	row1.Year	true	
LANGUAGE	String	row1.Language	true	

CATEGORY	String	row1.Category	true
SUBCATEGORY	String		true
FORMAT	String	row1.Format	true
PRICE	String	row1.Price	true
POPULARITY	String	row1.Ranking	true
AVAILABILITY	String	row1.Availability	true
SOURCE	String	row1.Source	true
TDS_DUE_DATE	Long		true
TDS_EXTERNAL_ID	String		true

Constraint Table Entries(createTasks):

Name	Туре	Expression	isNullable

Mapper table for tMap_1 (var): Mapper table Properties(Var):

apper table 1 reperios(ra. /-			
Values			
Var			
true			
false			
false			
false			
null			

Metadata Table Entries(Var):

Name	Туре	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable