Homecontroller.cs

```
using Bank_PracticeProject_phase_4.Models;
using Microsoft.AspNetCore.Mvc;
using System. Diagnostics;
namespace Bank_PracticeProject_phase_4.Controllers
{
  public class HomeController: Controller
  {
    private readonly ILogger<HomeController> _logger;
    List<User> userlist = new List<User>();
    public HomeController(ILogger<HomeController> logger)
    {
      _logger = logger;
      userlist.Add(new Models.User { Username = "Siva", Password = "siva@123" });
      userlist.Add(new Models.User { Username = "Ramya", Password = "ramya@123" });
      userlist.Add(new Models.User { Username = "Ganesh", Password = "ganesh@123" });
    }
    public IActionResult Index()
      return View();
    }
    [HttpPost]
    public IActionResult Index(User u)
    {
```

```
var found = userlist.Find( f => ((f.Username == u.Username) && (f.Password == u.Password)));
  if(found!=null)
  {
    return RedirectToAction("Dashboard", "Home");
  }
  else
  {
    return View();
 }
}
public IActionResult Dashboard()
{
  return View();
}
//[HttpPost]
//public IActionResult Dashboard(FormCollection f)
//{
// return RedirectToAction("Index");
//}
public IActionResult Privacy()
  return View();
}
```

```
[ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]
    public IActionResult Error()
    {
      return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
    }
  }
}
Models
User.cs
namespace Bank_PracticeProject_phase_4.Models
{
  public class User
  {
    public string ? Username { get; set; }
    public string ? Password { get; set; }
  }
}
Index.cshtml
@model Bank_PracticeProject_phase_4.Models.User
@{
  ViewData["Title"] = "Index";
}
```

```
<h1>ABC BANK</h1>
<h4>Login</h4>
<hr />
<div class="row">
  <div class="col-md-4">
    <form asp-action="Index">
      <div asp-validation-summary="ModelOnly" class="text-danger"></div>
      <div class="form-group">
        <label asp-for="Username" class="control-label"></label>
        <input asp-for="Username" class="form-control" />
        <span asp-validation-for="Username" class="text-danger"></span>
      </div>
      <div class="form-group">
        <label asp-for="Password" class="control-label"></label>
        <input asp-for="Password" class="form-control" type="password" />
        <span asp-validation-for="Password" class="text-danger"></span>
      </div>
      <div class="form-group">
        <input type="submit" value="Login" class="btn btn-primary" />
      </div>
    </form>
  </div>
</div>
<div>
  <a asp-action="Index">Back to List</a>
</div>
```

Dashboard.cshtml

```
@{
    ViewData["Title"] = "Dashboard";
}
<h1>Dashboard</h1>
<a asp-controller="Home"
    asp-action="Index">LOGOUT</a>
</div>
```