

SOURCE CODE

HOME PAGE:

```
<%@ Page Title="Home Page" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeBehind="Default.aspx.cs" Inherits="School_Webforms._Default" %>
```

```
<asp:Content ID="BodyContent" ContentPlaceHolderID="MainContent" runat="server">
```

```
    <div class="jumbotron">
```

```
        <h1>School Management (Webform)</h1>
```

```
    </div>
```

```
    <div class="row">
```

```
        <div class="col-md-4">
```

```
            <h2>Tables in database:</h2>
```

```
            <ul>
```

```
                <li>Student</li>
```

```
                <li>Class</li>
```

```
                <li>Subject</li>
```

```
            </ul>
```

```
        </div>
```

```
    </div>
```

```
</asp:Content>
```

MASTER PAGE:

```
<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="Site.master.cs"
Inherits="School_Webforms.SiteMaster" %>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head runat="server">
```

```
    <meta charset="utf-8" />
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
    <title><%: Page.Title %> - SchoolManagement </title>
```

```
<asp:Placeholder runat="server">
```

```
    <%: Scripts.Render("~/bundles/modernizr") %>
```

```
</asp:Placeholder>
```

```
<webopt:bundlereference runat="server" path="/Content/css" />
```

```
<link href="/favicon.ico" rel="shortcut icon" type="image/x-icon" />
```

```
</head>
```

```
<body>
```

```
    <form runat="server">
```

```
        <asp:ScriptManager runat="server">
```

```
            <Scripts>
```

```
                <%--To learn more about bundling scripts in ScriptManager see  
https://go.microsoft.com/fwlink/?LinkId=301884 --%>
```

```
                <%--Framework Scripts--%>
```

```
                <asp:ScriptReference Name="MsAjaxBundle" />
```

```
                <asp:ScriptReference Name="jquery" />
```

```
                <asp:ScriptReference Name="bootstrap" />
```

```
                <asp:ScriptReference Name="WebForms.js" Assembly="System.Web"  
Path="/Scripts/WebForms/WebForms.js" />
```

```
                <asp:ScriptReference Name="WebUIValidation.js" Assembly="System.Web"  
Path="/Scripts/WebForms/WebUIValidation.js" />
```

```
<asp:ScriptReference Name="MenuStandards.js" Assembly="System.Web"
Path=~\Scripts\WebForms/MenuStandards.js" />
```

```
<asp:ScriptReference Name="GridView.js" Assembly="System.Web"
Path=~\Scripts\WebForms/GridView.js" />
```

```
<asp:ScriptReference Name="DetailsView.js" Assembly="System.Web"
Path=~\Scripts\WebForms/DetailsView.js" />
```

```
<asp:ScriptReference Name="TreeView.js" Assembly="System.Web"
Path=~\Scripts\WebForms/TreeView.js" />
```

```
<asp:ScriptReference Name="WebParts.js" Assembly="System.Web"
Path=~\Scripts\WebForms/WebParts.js" />
```

```
<asp:ScriptReference Name="Focus.js" Assembly="System.Web"
Path=~\Scripts\WebForms/Focus.js" />
```

```
<asp:ScriptReference Name="WebFormsBundle" />
```

```
<%--Site Scripts--%>
```

```
</Scripts>
```

```
</asp:ScriptManager>
```

```
<div class="navbar navbar-inverse navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse" title="more options">
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a class="navbar-brand" runat="server" href=~/">SCHOOL</a>
```

```
</div>
```

```
<div class="navbar-collapse collapse">
```

```
<ul class="nav navbar-nav">
```

```
<li><a runat="server" href=~\Student">Student</a></li>
```

```
<li><a runat="server" href=~\Subject">Subject</a></li>
```

```
<li><a runat="server" href=~\Class">Class</a></li>
```

```

        <li><a runat="server" href="~/Table">Tables</a></li>

    </ul>

</div>

</div>

</div>

<div class="container body-content">
    <asp:ContentPlaceHolder ID="MainContent" runat="server">
        </asp:ContentPlaceHolder>

    <hr />

    <footer>

        <p>&copy; <%: DateTime.Now.Year %> - School</p>

    </footer>

</div>

</form>

</body>

</html>

```

STUDENT PAGE:

```

<%@ Page Title="Student Page" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeBehind="Student.aspx.cs" Inherits="School_Webforms.Student" %>

```

```

<asp:Content ID="BodyContent" ContentPlaceHolderID="MainContent" runat="server">

```

```

<%-- <form id="form1" runat="server">--%>

    <div>

        <center>

```

[illegible]


```
<center>

    <h1>

        <asp:Label ID="Label1" runat="server" CssClass="center-block" ForeColor="#CC6600"
Text="Table" Height="43px"></asp:Label>

    </h1>

</center>

<br />

<h4>Student Table:</h4>

<br />

<asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False"
BackColor="LightGoldenrodYellow" BorderColor="Tan" BorderWidth="1px" CellPadding="2"
DataKeyNames="Student id" DataSourceID="SqlDataSource1" ForeColor="Black" GridLines="None"
Width="209px">

    <AlternatingRowStyle BackColor="PaleGoldenrod" />

    <Columns>

        <asp:BoundField DataField="Student id" HeaderText="Student id" ReadOnly="True"
SortExpression="Student id" />

        <asp:BoundField DataField="Student name" HeaderText="Student name"
SortExpression="Student name" />

        <asp:BoundField DataField="Age" HeaderText="Age" SortExpression="Age" />

        <asp:BoundField DataField="Blood group" HeaderText="Blood group" SortExpression="Blood
group" />

        <asp:BoundField DataField="Father's Name" HeaderText="Father's Name"
SortExpression="Father's Name" />

        <asp:BoundField DataField="Mother's Name" HeaderText="Mother's Name"
SortExpression="Mother's Name" />

        <asp:BoundField DataField="Grade" HeaderText="Grade" SortExpression="Grade" />

        <asp:BoundField DataField="Subject Id" HeaderText="Subject Id" SortExpression="Subject Id" />
    </Columns>

    <FooterStyle BackColor="Tan" />

    <HeaderStyle BackColor="Tan" Font-Bold="True" />

    <PagerStyle BackColor="PaleGoldenrod" ForeColor="DarkSlateBlue" HorizontalAlign="Center" />

    <SelectedRowStyle BackColor="DarkSlateBlue" ForeColor="GhostWhite" />

    <SortedAscendingCellStyle BackColor="#FAFAE7" />
```

```

<SortedAscendingHeaderStyle BackColor="#DAC09E" />

<SortedDescendingCellStyle BackColor="#E1DB9C" />

<SortedDescendingHeaderStyle BackColor="#C2A47B" />

</asp:GridView>

<asp:SqlDataSource ID="SqlDataSource1" runat="server" ConnectionString="<%=
ConnectionString:School ManagementConnectionString2 %>" SelectCommand="SELECT * FROM
[Students]"></asp:SqlDataSource>

<br />

<h4>Subject Table</h4><br />

<asp:GridView ID="GridView2" runat="server" AutoGenerateColumns="False" BackColor="White"
BorderColor="White" BorderStyle="Ridge" BorderWidth="2px" CellPadding="3" CellSpacing="1"
DataKeyNames="Subject Id" DataSourceID="SqlDataSourceSubject" GridLines="None">

    <Columns>

        <asp:BoundField DataField="Subject Id" HeaderText="Subject Id" ReadOnly="True"
SortExpression="Subject Id" />

        <asp:BoundField DataField="Subject name" HeaderText="Subject name"
SortExpression="Subject name" />

    </Columns>

    <FooterStyle BackColor="#C6C3C6" ForeColor="Black" />

    <HeaderStyle BackColor="#4A3C8C" Font-Bold="True" ForeColor="#E7E7FF" />

    <PagerStyle BackColor="#C6C3C6" ForeColor="Black" HorizontalAlign="Right" />

    <RowStyle BackColor="#DEDFDE" ForeColor="Black" />

    <SelectedRowStyle BackColor="#9471DE" Font-Bold="True" ForeColor="White" />

    <SortedAscendingCellStyle BackColor="#F1F1F1" />

    <SortedAscendingHeaderStyle BackColor="#594B9C" />

    <SortedDescendingCellStyle BackColor="#CAC9C9" />

    <SortedDescendingHeaderStyle BackColor="#33276A" />

</asp:GridView>

<asp:SqlDataSource ID="SqlDataSourceSubject" runat="server" ConnectionString="<%=
ConnectionString:School ManagementConnectionString3 %>" SelectCommand="SELECT * FROM
[Subjects]"></asp:SqlDataSource>

<br />

<h4>Class Table:</h4><br />

<br />

```

```
<asp:GridView ID="GridView3" runat="server" AutoGenerateColumns="False" BackColor="#DEBA84"
BorderColor="#DEBA84" BorderStyle="None" BorderWidth="1px" CellPadding="3" CellSpacing="2"
DataKeyNames="Grade" DataSourceID="SqlDataSourceclass">
```

```
<Columns>
```

```
<asp:BoundField DataField="Grade" HeaderText="Grade" ReadOnly="True"
SortExpression="Grade" />
```

```
<asp:BoundField DataField="ClassRoom" HeaderText="ClassRoom" SortExpression="ClassRoom"
/>
```

```
</Columns>
```

```
<FooterStyle BackColor="#F7DFB5" ForeColor="#8C4510" />
```

```
<HeaderStyle BackColor="#A55129" Font-Bold="True" ForeColor="White" />
```

```
<PagerStyle ForeColor="#8C4510" HorizontalAlign="Center" />
```

```
<RowStyle BackColor="#FFF7E7" ForeColor="#8C4510" />
```

```
<SelectedRowStyle BackColor="#738A9C" Font-Bold="True" ForeColor="White" />
```

```
<SortedAscendingCellStyle BackColor="#FFF1D4" />
```

```
<SortedAscendingHeaderStyle BackColor="#B95C30" />
```

```
<SortedDescendingCellStyle BackColor="#F1E5CE" />
```

```
<SortedDescendingHeaderStyle BackColor="#93451F" />
```

```
</asp:GridView>
```

```
<asp:SqlDataSource ID="SqlDataSourceclass" runat="server" ConnectionString="<%%$
ConnectionStrings:School ManagementConnectionString4 %>" SelectCommand="SELECT * FROM
[class]"></asp:SqlDataSource>
```

```
<br />
```

```
<br />
```

```
<br />
```

```
</asp:Content>
```