


MAT2440, Classwork22, Spring2025


ID: _____

Name: _____

1. Use **Horizontal Line Test** to determine which of the following are the graphs of one-to-one functions.



NOT a one-to-one function
(more than one intersection per horizontal line)



Yes, it is one-to-one
(at most one intersection point per horizontal line)



2. The definition of an **Onto** Function:

A function f from A to B is called Onto, or a surjection, if and only if for every element

$b \in B$ there is an element $a \in A$ with $f(a) = b$ and we say f is **surjective**. Hence,

$$\forall b \in B \exists a \in A (f(a) = b).$$

3. Check if the given function (or mapping) an onto function.



4. Check if the given function an onto function. (a) $f(x) = x^2$ from \mathbb{R} to \mathbb{R} .

(b) $g(x) = 2x + 1$ from \mathbb{R} to \mathbb{R} .

(c) $h(x) = 2x + 1$ from \mathbb{Z} to \mathbb{Z} .

To prove f is NOT Onto: provide a counterexample to show that there exists an output without input.

(a) NO, here is an counterexample: Let $b = -1 \notin \mathbb{R}$, we have

$$x^2 = -1 \text{ which has no solution in } \mathbb{R}.$$

\Rightarrow NOT all output has an input $\Rightarrow f(x) = x^2$ from \mathbb{R} to \mathbb{R}

(c) NO, here is an counterexample, Let $b = 2 \in \mathbb{Z}$, we have

$$2x + 1 = 2 \Rightarrow x = \frac{1}{2} \notin \mathbb{Z}$$

\Rightarrow NOT all output has an input $\Rightarrow h(x) = 2x + 1$ from \mathbb{Z} to \mathbb{Z} is NOT onto.

To prove f is onto: need to show that $\forall y \in B$, we can solve for $x \in A$, such that $f(x) = y$.

(b) To show " $g(x) = 2x + 1$ from \mathbb{R} to \mathbb{R} " is onto, we have

$$\text{Given } y \in \mathbb{R}, \quad 2x + 1 = y$$

$$\Rightarrow 2x = y - 1$$

$$\Rightarrow x = \frac{y-1}{2}$$


$\forall y \in \mathbb{R}$, we can find $x = \frac{y-1}{2}$ which is also a real number.

Therefore, $g(x) = 2x + 1$ from \mathbb{R} to \mathbb{R} is onto.

5. The definition of a **Bijjective** Function:

If a function f is both one-to-one and onto, then f is bijective.

6. Check if the given function (or mapping) a bijective function.



7. Show that $f(x) = x^3$ from \mathbb{R} to \mathbb{R} is bijective.

8. The definition of an **Inverse** Function:

Let a function f be one-to-one from a set A to a set B . Then f is _____ and the _____ function of f , denoted _____, assigns $f^{-1}(\text{---}) = \text{---}$ if $f(x) = y$.

