

19.1 . please check classwork 20 & 21 for the graphs.

Exercise 19.2

Find the exact value of the inverse trigonometric function.

- a) $\tan^{-1}(\sqrt{3})$
- b) $\sin^{-1}\left(\frac{1}{2}\right)$
- c) $\cos^{-1}\left(\frac{1}{2}\right)$
- d) $\tan^{-1}(0)$
- e) $\cos^{-1}\left(\frac{\sqrt{2}}{2}\right)$
- f) $\cos^{-1}\left(-\frac{\sqrt{2}}{2}\right)$
- g) $\sin^{-1}(-1)$
- h) $\tan^{-1}(-\sqrt{3})$
- i) $\cos^{-1}\left(-\frac{\sqrt{3}}{2}\right)$
- j) $\sin^{-1}\left(-\frac{\sqrt{2}}{2}\right)$
- k) $\sin^{-1}\left(-\frac{\sqrt{3}}{2}\right)$
- l) $\tan^{-1}\left(-\frac{1}{\sqrt{3}}\right)$

$$-\frac{\pi}{2} < \tan^{-1}(x) < \frac{\pi}{2}, \quad -\frac{\pi}{2} \leq \sin^{-1}(x) \leq \frac{\pi}{2}, \quad 0 \leq \cos^{-1}(x) \leq \pi$$

$$(a) \theta = \tan^{-1}(\sqrt{3}) \Rightarrow \tan(\theta) = \sqrt{3} \Rightarrow \frac{\sin(\theta)}{\cos(\theta)} = \frac{\frac{\sqrt{3}}{2}}{\frac{1}{2}} \Rightarrow \theta = \frac{\pi}{3}$$

$$(b) \theta = \sin^{-1}\left(\frac{1}{2}\right) \Rightarrow \sin(\theta) = \frac{1}{2} \Rightarrow \theta = \frac{\pi}{6}$$

$$(c) \theta = \cos^{-1}\left(\frac{1}{2}\right) \Rightarrow \cos(\theta) = \frac{1}{2} \Rightarrow \theta = \frac{\pi}{3}$$

$$(d) \theta = \tan^{-1}(0) \Rightarrow \tan(\theta) = 0 \Rightarrow \theta = 0$$

$$(e) \theta = \cos^{-1}\left(\frac{\sqrt{2}}{2}\right) \Rightarrow \cos(\theta) = \frac{\sqrt{2}}{2} \Rightarrow \theta = \frac{\pi}{4}$$

$$(f) \theta = \cos^{-1}\left(-\frac{\sqrt{2}}{2}\right) \Rightarrow \cos(\theta) = -\frac{\sqrt{2}}{2} \Rightarrow \theta = \frac{3\pi}{4}$$

$$(g) \theta = \sin^{-1}(-1) \Rightarrow \sin(\theta) = -1 \Rightarrow \theta = -\frac{\pi}{2}$$

$$(h) \theta = \tan^{-1}(-\sqrt{3}) \Rightarrow \tan(\theta) = -\sqrt{3} \Rightarrow \theta = -\frac{\pi}{3}$$

$$(i) \theta = \cos^{-1}\left(-\frac{\sqrt{3}}{2}\right) \Rightarrow \cos(\theta) = -\frac{\sqrt{3}}{2} \Rightarrow \theta = \frac{5\pi}{6}$$

Exercise 19.3

Find the inverse trigonometric function value using the calculator. Approximate your answer to the nearest hundredth.

- For parts (a)-(f), write your answer in radian mode.

✓ a) $\cos^{-1}(0.2)$

✓ b) $\sin^{-1}(-0.75)$

✓ c) $\cos^{-1}\left(\frac{1}{3}\right)$

(a) $\cos^{-1}(0.2) = 1.37$

(b) $\sin^{-1}(-0.75) = -0.85$

(c) $\cos^{-1}\left(\frac{1}{3}\right) = 1.23$

- For parts (g)-(l), write your answer in degree mode.

✓ g) $\cos^{-1}(0.68)$

✓ h) $\tan^{-1}(-1)$

✓ i) $\sin^{-1}\left(\frac{\sqrt{2}+\sqrt{6}}{4}\right)$

(g) $\cos^{-1}(0.68) = 47.63^\circ$ (h) $\tan^{-1}(-1) = -45^\circ$ (i) $\sin^{-1}\left(\frac{\sqrt{2}+\sqrt{6}}{4}\right) = 75^\circ$