

1. Total sales in dollars by customer state per year

```
SELECT MAX(TSO.Total) AS TotalSales, TS.StateName
```

```
FROM TCustomer TC JOIN TState TS ON TC.StateID=TS.StateID JOIN TSalesOrder TSO ON  
TSO.CustID=TC.CustID
```

```
GROUP BY TS.StateName
```

The screenshot shows a SQL query window with the following query:

```
SELECT MAX(TSO.Total) AS TotalSales, TS.StateName  
FROM TCustomer TC JOIN TState TS ON TC.StateID=TS.StateID JOIN TSalesOrder TSO ON TSO.CustID=TC.CustID  
GROUP BY TS.StateName
```

The results pane displays a table with two columns: TotalSales and StateName. The data is as follows:

	TotalSales	StateName
1	935.00	AK
2	899.00	AL
3	950.00	AR
4	881.00	AZ
5	914.00	CA
6	773.00	CO
7	886.00	DE
8	975.00	FL
9	672.00	GA
10	817.00	HI
11	892.00	IA
12	813.00	ID
13	935.00	IN
14	979.00	KS
15	975.00	KY

2. Total sales in dollars by vendor per year

```
SELECT YEAR(SODate) AS SalesYear, VName AS VendorName, SUM(Total) AS TotalSales
```

```
FROM TSalesOrder TSO
```

```
JOIN TEmployee TTemp ON TSO.EmpID = TTemp.EmpID JOIN TVendor TVen ON
```

```
TVen.EmpID = TTemp.EmpID
```

```
GROUP BY YEAR(SODate), VName;
```

The screenshot shows a SQL query window with the following query:

```
SELECT YEAR(SODate) AS SalesYear,  
VName AS VendorName, SUM(Total) AS TotalSales  
  
FROM TSalesOrder TSO  
  
JOIN TEmployee TTemp ON TSO.EmpID = TTemp.EmpID  
JOIN TVendor TVen ON TVen.EmpID = TTemp.EmpID  
  
GROUP BY YEAR(SODate), VName;
```

The results pane displays a table with four columns: SalesYear, VendorName, and TotalSales. The data is as follows:

	SalesYear	VendorName	TotalSales
1	2021	A Feugiat Tellus Incorporated	686.00
2	2023	A Feugiat Tellus Incorporated	859.00
3	2023	Ac Tellus Suspendisse Industries	886.00
4	2023	Ad Litora Torquent Inc.	886.00
5	2021	Adipiscing Fringilla Porttitor Foundation	686.00
6	2023	Adipiscing Fringilla Porttitor Foundation	859.00
7	2024	Adipiscing Lacus Corporation	46.00
8	2024	Aliquam Incorporated	46.00
9	2023	Aliquet Institute	886.00
10	2021	Ante Lectus Convallis Foundation	677.00
11	2023	Ante Lectus Convallis Foundation	386.00

3. The ten highest selling a) patterns, b) sizes c) pattern-size color combinations

(a) Highest selling patterns

-- Top 10 patterns

SELECT Top 10 FlyID, COUNT(*) as SalesCount

FROM TSalesOrderLine

GROUP BY FlyID

ORDER BY SalesCount DESC

Saved as a procedure

(b) Highest selling sizes

SELECT Top 10 TS.SizeID, COUNT(*) AS SalesCount

FROM TSalesOrderLine TSO Join TFly TF on TSO.FlyID = TF.FlyID join TSize TS on
TF.SizeID = TS.SizeID

GROUP BY TS.SizeID

ORDER BY SalesCount DESC

Saved as a procedure

(c) Highest selling pattern-size-color combinations

-- Top 10 pattern-size-color combinations

SELECT TF.FlyID, ColorID, TS.SizeID, COUNT(*) AS SalesCount

FROM TSalesOrderLine TSO Join TFly TF on TSO.FlyID = TF.FlyID join TSize TS on
TF.SizeID = TS.SizeID

GROUP BY TF.FlyID, ColorID, TS.SizeID

ORDER BY SalesCount DESC

```

select Top 10 flyid,count(*) as SalesCount
from TSalesOrderLine
Group by flyid
order by salescount
desc

```

00 %

	flyid	SalesCount
1	25058	7
2	25009	6
3	25017	6
4	25022	6
5	25031	6
6	25043	6
7	25049	6
8	25054	6
9	25059	6
10	25071	6

```

SELECT TS.SizeID, COUNT(*) AS SalesCount

FROM TSalesOrderLine TSO Join Tfly TF on TSO.flyID = TF.flyID
join Tsize TS on TF.SizeID = TS.SizeID

GROUP BY TS.SizeID

ORDER BY SalesCount DESC;

```

100 %

	SizeID	SalesCount
1	2002	50
2	2008	47
3	2007	42
4	2006	35
5	2001	34
6	2004	33
7	2005	25
8	2003	24
9	2009	22

```

SELECT Top 10 TS.SizeID, COUNT(*) AS SalesCount

FROM TSalesOrderLine TSO Join Tfly TF on TSO.flyID = TF.flyID join Tsize TS on TF.SizeID =

GROUP BY TS.SizeID

ORDER BY SalesCount DESC

```

%

	SizeID	SalesCount
	2002	50
	2008	47
	2007	42
	2006	35
	2001	34
	2004	33
	2005	25
	2003	24
	2009	22