

UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA

Denkleiers • Leading Minds • Dikgopolo tša Dihlalefi

COS214 Project

02/11/2026

GitHub Link

Caleb Jennings	25173805
Anchen Kruger	25073703
Chloe Larsen	25004141
Caitlin Moodley	25128443
Shanna Reinecke	25008260

Task 1: Research Workflow Management Systems

Workflow and WfMS. The Workflow Management Coalition (WfMC) defines a workflow as the computerised automation of a business process, in whole or in part. A WfMS is built around an engine that provides the run-time environment, interprets process definitions, creates instances, and interacts with the people and applications that perform activities [1]. The reference model keeps this engine separate from definition tools, worklist clients, invoked applications, other engines, and monitoring tools, each connected through a defined interface [1].

Definition versus instance. A process definition holds the activities, the rules for moving between them, and the control data. Many instances can be created from it, each with its own data and state [1][2]. The definition owns structure, rules, roles and data declarations. The instance owns current state, data values, assignments and history. Camunda binds each instance to the definition version it started with, so new versions do not alter running work. Migration is a separate step that preserves instance identity and audit trail [5][6].

Work items, nesting and dependencies. Definitions contain related activities and can reference separately defined sub-processes [1][2]. BPMN adds sub-processes and reusable call activities [7]. Ordering relies on a few recurring constructs (sequence, choice, parallel split and join, iteration), and a comparison of 15 commercial products found that none supported all of them [3]. Work therefore needs a hierarchy that supports sequential and parallel composition.

Participants, assignment and routing. The patterns research separates the control-flow, data and resource perspectives. The resource perspective covers who may perform work and how it is distributed [3][4]. Items can be offered or allocated by role, explicit assignment or workload, and can be delegated or escalated [4]. Policies differ between organisations, so they are configured per process, not fixed in the engine.

Approval, rejection, escalation and failure. These appear as ordinary routing outcomes (approve, reject, rework) plus deadlines, escalation to another participant, error handling, and compensation of completed work [4][7]. They are part of the process model, not engine special cases.

Events and external systems. Events can start, interrupt or advance activities. External applications and other engines are reached through interfaces, not embedded in the engine [1][7]. Several parties may need to react to the same occurrence.

History, monitoring and reporting. Monitoring and administration are a separate interface of the reference model [1]. Audit history is tied to instance identity and survives migration [6]. Reporting therefore reads what the engine records instead of living in the core model.

Reusability and configurability. Across [1]–[7], the same responsibilities recur: definition management, instance execution, work distribution, event handling, integration, history and monitoring. The execution mechanism stays fixed. Process content, assignment and routing rules, approval and escalation policy, integrations and reporting vary independently.

Design implications for TIVIDY

1. Separate definition from instance, with per-instance data, state and history.
2. Use a uniformly traversable hierarchy of items, stages and sub-processes.
3. Make assignment, routing, approval and escalation pluggable policies.
4. Give work items state-dependent lifecycles.
5. Keep events, integrations, history and reporting outside the core model, behind narrow interfaces.
6. Bind instances to a definition version and treat migration as an explicit, recorded operation.

References

[1] Hollingsworth, D. (1995). *Workflow Reference Model*. Winchester, Hampshire, UK: Workflow Management Coalition.

[2] The Workflow Management Coalition Specification Workflow Management Coalition Terminology & Glossary. (n.d.). [online] Available at: https://wfmc.org/wp-content/uploads/2022/09/TC-1011_term_glossary_v3.pdf.

[3] van der Aalst, W.M.P., ter Hofstede, A.H.M., Kiepuszewski, B. and Barros, A.P. (2003). Workflow Patterns. *Distributed and Parallel Databases*, 14(1), pp.5–51. doi:10.1023/a:1022883727209.

[4] Russell, N., ter Hofstede, A.H.M., Edmond, D. and van der Aalst, W.M.P. (2005). Workflow Resource Patterns. [online] Queensland University of Technology (QUT) and Eindhoven University of Technology. Available at: www.workflowpatterns.com.

[5] Camunda.io. (2026). *Versioning process definitions | Camunda 8 Docs*. [online] Available at: https://docs.camunda.io/docs/components/best-practices/operations/versioning-process-definitions/.

[6] Camunda 7 community (2026). *Process Instance Migration | docs.camunda.org*. [online] Camunda.org. Available at: https://docs.camunda.org/manual/latest/webapps/cockpit/bpmn/process-instance-migration/.

[7] Object Management Group, *Business Process Model and Notation (BPMN) Version 2.0*, 2011.

Task 2: Define the Scenario and System

Our chosen scenario is employee onboarding across HR, IT, Finance and Training. The same engine will support other processes through different workflow scenarios.

Initial scope of TIVIDY

TIVIDY will store reusable, versioned workflow definitions and manage independent running instances. A definition describes a process. An instance represents one execution with its own data, assignees, progress, and history.

Main responsibilities of the workflow manager

The initial workflow manager will support the following:

- Represent individual work items, stages and nested sub-processes, and traverse them for progress and pending-work views.
- Make work available when all prerequisites are completed, then assign it to the appropriate participants using a set of rules.
- Enforce valid work-item actions and manage completion, rejection, cancellation, and escalation.
- Support sequential work, conditional routing, independent branches and join.
- Apply optional validation, security, priority, and auditing behaviour to selected work items.
- Execute participant actions through a consistent interface, retain history and support necessary undo or rollback actions.
- Publish events for dependency updates, notifications, audit, and monitoring.
- Exchange data with external systems through a common interface.

System boundaries

TIVIDY controls work availability, assignment, progression and tracking. Organisational approval limits and process rules are supplied through configurable policies. Participants make approval decisions, while external systems perform their own functions, such as creating accounts or registering employees for payroll.

Workflow definitions and running instances

Information	Workflow Definition	Running Instance
Identity	Definition ID, name, and version	Instance ID and reference to the selected definition version
Work	Work-item stages, sub-processes and dependencies	Independent work items with current states and completion progress
Rules	Required roles, validation rules, route conditions, approval, and setting deadline	Selected branches, evaluated decisions and actual deadlines
Data	Required input fields and initial setup	Employee details, submitted documents, review results and service responses
People	Roles and participant requirements	Actual assignees, decisions and workload information
History	Revised definition information	Actions, timestamps, state changes, notifications, and rollback checkpoints

Completing work in one instance will leave other instances unchanged. Published definitions will be unchangeable. Any changes will create a new version for future instances. Existing instances retain their original version.

Parts of the system expected to vary
The structure of work, required roles, deadlines, approval limits, validation rules and external services will vary between different definitions. Optional behaviour can be attached to selected work items. Traversal may visit the hierarchy as a whole or selected work. Event subscribers can change independently from the workflow model. Routing and assignment vary independently. Routing determines which activity or branch proceeds next, using sequential, parallel, or conditional rules. Assignment selects an eligible participant using role, business-rule or workload rules. Different definition versions can also select compatible families of work components, routing policies and approval handlers without changing the main coordinator.

Employee Onboarding Scenario

Organisation and environment
The scenario takes place in a medium-sized organisation with HR, IT, Finance and Training departments. After an employee accepts an offer, HR verifies their information, obtains approval for the onboarding plan and organizes the departmental training.

Process being managed
The process coordinates the preparation required for a newly hired employee to join the organisation. It begins after the employee accepts an offer and HR opens an onboarding record. It ends when required preparation and the final record update are confirmed, or when the instance is rejected or cancelled.
The instance data is department,job role, work location, start date, and resource requirements. Each employee has a separate instance of the onboarding definition. The engine handles generic work items and policies.

Participants and Responsibilities

Participant or Role	Responsibility
New employee	❖ Submit the requested information and documents. ❖ Correct missing or incorrect details ❖ Attend orientation
HR officer	❖ Create the instance ❖ Verify Information ❖ Coordinate corrections ❖ Perform the final readiness review
Line manager	❖ Confirm the onboarding plan, required access and resources ❖ Approve
Director	❖ Handle requests beyond lower approval authority or escalations assigned to their level
IT staff	❖ Prepare accounts, role-appropriate access and required equipment
Finance(Payroll staff)	❖ Verify supplied payroll information and confirm payroll registration
Training coordinator	❖ Arrange the initial orientation briefing ❖ Record its completion

Major pieces of work

1. Prepare the instance for onboarding. Based on the definition version that is selected, HR creates the instance and stores the employee reference, department, job role, start date and resource requirements. Preparation items are required and are made available and assigned to eligible participants.

2. Check information and get approval. The employee supplies the requested information and HR checks that the information is complete and valid. Returns with incorrect or missing information are sent back to the employee for correction and re-review. The onboarding plan proceeds to approval only when required information is accepted. The onboarding plan then goes to an authorised approver. The plan covers required access, equipment and other preparation; the hiring offer has already been accepted. Approval starts departmental preparation, revision returns the plan for correction, and final rejection stops the instance.

3. Prepare the employee in parallel. After approval, the workflow activates three independent branches. Each can progress while the others remain active.

- **IT preparation.** Prepare the required account, access and equipment. IT preparation is a nested sub-process whose internal activities have their own dependencies. Account creation must finish before account access is granted.
- **Payroll preparation.** Verify the submitted payroll information and obtain confirmation of registration.
- **Orientation.** Schedule and complete the initial orientation briefing. The demonstration uses a briefing that can happen independently of account preparation.

4. Join the branches and review readiness. The three branches join before HR's final review. Completion of IT work alone is insufficient: payroll registration and orientation must also be complete, together with any additional work activated by the selected route. HR checks the recorded results. A defect is returned to the responsible department for correction and another review.

5. Record the outcome and close the instance. Once HR accepts the required results, the external employee record is updated. Confirmation of that update allows TIVIDY to mark the instance complete and publish an event for monitoring, auditing and completion notices.

Important decisions and routing points

- If required information is missing or invalid, route it back to the employee for correction and another HR review. Accepted information proceeds to approval.
- Use the plan’s resource requirements and configured approval authority to select the approver. An authorised approval proceeds, a revision will loop back, and a final rejection ends the instance.
- Use work location and job role to activate additional tasks. For example, remote work requires remote-access preparation, while on-site work requires site-access. Only selected tasks contribute to the completion conditions.
- IT, payroll and orientation run as parallel workflow branches. Their join waits for every required branch. Parallel progression does not require separate execution threads.

Approvals and dependencies

The approval chain begins with the manager. A request outside the manager’s authority passes to the director. The first handler with sufficient authority decides the request. An explicit rejection ends the approval route. The request remains pending for HR to resolve if neither has the authority to approve. HR verification must finish before approval. Approval must occur before departmental preparation. All required branches and any activated additional tasks must finish before HR’s final readiness review. The employee-record update must be confirmed before successful closure. Overdue work may trigger a reminder, reassignment or escalation depending on the rules attached to the work.

Failures and exception routes

Condition	Workflow response
Missing or invalid information	Request correction, record the reason and repeat verification before approval.
Approval requires revision	Return the plan for correction and review it again.
Approval is finally rejected	Record the reason, stop lower level work and store the rejected outcome.

Assignee unavailable or deadline passed	Keep work pending, reassign it or escalate it.
Departmental preparation fails or is incomplete	Keep the final join blocked and retry or correct the affected work.
Required external update fails	Record the response and retry or escalate the update. Keep successful closure blocked until confirmation is received.
Notification delivery fails	Record delivery failure and arrange a retry.
Employee withdraws or HR cancels	Cancel remaining internal work, store history and arrange cleanup of resources used/created.

External systems


An email service sends assignment, correction, escalation and completion notices. An employee-record or legacy contact-record system receives the final onboarding update. IT provisioning and payroll registration supply confirmation or failure results.

Expected outcome of the workflow


A successfully completed instance records accepted employee information, an approved onboarding plan, completed IT preparation, confirmed payroll registration, completed orientation and a confirmed employee-record update. Its history explains who performed each action and when. Rejected and cancelled instances retain their reasons and the work already performed.

Task 3: UML Activity Diagrams


Activity Diagram 1



Activity Diagram 2: Handling Component Events



Activity Diagram 3



Task 4: Design Patterns

Composite

Component	WorkComponent
Leaf	Item
Composite	ItemGroup
Client	WorkflowInstance, WorkflowManager

Design Problem

Work that needs to be completed is hierarchical, a workflow instance contains stages, which can contain work items or sub-processes. The rest of the system will treat individual items and groups of items uniformly without knowing the internal structure of the item. Hence the use of the composite pattern.

Collaboration

WorkflowInstance holds a reference to the root of a *WorkComponent* tree. Therefore the *execute()* operation can be called on the root and can then propagate down the tree recursively. *Stage* delegate the result of the *execute()* operation, while Item performs the actual work that needs to be performed.

What Veries

WorkComponent items can be added to the created tree without modifying the existing clients. Therefore following the open-closed principle.

Why Appropriate

The specification indicated that work is not flat and contains stages, individual work items, and sub-processes, the use of the composite pattern helps to implement the hierarchical structure.

Iterator

Iterator	WorkflowIterator
ConcreteIterator	DependencyIterator, PriorityIterator, Filtered
Aggregate	WorkComponent
ConcreteAggregate	Stage, Item

Design Problem

The system will need to traverse running workflow structures without exposing the internal representation of the composite structure.

Collaboration

WorkComponent provides *createIterator()* method. The concrete aggregates return an appropriate iterator that can be used by the clients. The client can use the *first()*, *next()*, *isDone()*, and *currentItem()* methods to iterate through the structure without knowing what the internal iteration structure is.

What Veries

The iterator offers depth first traversal, breadth first traversal and filtered traversal.

Why Appropriate

The specification indicated that the hierarchical structure of the composite pattern must be iterable. The iterator pattern decouples the traversal algorithm from the hierarchical structure allowing multiple different traversal strategies to be implemented.

State

Context	Item
State	State
ConcreteState	Created, Available, InProgress, Completed, Cancelled, Blocked

Design Problem

The use of the state design pattern helps to represent the complex lifecycle of an item. An item can be created, made available, assigned, in progress, completed, rejected, cancelled, or escalated. The use of the state pattern helps to prevent the large if/switch statements.

Collaboration

Item delegates the lifecycle operations (*start()*, *complete()*, *reject()*, *escalate()*, and *cancel()*) to the current *State* object. Each ConcreteState will decide if the chosen lifecycle operation is valid and what the next state shall be. State transitions are localised to the state classes.

What Veries

The valid transitions and behavior associated with each lifecycle phase

Why Appropriate

The specification specifies that the item-lifecycle which is correctly represented and implemented by the State pattern. The use of the State pattern helps to eliminate complex conditional checks.

Strategy

Contect	Item (for assignment) and Workflow (for routing)
Strategy	AssignmentStrategy (for assignment) and Routing (for routing)
ConcreteStrategy	RoleBased, WorkloadBased, RuleBased, Sequential, Parallel, Conditional

Design Problem

Different departments can assign work based on different methods for assigning work. One could use Role Based methods, another could use Workload Based methods, and a third could use rule based. Routing decisions (Sequential, Parallel, Conditional) may also vary depending on what is chosen by the department.

Collaboration

Item holds an *AssignmentStrategy* object and it delegates the *assign()* call to its children. *WorkflowInstance* holds a *Routing* object and it delegates the *nextWork()* call to its children.

What Veries

The algorithm that decided who completed the next task and the algorithm that decided on what work comes next.

Why Appropriate

The specification specifies that assignment and routing strategy must be configurable and the use of the strategy pattern helps to enforce this.

Builder

Builder	WorkflowBuilder
ConcreteBuilder	AviationWorkflowBuilder, ManufacturingWorkflowBuilder
Director	WorkflowManager

Product	WorflowDefinition

Design Problem
The TIVIDY system requires two distinct workflows as specified in the given specifications. So the implementation of the builder design patter help to construct the two workflows by calling the pure virtual getResult() function declared in the Builder class
Collaboration
The client configures the Director(WorkflowManager) with a specific concrete builder instance. WorkflowManager will then call the construction steps to build the specified concrete builder instance which is returned as a WorkflowDefinition object
What Veries
The resulting workflow definition that is produced when the getResult() function is called.
Why Appropriate
The specification specifies that there must be two distinct workflows and the builder pattern helps to create this while resulting in the same interface.

Prototype

Prototype	WorkComponent
ConcretePrototype	ItemGroup, Item
Client	WorkflowInstance

Design Problem
If a WorkComponent object needs to be cloned the prototype pattern can ensure that a deep copy clone is created and returned correctly so that if the Cloned object is a part of the *ItemGroup* class then all of its children are correctly cloned as well.
Collaboration
The system or user triggers workflow creation via WorkflowManager, which allocates a new WorkflowInstance and invokes clone() on its blueprint root template pointer.
What Veries
The object cloned can vary depending on the object that the clone is called upon
Why Appropriate
The Builder pattern constructs the intricate blueprint tree once during system setup. Prototype then enables the engine to create hundreds of active runtime executions cheaply and safely from that single blueprint without re-running the multi-step builder logic every time an instance starts.

Command

Command	WorkflowCommand
ConcreteCommand	Assign, Start, Complete, Reject, Escalate
Receiver	Item, WorkflowInstance
Invoker	CommandInvoker
Client	WorkflowManager

Design Problem
Actions performed on items (Assign, Start, Complete, Reject, Escalate) need to be encapsulated as objects to support rollback/undo commands. The encapsulation of the object also ensures there is decoupling of the invoker to the receiver.
Collaboration
Each action is represented by a *WorkflowCommand* object. *CommandInvoker* executes the command and stores them in its history and rollback attributes. Command delegates the actual to *Item* which is the receiver. The *CommandInvoker* also works with the memento pattern to ensure the undo command can be completed accurately
What Veries
The set of operations that can be performed, undone or redone.
Why Appropriate
The specifications require that completed actions and state changes must be stored and rollback must be implemented. So the use of the Command pattern helps to ensure that the specification is followed.

Observer

Subject	EventSource
Concrete Subject	WorkComponent
Observer	Observer
ConcreteObserver	Dependency, Notification, AuditLogger

Design Problem
The completion of one task may impact the availability of other tasks, an external event could trigger new tasks, or several interested parts of the system may be interested in the results of a task. This indicates that the observer pattern must be used.
Collaboration
When an *Item* changes its state, it will notify all attached observers by calling the *update()* with the *Event*. Each observer will then react independently: *Dependency* will unlock the next task, *Notification* will send emails and *Audit Logger* will record the change.
What Veries
Depending on who is attached to events the reaction to the events shall differ. New observers can be added without modifying the existing observers.
Why Appropriate
The specification requires that several interested parts of the system react to the same event in different ways depending on the chosen observer type. The observer pattern helps to implement.

Adapter

Target	ExternalSystemInterface
Adapter	LegacyCRMAdapter, EmailServiceAdapter
Adaptee	LegacyCRM, EmailService
Client	Notification

Design Problem
Allow the TIVIDY system to communicate with external systems like email, legacy CRM or a payment gateway

Collaboration

The client class calls the *handle()* method defined in the *ExternalSystemInterface*. Each adapter will translate the request into the required form by the adaptee.

What Veries

Depending on the instance of the *ExternalSystemInterface* that is called will dictate what the response will be. New adapters can be added without changing the core workflow model.

Why Appropriate

The specification requires that communication with external systems must take place and the TIVIDY system must not be implemented to contain these interfaces already. The adapter pattern will help implement this.

Chain of Responsibility

Handler	ApprovalHandler
ConcreteHandler	ManagerApproval, DirectorApproval, VPApproval, EscalationHandler
Client	Item, WorkflowManager

Design Problem

The approval of an item can involve one to many people, it could take several levels or escalation if there is no response.

Collaboration

An *ApprovalRequest* is padded through the first handler in the change, i.e manager approval, from here each handler decides whether to approve, reject, pass to the next level or escalate if requested. Request will travel until it is approved;.


What Veries

The number of approval levels and who approved the request.

Why Appropriate


The specifications required that there should be multiple levels of approval and escalation. The Chain of Responsibility pattern provides a structure where this is possible.

Task 5: UML Class Diagram




Task 6: Runtime Behaviour Diagrams


Sequence Diagram 1: Linking to External Services



Sequence Diagram 2 : Execute Parallel Work




State Diagram




Task 7: Design Decisions and Revisions

Revisions:

Version 1:



Version 2:



Revision 1 - Adding *Blocked* state:

The problem or question being considered

In the original implementation of the design lacked the implementation to have work items be in a blocked state when they cannot be completed due to dependencies.

The original design or assumption

The original design did not take the potential blocking of an item.

The change that was made

The *Blocked* state was added to the state pattern and retroactively the functions *evaulateReadiness()* and *dependencySatisfied()* were added to the *State* and *Item* class.

Why the change was made

The changes made provided the interface for the *Blocked* state to be implemented.

Updates to the relevant diagrams

Blocked class was added as a child of the *State* class. To the *State* class the functions *dependencySatisfied()* and *evaluateReadiness()* were added. To the *Item* class the function *evaluateReadiness()* was added.

Revision 2 - Adding missing functions to the *Item* class:

The problem or question being considered

WIth the original design there was a gap in the functions declared and how they link to state. So we added more functions to the *Item* and *State* classes to provide declared functionality.

The original design or assumption

There was no accessor or mutator for *currentState* in *Item*. There was no function to assign a person to the item nor was there a function to unassign a person. There was no function that would start the chain of responsibility. No functions to save to the memento or rollback.

The change that was made

An accessor and a mutator was added for *currentState*. A function for assigning a task has been created, and another function for unassigning was added. A function to use the chain of command was added. A save and rollback function for memento was added.

Why the change was made

All of these design patterns were added and have been dictated to interact with *Item* and the original implementation did not contain the functions in order to fulfill the requirements.

Updates to the relevant diagrams

getState() and *setState()* was added to *Item*.
assign(person : Participant) and *unassign()* was added to *Item*.
save() and *restore(memento: WorkflowMemento)* was added to *Item*.

Revision 3 - Adding missing functions to the *State* class:

The problem or question being considered

In the *State* class there was no functions implemented for the Assigned state

The original design or assumption

No functions were added in the original design.

The change that was made

A function for assigning a person was added to *State* and another function was added to unassign the assigned person.

Why the change was made

Implementing the two functions ensured that the Assigned state could be used correctly.

Updates to the relevant diagrams

assign(item : Item, person : Participant*)* was added to *State*.
unassign() was added to *State*.

Revision 4 - Adding dependency to *Item*

The problem or question being considered

In the *Item* class we thought that we forgot to implement noting that an item can have dependencies.

The original design or assumption

The original design decided that dependencies were noted by the dependency class in the observer pattern.

The change that was made

In the *Item* class there is a vector of *Item* objects to store all of an object dependencies and an appropriate accessor and mutator was added.


Why the change was made

An item cannot progress state wise if the item has dependencies. Therefore the implementation of the dependencies will help to ensure that an item can progress.

Updates to the relevant diagrams

*vector<Item *> dependencies* was added to *Item*.
addDependency(item: Item)* was added to *Item*.
removeDependency(item : Item)* was added to *Item*.

Version 3:



Revision 1 - Removal of the Abstract Factory pattern:

The problem or question being considered

We did not need to implement versioning like we already assumed, all of the implementation we have previously completed already satisfies all requirements specified in the specification

The original design or assumption

When we originally designed the system to include versioning and the best way we thought to implement it was to use the abstract factory design pattern.

The change that was made

The abstract factory classes were removed.

Why the change was made

The removal of the classes help to remove the implementation of the abstract factory pattern.

Updates to the relevant diagrams

Removal of *WorkflowDefinitionFactory*, *V1DefinitionFactory*, *V2DefinitionFactory*, *V1Item*, *V2Item*, *V1ApprovalHandler*, *V2ApprovalHandler*, *V1Stage*, *V2Stage*, *V1Routing*, *V2Routing*.
version: int & *factory:WorkflowDefinitionFactory* in *WorkflowDefinition* was removed.

Revision 2 -Removing dependencies from *Item*:

The problem or question being considered

In the previous version of the diagram dependency functionality was added to the *Item* class whereas it was actually implemented in the observer pattern.

The original design or assumption

An item cannot progress state wise if the item has dependencies. Therefore the implementation of the dependencies will help to ensure that an item can progress.

The change that was made

Removal of dependencies vector and *addDependency(item: Item*)* and *removeDependency(item : Item*)* was removed

Why the change was made

The dependency observer completes the same work as the vector. So the use of the observer will be a better implementation of dependencies.

Updates to the relevant diagrams

I Removal of *vector<Item *> dependencies*, *addDependency(item: Item*)*, *removeDependency(item : Item*)* from *Item*.

Revision 3 - Moving Adapter pattern to be used by the Notification Observer

The problem or question being considered

Each individual item was linked to the external system interface which would have been ok but there is already a Notification observer so it would have been better to use this for notifications for external systems.

The original design or assumption

I do not know

The change that was made

The adapter pattern was moved to be included in the Notification Observer. With a pointer in the notification observer.

Why the change was made


The linking of the notification observer and the adapter will help complete notifications in an easier matter

Updates to the relevant diagrams

*alertService: ExternalAlertSystem** was added to the *Notification* observer with a relating variable added to the Notification constructor

ExternalAlertSystem is now using composition with *Notification*

Version 4:



Revision 1 - Removal of the Decorator pattern:

The problem or question being considered

The functionality provided by the decorator pattern was not relevant to the workflows we implemented.

The original design or assumption

We originally had a generic workflow implementation and we thought that security, audit, validation and priority were needed.

The change that was made

Removal of the decorator classes

Why the change was made

When we finally decided on the two workflows our project would implement security, audit, validation and priority functionalities were not needed.

Updates to the relevant diagrams

Removal of *ItemDecorator*, *Security*, *Audit*, *Validation*, and *Priority*

Revision 2 - Removal of the Monitoring class in the Observer pattern:

The problem or question being considered

Why implement a monitoring observer when we already have notification, dependency and audit logger.

The original design or assumption

Our original idea was to have monitoring capabilities that would return an update about what was happening with the *WorkComponent* object

The change that was made

Removal of the Monitoring object

Why the change was made

Implementation of the notification, dependency and audit logger classes achieve the same functionality as the monitoring class

Updates to the relevant diagrams

Removal of the *Monitoring* class

Revision 3 - Changing name of DepthFirst and DepthFirst in Iterator Pattern:

The problem or question being considered

When the iterator pattern was implemented we were unsure what they were going to be used for so just adding the generic names just as placeholder for the different iterators.

The original design or assumption

Our original idea was to have monitoring capabilities that would return an update about what was happening with the *WorkComponent* object

The change that was made

Changed names of DepthFirst to DependencyIteraor and BreadthFirst to PriorityIterator

Why the change was made

Names were updated to be more descriptive for the purpose of the iterators

Updates to the relevant diagrams

Renaming *DepthFirst* class to *DependencyIteraor* class
Renaming *BreadthFirst* class to *PriorityIterator* class

Revision 4 - Removing SubProcess Class and renaming Stage to ItemGroup in Composite Pattern

The problem or question being considered

When the composite pattern was implemented we thought that work process items could be broken up into stages and sub-processes.

The original design or assumption

Our original idea was to have broken up stages and sub-processes which were both Composite implementation in the composite pattern

The change that was made

Removal of *SubProcess* Class and renaming *Stage*

Why the change was made

Subprocess and Stage were implemented to complete the same process. So the removal of subprocess helped to simplify the system.
The renaming of Stage to ItemGroup helps to imply that it is a group of item objects

Updates to the relevant diagrams

Rename *Stage* to *ItemGroup*
Removal of *SubProcess*

Revision 5 - Removing Memento Design Pattern

The problem or question being considered

When we originally designed our system we included the memento pattern so we would implement snapstores and restoration.

The original design or assumption

Our original design linked the command pattern and the memento pattern which implement snapshot taking and restoration.

The change that was made

Removal of the memento design pattern classes and functions from CommandInvoker

Why the change was made

When the new spec was release it was indicated that the memento pattern was not required so the removal helped to reduce the amount of patterns our system implemented. As well as receiving the complexity of our system

Updates to the relevant diagrams

Removal of the *WorkflowMemento* and *HistoryCaretaker* classes
Removal of the *rollback* attribute in *CommandInvoker*
Removal of the *redo()* function in *CommandInvoker*

Revision 6 - Adding Builder design pattern

The problem or question being considered

Using the builder design pattern was the best way to build and represent our two workflows of Aviation: Aircraft Maintenance Dispatch and Manufacturing: Production Order. With the added benefit of the inclusion of the builder pattern added a Creational pattern to our system.

The original design or assumption

When the original system was designed we did not have a plan on how to build our workflow implementations nor did we know about the benefits of the Builder pattern.

The change that was made

Additions of WorkflowBuilder and AviationWorkflowBuilder and ManufacturingWorkflowBuilder classes and added functions to Workflow Manager

Why the change was made

Adding these classes and functions implements the builder design pattern

Updates to the relevant diagrams

Addition of *WorkflowBuilder* and *AviationWorkflowBuilder* and *ManufacturingWorkflowBuilder* classes
Addition of function to *WorkflowManager* to make it a Director

Revision 7 - Adding Prototype design pattern

The problem or question being considered

Implementation of the prototype pattern helps to implement the cloning of *WorkComponent* objects

The original design or assumption

When the original design was made we did not think that cloning functionalities were needed for *WorkComponents*.

The change that was made

Additions of prototype design pattern functions into composite design pattern

Why the change was made

Adding these functions implements the prototype design pattern

Updates to the relevant diagrams

Addition of pure virtual *clone()* function in *WorkComponent*
Addition of copy constructors in *ItemGroup* and *Item*

Task 8: GitHub Workflow

Team Contribution Statement

So far:

- Research: Shanna
- Class diagram: Chloe
-