## CS 4400 - Project Phase 2 - Relational Schema

Account = (<u>email</u>, fname, lname, password)

 $Admin = (\underline{email} [fk1])$ 

fk1: email -> Account.email

Client = (email [fk2], phone\_number)

fk2: email -> Account.email

Owner = (<u>email [fk3]</u>, phone\_number)

fk3: email-> Client.email

Customer = (<u>email</u> [fk4], phone\_number, ccnum, exp\_date, cvv, current\_location

fk4: email -> Client.email

Rates = (<u>owner email</u> [fk5], <u>customer email</u> [fk6], score)

fk5: owner\_email -> Owner.email

fk6: customer\_email -> Customer.email

Rate\_by = (<u>owner\_email</u> [fk7], <u>customer\_email</u> [fk8], score)

fk7: owner\_email -> Owner.email

fk8: customer\_email -> Customer.email

Property = (name, owner email [fk9], street, city, state, zip, description, nightly\_cost, capacity)

fk9: owner email -> Owner.email

Amenities = (<u>property\_name</u>, <u>owner\_email</u> [fk10], <u>amenity</u>)

fk10: property\_name, owner\_email -> Property.name, Property.owner\_email

Review = (<u>customer\_email</u> [fk11], <u>property\_name</u>, <u>owner\_email</u> [fk12], content, score)

fk11: customer email -> Customer.email

fk12: property\_name, owner\_email -> Property.name, Property.owner\_email

Airline = (name, rating)

Airport = (<u>airportID</u>, name, street, city, state, zip, time\_zone)

Flight = (<u>flight\_num</u>, <u>airline\_name [fk13]</u>, departure\_time, arrival\_time, date, seat\_cost, capacity,

departure\_airportID [fk14], arrival\_airportID [fk15])

fk13: airline\_name -> Airline.name

fk14: depart airportID -> Airport.airportID

fk15: arrival airportID -> Airport.airportID

Attractions = (<u>airportID</u> [fk16], <u>attraction</u>)

fk16: airportID -> Airport.airportID

Flight\_book = (<u>customer\_email [fk17], flight\_num, airline\_name [fk18]</u>, num\_of\_seats)

fk17: customer email -> Customer.email

fk18: flight\_num,airline\_name -> Flight.num, Airline.name

Property\_Close\_to = (<u>property\_name</u>, <u>owner\_email</u> [fk19], <u>airportID</u> [fk20], distance)

fk19: property\_name, owner\_email -> Property.street, Property.city, Property.state, Property.zip,

Property.owner email

fk20: airportID -> Airport.airportID

Reserve = (<u>customer\_email\_[fk21]</u>, <u>property\_name</u>, <u>owner\_email\_[fk22]</u>, start\_date, end\_date, num\_of\_guests)

fk21: customer\_email -> Customer.email

fk22: property\_name, owner\_email -> Property.name, Property.owner\_email