You said:

Quake modding idea
I generate a bsp from a map.
i import the map into blender.
use texture paint to to paint lightmap onto the imported geometry
somehow switch the lightmap in the bsep with the painted one from blender.

ChatGPT said:

You said:

I work with the rerelease and the ironwail port.

ChatGPT said:

You said:

bonus thought. Since both ports are modern, would it also be possible to modify / repaint the textures in blender? Can a bsp format handle a different texture for every face?

ChatGPT said:

You said:

Very well! Impress me then. :D

ChatGPT said:

You said:

cant upload now. Just do it and i'll make the tests remote.

Worked for 10m 45s

ChatGPT said:

README.md
Document

You said:

i imported a tiny map. (38 faces)
how can i select a face? I can in edit mode, but there the detach option is greyed out.

Worked for 1m 10s

ChatGPT said:

You said:

its very hard to navigate inside the level in blender.. :D
i detouched a face and went to texture paint and it seems as if i can paint every face except the originally selected one.

Worked for 4m 52s

ChatGPT said:

README.md
Document

You said:

when i switch of orthogonal view there is some kind of heavy z-fighting. what would be ideal cip start and end for an imported bsp. also the lightmaps are rendered with the base color shader of a princuipled BSDF. They should use its export so other lights in blender wont interfere. And the other texture in the materials starts black wich multiplies to all black in the next step. it should start white so all textures are shown corrcltly. Also there is only the lightmap imported by now.

Worked for 4m 35s

ChatGPT said:

README.md
Document

You said:

I was wrong! The textures are there. They are just way darker than normally so i thought they were black. The lightmaps seem fine. But the textures are pretty dark. Somthing when fetching them from the bsp must be wrong. also on the long run we should think about inclding a own workspace. Especially fps navigation with clipping would be very useful.

Worked for 3m 15s

ChatGPT said:

README.md
Document

You said:

fps nav is great but a bit slow. Concider that there are known factors for the size of one quake unit. Also starting the player at info_player_start will make stuff much easier in the workspace. And we should also be able to import the lightsources from the original map file and just emulate them via cycles or eevee and replace the ones from ericw and use those as a base for painting instead. textures are bright now. But i just realized the map is upwards down. Coloredlight does not work as intended. It just colorizes the whole face instead of following the gradient from the light source.

Worked for 10m 19s

ChatGPT said:

quake_surface_studio_0.6.0_README.md
Document

You said:

the movement is very good!
textures are filtered. I prefer nearest neighbour.

Sidebar reports:

RGB source: QLIT v1 .lit sidecar
RGB gradient faces 38/38
color has now gradients but seems like only in the face it first encounters. the other stac uncolored.

Light replacement seems to work
light energy scale does not seem to do anything. Its always too dark.

Worked for 5m 21s

ChatGPT said:

quake_surface_studio_0.7.0_README.md
Document

You said:

lightmapped and uv favces both 38
colored lightmap still only on one face.
bake still dark
scale does nothing even on extreme values
cant undo bake returning to the source lightmaps

activate wasd when mouseweel pressed would be nice

Worked for 5m 44s

ChatGPT said:

quake_surface_studio_0.8.0_README.md
Document

You said:

Pasted text(9).txt
Document

you got the walk navigation thing wrong. I want to toggle into wasd navigation as long a i hold down mmb and when released back to normal blender nav. Right now when the "mmb starts fps / wasd" box checked it runs forward and collides with the next wall. Wall collision is appreciated but not the forward move.

version number

UV-valid faces 38/38
Material atlas links 5/5
RGB brightness-gradient faces 38/38
RGB chromatic faces Depends 19/38

colored light still only on faces closest to the light
light bake scale has absolutely no effect. Its always very dark. It seems as if i just dont get to see the bake. I imagined it like like switching from normal source lightmap emissive texture to a diffuse map lit by the lights blender imported. Kind of real time lighting via eevee or close to realtime via cycles with the option to bake the blender lighting as an ersatz lightmap.

if it helps here is the compile log for the map to bsp compile:

Worked for 7m 16s

ChatGPT said:

quake_surface_studio_0.9.0_README.md
Document

You said:

Report: Error
Python: Traceback (most recent call last):
File
"/app/blender/5.2/scripts/addons_core/bl_pkg/bl_extension_ops.py", line 1504, in execute

```
    cmd_batch = self.exec_command_iter(ls_modal)
  File
"/app/blender/5.2/scripts/addons_core/bl_pkg/bl_extension_ops.p
y", line 2598, in exec_command_iter
    self.exec_legacy(source_filepath)
  File
"/app/blender/5.2/scripts/addons_core/bl_pkg/bl_extension_ops.p
y", line 2731, in exec_legacy
    bpy.types.PREFERENCES_OT_addon_install.execute(self,
bpy.context)
  File "/app/blender/5.2/scripts/startup/bl_operators/userpref.py",
line 830, in execute
    bpy.ops.preferences.addon_enable(module=mod.__name__)
RuntimeError: Error: register_class(...): already registered as a
subclass 'QSS_OT_import_bsp'
```

Worked for 4m 59s >

ChatGPT said:

quake_surface_studio_0.9.1_README.md
Document

You said:

Live lights work but a energy scale of 0 leads to normal emission without lightmap. Higher values adds the blender lights on top. 0 should lead to all black while 1 should ideally look identical to the source with lightmap.

Clicking bake returnes to BSP / baked but results in the same old way to dark look

I also run test scripts and send you the results if that helps

the mmb fps thing is ok for now. not exactly what i wanted but we'll adress this later.

I like your idea of the three lighting states.

maybe you can profit from having the map file: The 02 value is just the style parameter of a light

also dont forget that the compiler i used for the map is ericw tools 2.0 wich is well documented and open source. So you can research how the original lighting works.

The light colors still have the only one face problem. And the light preview has no color at all.

Here is the map if it helps:

```
// entity 0
{
"mapversion" "220"
"wad" "/mnt/sde1/FPS/IdTech2/QuakeDev/##textures/quake.wad"
"classname" "worldspawn"
// brush 0
{
( 544 0 288 ) ( 544 -512 288 ) ( 544 0 -32 ) wwood1_5 [
2.220446049250313e-16 1 0 0 ] [ 0 0 -1 0 ] 0 1 1
( 576 -512 -32 ) ( 544 -512 -32 ) ( 576 -512 288 ) wwood1_5 [ 1 0 0 0
] [ 0 0 -1 0 ] 0 1 1
( 576 0 -32 ) ( 544 0 -32 ) ( 576 -512 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 -1
0 0 ] 0 1 1
( 576 -512 128 ) ( 544 -512 128 ) ( 576 0 128 ) wwood1_5 [ 1 0 0 0 ] [
0 -1 0 0 ] 0 1 1
( 576 0 288 ) ( 544 0 288 ) ( 576 0 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 0 -1
0 ] 0 1 1
( 576 -512 288 ) ( 576 0 288 ) ( 576 -512 -32 ) wwood1_5 [ 0 1 0 0 ] [
0 0 -1 0 ] 0 1 1
}
// brush 1
{
( 0 -512 -32 ) ( 0 0 -32 ) ( 0 -512 288 ) wwood1_5 [ 0 1 0 0 ] [ 0 0 -1 0 ]
0 1 1
( 0 -512 288 ) ( 32 -512 288 ) ( 0 -512 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 0
-1 0 ] 0 1 1
( 0 -512 -32 ) ( 32 -512 -32 ) ( 0 0 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 -1 0 0
] 0 1 1
( 0 0 128 ) ( 32 0 128 ) ( 0 -512 128 ) wwood1_5 [ 1 0 0 0 ] [ 0 -1 0 0 ]
0 1 1
( 0 0 -32 ) ( 32 0 -32 ) ( 0 0 288 ) wwood1_5 [ 1 0 0 0 ] [ 0 0 -1 0 ] 0 1
1
```

```
( 32 -512 -32 ) ( 32 -512 288 ) ( 32 0 -32 ) wwood1_5 [
2.220446049250313e-16 -1 0 0 ] [ 0 0 -1 0 ] 0 1 1
}
// brush 2
{
( 32 0 288 ) ( 32 -32 288 ) ( 32 0 -32 ) wwood1_5 [ 0 1 0 0 ] [ 0 0 -1 0 ]
0 1 1
( 544 -32 288 ) ( 544 -32 -32 ) ( 32 -32 288 ) wwood1_5 [ 1 0 0 0 ] [ 0
0 -1 0 ] 0 1 1
( 32 0 -32 ) ( 32 -32 -32 ) ( 544 0 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 -1 0 0 ]
0 1 1
( 544 0 128 ) ( 544 -32 128 ) ( 32 0 128 ) wwood1_5 [ 1 0 0 0 ] [ 0 -1 0
0 ] 0 1 1
( 544 0 288 ) ( 32 0 288 ) ( 544 0 -32 ) wwood1_5 [ 1 0 0 0 ] [ 0 0 -1 0
] 0 1 1
( 544 0 -32 ) ( 544 -32 -32 ) ( 544 0 288 ) wwood1_5 [ 0 1 0 0 ] [ 0 0 -1
0 ] 0 1 1
}
// brush 3
{
( 32 -512 -32 ) ( 32 -480 -32 ) ( 32 -512 288 ) wwood1_5 [ 0 1 0 0 ] [ 0
0 -1 0 ] 0 1 1
( 544 -512 -32 ) ( 32 -512 -32 ) ( 544 -512 288 ) wwood1_5 [ 1 0 0 0 ]
[ 0 0 -1 0 ] 0 1 1
( 544 -512 -32 ) ( 544 -480 -32 ) ( 32 -512 -32 ) wwood1_5 [ 1 0 0 0 ] [
0 -1 0 0 ] 0 1 1
( 32 -512 128 ) ( 32 -480 128 ) ( 544 -512 128 ) wwood1_5 [ 1 0 0 0 ] [
0 -1 0 0 ] 0 1 1
( 32 -480 -32 ) ( 544 -480 -32 ) ( 32 -480 288 ) wwood1_5 [ 1 0 0 0 ] [
0 0 -1 0 ] 0 1 1
( 544 -512 288 ) ( 544 -480 288 ) ( 544 -512 -32 ) wwood1_5 [ 0 1 0 0
] [ 0 0 -1 0 ] 0 1 1
}
// brush 4
{
( 32 -480 160 ) ( 32 -480 128 ) ( 32 -32 160 ) __TB_empty [ 0 -1 0 0 ] [
0 0 -1 0 ] 270 1 1
( 544 -480 160 ) ( 544 -480 128 ) ( 32 -480 160 ) __TB_empty [ 1 0 0 0
] [ 0 0 -1 0 ] 270 1 1
( 544 -32 128 ) ( 32 -32 128 ) ( 544 -480 128 ) wwall1_1 [ 1 0 0 0 ] [ 0
-1 0 0 ] 270 1 1
( 544 -32 160 ) ( 544 -480 160 ) ( 32 -32 160 ) __TB_empty [ 1 0 0 0 ] [
```

```
0 -1 0 0 ] 0 1 1
( 32 -32 160 ) ( 32 -32 128 ) ( 544 -32 160 ) __TB_empty [ -1 0 0 0 ] [ 0 0 -1 0 ] 270 1 1
( 544 -32 160 ) ( 544 -32 128 ) ( 544 -480 160 ) __TB_empty [ 0 1 0 0 ] [ 0 0 -1 0 ] 270 1 1
}
// brush 5
{
( 32 -32 -32 ) ( 32 -32 0 ) ( 32 -480 -32 ) afloor3_1 [ 0 -1 0 0 ] [ 0 0 -1 0 ] 270 1 1
( 32 -480 -32 ) ( 32 -480 0 ) ( 544 -480 -32 ) afloor3_1 [ 1 0 0 0 ] [ 0 0 -1 0 ] 270 1 1
( 32 -32 -32 ) ( 32 -480 -32 ) ( 544 -32 -32 ) afloor3_1 [ -1 0 0 0 ] [ 0 -1 0 0 ] 0 1 1
( 32 -480 0 ) ( 32 -32 0 ) ( 544 -480 0 ) afloor3_1 [ -1 0 0 0 ] [ 0 -1 0 0 ] 270 1 1
( 544 -32 -32 ) ( 544 -32 0 ) ( 32 -32 -32 ) afloor3_1 [ -1 0 0 0 ] [ 0 0 -1 0 ] 270 1 1
( 544 -480 -32 ) ( 544 -480 0 ) ( 544 -32 -32 ) afloor3_1 [ 0 1 0 0 ] [ 0 0 -1 0 ] 270 1 1
}
// brush 6
{
( 192 -224 0 ) ( 192 -223 0 ) ( 192 -224 1 ) wceiling5 [ 0 -1 0 0 ] [ 0 0 -1 0 ] 0 1 1
( 192 -224 0 ) ( 192 -224 1 ) ( 193 -224 0 ) wceiling5 [ 1 0 0 0 ] [ 0 0 -1 0 ] 0 1 1
( 192 -224 0 ) ( 193 -224 0 ) ( 192 -223 0 ) wceiling5 [ -1 0 0 0 ] [ 0 -1 0 0 ] 0 1 1
( 256 -160 128 ) ( 256 -159 128 ) ( 257 -160 128 ) wceiling5 [ 1 0 0 0 ] [ 0 -1 0 0 ] 0 1 1
( 256 -160 32 ) ( 257 -160 32 ) ( 256 -160 33 ) wceiling5 [ -1 0 0 0 ] [ 0 0 -1 0 ] 0 1 1
( 256 -160 32 ) ( 256 -160 33 ) ( 256 -159 32 ) wceiling5 [ 0 1 0 0 ] [ 0 0 -1 0 ] 0 1 1
}
}
// entity 1
{
"classname" "light"
"origin" "120 -88 56"
"_color" "0 0 1"
```

```
}
// entity 2
{
"classname" "light"
"origin" "504 -344 56"
"_color" "0.6666667 0 0"
"" "2"
}
// entity 3
{
"classname" "info_player_start"
"origin" "336 -272 40"
}
// entity 4
{
"classname" "light"
"origin" "344 -88 8"
}
// entity 5
{
"classname" "light"
"origin" "376 -392 8"
"style" "2"
}
```

Worked for 27m 5s

ChatGPT said:

quake_surface_studio_0.10.0_README.md
Document

You said:

```
---------------------
test01_compile.bsp
LoadBSPFile: 'test01_compile.bsp'
BSP is version Quake BSP bsp29
INFO: using built-in palette.

count   lump name    byte size
    1 models             64
```

```
 29 planes            580
 44 vertexes          528
 10 nodes             240
  9 texinfos          360
 38 faces             760
 30 clipnodes         240
  5 leafs             140
 40 marksurfaces       80
 83 edges             332
164 surfedges         656
  6 textures        21948
    lightdata        6820
    visdata             4
    entdata           470
wrote test01_compile.bsp.lm_0.png
wrote test01_compile.bsp.lm_2.png
wrote test01_compile.bsp.geometry.obj
wrote test01_compile.bsp.json

wwood1_5,245760
afloor3_1,225280
wwall1_1,225280
```

qss inspector is inside the zip. Should i run it from blenders python console somehow?

cant find the lighting diagnostics text file

clicking bake gives error:
Cycles bake failed; atlas and light calibration restored: The Cycles bake contains no measurable illumination. Set Live light scale above zero and check that imported lamps illuminate the map.

Worked for 4m 21s

ChatGPT said:

quake_surface_studio_0.10.1_README.md
Document

You said:

QSS_test01_comp...
Document

```
bpy.ops.object.delete(use_global=False, confirm=False)
Deleted 1 object(s)
bpy.context.space_data.recent_folders_active = 0
Modules Installed () from
'/home/chnucki/Downloads/quake_surface_studio_0.10.1.zip' into
'/home/chnucki/.var/app/org.blender.Blender/config/blender/5.2/
scripts/addons'
bpy.context.region.active_panel_category = 'Quake'
bpy.context.space_data.recent_folders_active = 3
bpy.context.space_data.recent_folders_active = 2
bpy.context.space_data.recent_folders_active = 3
bpy.context.space_data.system_bookmarks_active = 3
bpy.context.space_data.recent_folders_active = 3
bpy.context.space_data.recent_folders_active = 3
Imported 38 faces, 4 light entities. Palette:
/mnt/sde1/FPS/IdTech2/QuakeDev/id1/gfx/palette.lmp. Textures:
4 embedded, 0 WAD, 0 external, 0 white fallback. RGB lightmaps:
QLIT v1 .lit sidecar. Spawn view set to info_player_start.
bpy.context.space_data.shading.type = 'RENDERED'
bpy.context.space_data.context = 'WORLD'
bpy.context.space_data.context = 'VIEW_LAYER'
bpy.context.space_data.context = 'OUTPUT'
bpy.context.space_data.context = 'OUTPUT'
bpy.context.space_data.context = 'RENDER'
bpy.context.scene.render.engine = 'CYCLES'
Live imported-light preview enabled in Eevee Rendered mode.
Zero energy is black; energy scale changes imported lamps.
Original imported BSP lightmaps are displayed; the
editable/baked atlas remains untouched.
Live imported-light preview enabled in Eevee Rendered mode.
Zero energy is black; energy scale changes imported lamps.
Original imported BSP lightmaps are displayed; the
editable/baked atlas remains untouched.
Live imported-light preview enabled in Eevee Rendered mode.
Zero energy is black; energy scale changes imported lamps.
bpy.context.scene.qss_light_energy_scale = 0.46
Python: Traceback (most recent call last):
```

```
  File
"/home/chnucki/.var/app/org.blender.Blender/config/blender/5.2/
scripts/addons/quake_surface_studio/addon.py", line 3068, in
execute
    result = bpy.ops.qss.bake_scene_lights()
RuntimeError: Error: Cycles bake failed; atlas and light calibration
restored: Cycles finished but sampled BSP lightmap luxels are all
zero. Energy scale=0.46; imported lamps=4; max lamp
energy=138 W; sampled luxels=3782; whole atlas nonzero
pixels=0/262144; whole atlas max RGB=0. Use Save Lighting
Diagnostics and send the report; failed-bake statistics are
recorded.
Cycles bake failed; atlas and light calibration restored: Cycles
finished but sampled BSP lightmap luxels are all zero. Energy
scale=0.46; imported lamps=4; max lamp energy=138 W; sampled
luxels=3782; whole atlas nonzero pixels=0/262144; whole atlas
max RGB=0. Use Save Lighting Diagnostics and send the report;
failed-bake statistics are recorded.
Saved
/home/chnucki/Desktop/QSS_test01_compile_diagnostics.txt;
report also stored as Blender Text
"QSS_test01_compile_diagnostics" and copied to clipboard
Cycles bake failed; atlas and light calibration restored: Cycles
finished but sampled BSP lightmap luxels are all zero. Energy
scale=0.46; imported lamps=4; max lamp energy=138 W; sampled
luxels=3782; whole atlas nonzero pixels=0/262144; whole atlas
max RGB=0. Use Save Lighting Diagnostics and send the report;
failed-bake statistics are recorded.
Python: Traceback (most recent call last):
  File
"/home/chnucki/.var/app/org.blender.Blender/config/blender/5.2/
scripts/addons/quake_surface_studio/addon.py", line 3068, in
execute
    result = bpy.ops.qss.bake_scene_lights()
RuntimeError: Error: Cycles bake failed; atlas and light calibration
restored: Cycles finished but sampled BSP lightmap luxels are all
zero. Energy scale=0.46; imported lamps=4; max lamp
energy=138 W; sampled luxels=3782; whole atlas nonzero
pixels=0/262144; whole atlas max RGB=0. Use Save Lighting
Diagnostics and send the report; failed-bake statistics are
recorded.
```

why is roughness .9 instead of 1?

Worked for 7m 39s >

ChatGPT said:

quake_surface_studio_0.10.2_README.md
Document

You said:

QSS_test01_comp...
Document

just a little aesthtic request: make the menu more ordered. collapsable sections and stuff. also use colors for sections if possible so its easy to navigate.

Logs / Errors:
bpy.ops.object.delete(use_global=False, confirm=False)
Deleted 1 object(s)
bpy.context.space_data.system_bookmarks_active = 3
Modules Installed (quake_surface_studio) from '/home/chnucki/Downloads/quake_surface_studio_0.10.2.zip' into '/home/chnucki/.var/app/org.blender.Blender/config/blender/5.2/scripts/addons'
bpy.context.region.active_panel_category = 'Quake'
bpy.context.scene.qss_game_dir = ""
bpy.context.space_data.recent_folders_active = 3
bpy.context.space_data.recent_folders_active = 3
[Errno 21] Is a directory: '/mnt/sde1/FPS/IdTech2/QuakeDev/id1/maps/'
bpy.context.space_data.recent_folders_active = 0
Imported 38 faces, 4 light entities. Palette: /mnt/sde1/FPS/IdTech2/QuakeDev/id1/gfx/palette.lmp. Textures: 4 embedded, 0 WAD, 0 external, 0 white fallback. RGB lightmaps: QLIT v1 .lit sidecar. Spawn view set to info_player_start.
bpy.context.space_data.shading.type = 'RENDERED'
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps.
Cycles bake failed; atlas and light calibration restored: Cycles

finished but sampled BSP lightmap luxels are all zero. Energy scale=1; imported lamps=4; max lamp energy=300 W; sampled luxels=3782; whole atlas nonzero pixels=0/262144; whole atlas max RGB=0. Use Save Lighting Diagnostics and send the report; failed-bake statistics are recorded.
Unlit BSP/baked lightmap preview enabled.
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps. Original imported BSP lightmaps are displayed; the editable/baked atlas remains untouched.
Unlit BSP/baked lightmap preview enabled.
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps.
bpy.ops.node.select(select_passthrough=True, location=(549, 281))
bpy.ops.node.translate_attach(TRANSFORM_OT_translate={"value":(17.816, 367.845, 0), "orient_type":'GLOBAL', "orient_matrix":((1, 0, 0), (0, 1, 0), (0, 0, 1)), "orient_matrix_type":'GLOBAL', "constraint_axis":(False, False, False), "mirror":False, "use_proportional_edit":False, "proportional_edit_falloff":'SMOOTH', "proportional_size":1, "use_proportional_connected":False, "use_proportional_projected":False, "snap":False, "snap_elements":{'GRID'}, "use_snap_project":False, "snap_target":'CLOSEST', "use_snap_self":True, "use_snap_edit":True, "use_snap_nonedit":True, "use_snap_selectable":False, "snap_point":(0, 0, 0), "snap_align":False, "snap_normal":(0, 0, 0), "gpencil_strokes":False, "cursor_transform":False, "texture_space":False, "remove_on_cancel":False, "use_duplicated_keyframes":False, "view2d_edge_pan":True, "release_confirm":False, "use_accurate":False, "use_automerge_and_split":False, "translate_origin":False}, NODE_OT_attach={})
bpy.ops.object.editmode_toggle()
bpy.ops.mesh.select_mode(use_extend=False, use_expand=False, type='FACE')
bpy.ops.mesh.hide(unselected=True)
bpy.ops.mesh.reveal(select=False)
Could not detach face: bpy_prop_collection[index]: index 16 out of range, size 0
Could not detach face: bpy_prop_collection[index]: index 16 out of range, size 0

Cycles bake failed; atlas and light calibration restored: bpy_prop_collection[index]: index 0 out of range, size 0
Could not write diagnostics: bpy_prop_collection[index]: index 0 out of range, size 0
bpy.ops.object.editmode_toggle()
Saved /home/chnucki/Desktop/QSS_test01_compile_diagnostics.txt; report also stored as Blender Text "QSS_test01_compile_diagnostics" and copied to clipboard
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps. Original imported BSP lightmaps are displayed; the editable/baked atlas remains untouched.
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps. Original imported BSP lightmaps are displayed; the editable/baked atlas remains untouched.
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps.
bpy.ops.object.editmode_toggle()
bpy.ops.mesh.hide(unselected=True)
bpy.ops.mesh.reveal(select=False)
Viewport clipping set to 0.01 – 100 Blender units.
Viewport moved to info_player_start.
Could not detach face: bpy_prop_collection[index]: index 15 out of range, size 0
bpy.ops.object.editmode_toggle()
bpy.ops.qss.detach_selected_faces()
Detached 1 face(s) into separate 0–1 paint textures. Use 'Enter Texture Paint' to paint the active selected face; select another face to switch canvases.
bpy.ops.paint.texture_paint_toggle()
Painting image: QSS_Face_00015_Paint
bpy.ops.paint.texture_paint_toggle()
bpy.ops.object.editmode_toggle()
bpy.ops.object.editmode_toggle()
bpy.ops.paint.texture_paint_toggle()
Original imported BSP lightmaps are displayed; the editable/baked atlas remains untouched.
Live imported-light preview enabled in Eevee Rendered mode. Zero energy is black; energy scale changes imported lamps.
Unlit BSP/baked lightmap preview enabled.

Cycles bake failed; atlas and light calibration restored: Cycles finished but sampled BSP lightmap luxels are all zero. Energy scale=1; imported lamps=4; max lamp energy=300 W; sampled luxels=3782; whole atlas nonzero pixels=0/262144; whole atlas max RGB=0. Use Save Lighting Diagnostics and send the report; failed-bake statistics are recorded.
bpy.ops.paint.texture_paint_toggle()
bpy.ops.object.editmode_toggle()
Cycles bake failed; atlas and light calibration restored: bpy_prop_collection[index]: index 0 out of range, size 0
bpy.ops.object.editmode_toggle()
bpy.ops.paint.texture_paint_toggle()
Restored original BSP lightmaps.
bpy.ops.paint.texture_paint_toggle()
Cycles bake failed; atlas and light calibration restored: Cycles finished but sampled BSP lightmap luxels are all zero. Energy scale=1; imported lamps=4; max lamp energy=300 W; sampled luxels=3782; whole atlas nonzero pixels=0/262144; whole atlas max RGB=0. Use Save Lighting Diagnostics and send the report; failed-bake statistics are recorded.

Question:
Is it impossible to emulate the different lighting "delay" behaviours of ericw in blender / cycles?

You can also implement more diagnostics scripts to run in blender to perform tests. I am not in a hurry so i can just let it run for a while if necessary.

Worked for 27m 6s

ChatGPT said:

quake_surface_studio_0.11.0_README.md
Document

You said:

errors:
Saved /home/chnucki/Desktop/QSS_test01_compile_diagnostics.txt; report also stored as Blender Text

"QSS_test01_compile_diagnostics" and copied to clipboard
Python: Traceback (most recent call last):
  File "/home/chnucki/.var/app/org.blender.Blender/config/blender/5.2/scripts/addons/quake_surface_studio/addon.py", line 4460, in draw
    diagnostics.operator(QSS_OT_run_blender_selftest.bl_idname, text="Run Full Self-Test + Delay Benchmark", icon='EXPERIMENT')

~~~~~~~~~~~~~~~~~~~~^^^
~~~~~~~~~~~~~~~~~~~~

'PANEL_CLOSE', 'PLUGIN', 'PLUS', 'PRESET_NEW', 'PROJECT', 'QUIT', 'RECOVER_LAST', 'REMOVE', 'RIGHTARROW_THIN', 'SCREEN_BACK', 'STATUSBAR', 'STYLUS_PRESSURE', 'THREE_DOTS', 'TOPBAR', 'TRASH', 'TRIA_DOWN', 'TRIA_LEFT', 'TRIA_RIGHT', 'TRIA_UP', 'UNLINKED', 'URL', 'VIEWZOOM', 'WINDOW', 'WORKSPACE', 'X', 'ZOOM_ALL', 'ZOOM_IN', 'ZOOM_OUT', 'ZOOM_PREVIOUS', 'ZOOM_SELECTED', 'MODIFIER', 'PARTICLES', 'PHYSICS', 'SHADERFX', 'SPEAKER', 'OUTPUT', 'SCENE', 'TOOL_SETTINGS', 'LIGHT', 'MATERIAL', 'TEXTURE', 'WORLD', 'ANIM', 'SCRIPT', 'GEOMETRY_NODES', 'TEXT', 'ACTION', 'ASSET_MANAGER', 'CONSOLE', 'FILEBROWSER', 'GEOMETRY_SET', 'GRAPH', 'IMAGE', 'INFO', 'NLA', 'NODE_COMPOSITING', 'NODE_MATERIAL', 'NODE_TEXTURE', 'NODETREE', 'OUTLINER', 'PREFERENCES', 'PROPERTIES', 'SEQUENCE', 'SOUND', 'SPREADSHEET', 'TIME', 'TRACKER', 'UV', 'VIEW3D', 'EDITMODE_HLT', 'OBJECT_DATAMODE', 'PARTICLEMODE', 'POSE_HLT', 'SCULPTMODE_HLT', 'TPAINT_HLT', 'UV_DATA', 'VPAINT_HLT', 'WPAINT_HLT', 'TRACKER_DATA', 'TRACKING_BACKWARDS_SINGLE', 'TRACKING_BACKWARDS', 'TRACKING_CLEAR_BACKWARDS', 'TRACKING_CLEAR_FORWARDS', 'TRACKING_FORWARDS_SINGLE', 'TRACKING_FORWARDS', 'TRACKING_REFINE_BACKWARDS', 'TRACKING_REFINE_FORWARDS', 'TRACKING', 'GROUP', 'CONSTRAINT_BONE', 'CONSTRAINT', 'ARMATURE_DATA', 'BONE_DATA', 'CAMERA_DATA', 'CURVE_DATA', 'EMPTY_DATA', 'FONT_DATA', 'LATTICE_DATA', 'LIGHT_DATA', 'MESH_DATA', 'META_DATA', 'PARTICLE_DATA', 'SHAPEKEY_DATA', 'SURFACE_DATA', 'OBJECT_DATA', 'RENDER_RESULT', 'RENDERLAYERS', 'SCENE_DATA', 'BRUSH_DATA', 'IMAGE_DATA', 'LINE_DATA', 'MATERIAL_DATA', 'TEXTURE_DATA', 'WORLD_DATA', 'ANIM_DATA', 'BOIDS', 'CAMERA_STEREO', 'COMMUNITY', 'FACE_MAPS', 'FCURVE', 'FILE', 'GREASEPENCIL', 'GREASEPENCIL_LAYER_GROUP', 'GROUP_BONE', 'GROUP_UVS', 'GROUP_VCOL', 'GROUP_VERTEX', 'LIBRARY_DATA_BROKEN', 'LIBRARY_DATA_DIRECT', 'LIBRARY_DATA_OVERRIDE', 'ORPHAN_DATA', 'PACKAGE', 'PRESET', 'RENDER_ANIMATION', 'RENDER_STILL', 'RNA', 'STRANDS', 'UGLYPACKAGE', 'GP_DRAW_STROKE', 'GP_DRAW_FILL', 'GP_DRAW_BOTH', 'MOUSE_LMB', 'MOUSE_MMB', 'MOUSE_RMB', 'MOUSE_MMB_SCROLL', 'MOUSE_LMB_2X', 'MOUSE_MOVE', 'MOUSE_LMB_DRAG', 'MOUSE_MMB_DRAG', 'MOUSE_RMB_DRAG', 'DECORATE_ANIMATE', 'DECORATE_DRIVER', 'DECORATE_KEYFRAME', 'DECORATE_LIBRARY_OVERRIDE', 'DECORATE_LINKED', 'DECORATE_OVERRIDE', 'DECORATE',

'OUTLINER_COLLECTION', 'COLLECTION_COLOR_01',
'COLLECTION_COLOR_02', 'COLLECTION_COLOR_03',
'COLLECTION_COLOR_04', 'COLLECTION_COLOR_05',
'COLLECTION_COLOR_06', 'COLLECTION_COLOR_07',
'COLLECTION_COLOR_08', 'CURVES_DATA',
'OUTLINER_DATA_ARMATURE', 'OUTLINER_DATA_CAMERA',
'OUTLINER_DATA_CURVE', 'OUTLINER_DATA_CURVES',
'OUTLINER_DATA_EMPTY', 'OUTLINER_DATA_FONT',
'OUTLINER_DATA_GP_LAYER', 'OUTLINER_DATA_GREASEPENCIL',
'OUTLINER_DATA_LATTICE', 'OUTLINER_DATA_LIGHT',
'OUTLINER_DATA_LIGHTPROBE', 'OUTLINER_DATA_MESH',
'OUTLINER_DATA_META', 'OUTLINER_DATA_POINTCLOUD',
'OUTLINER_DATA_SPEAKER', 'OUTLINER_DATA_SURFACE',
'OUTLINER_DATA_VOLUME', 'POINTCLOUD_DATA',
'POINTCLOUD_POINT', 'VOLUME_DATA',
'OUTLINER_OB_ARMATURE', 'OUTLINER_OB_CAMERA',
'OUTLINER_OB_CURVE', 'OUTLINER_OB_CURVES',
'OUTLINER_OB_EMPTY', 'OUTLINER_OB_FONT',
'OUTLINER_OB_FORCE_FIELD', 'OUTLINER_OB_GREASEPENCIL',
'OUTLINER_OB_GROUP_INSTANCE', 'OUTLINER_OB_IMAGE',
'OUTLINER_OB_LATTICE', 'OUTLINER_OB_LIGHT',
'OUTLINER_OB_LIGHTPROBE', 'OUTLINER_OB_MESH',
'OUTLINER_OB_META', 'OUTLINER_OB_POINTCLOUD',
'OUTLINER_OB_SPEAKER', 'OUTLINER_OB_SURFACE',
'OUTLINER_OB_VOLUME', 'GP_MULTIFRAME_EDITING',
'GP_ONLY_SELECTED', 'GP_SELECT_BETWEEN_STROKES',
'GP_SELECT_POINTS', 'GP_SELECT_STROKES', 'HOLDOUT_OFF',
'HOLDOUT_ON', 'MODIFIER_OFF', 'MODIFIER_ON',
'RESTRICT_COLOR_OFF', 'RESTRICT_COLOR_ON',
'RESTRICT_INSTANCED_OFF', 'RESTRICT_INSTANCED_ON',
'LIGHT_AREA', 'LIGHT_HEMI', 'LIGHT_POINT', 'LIGHT_SPOT',
'LIGHT_SUN', 'LIGHTPROBE_PLANE', 'LIGHTPROBE_SPHERE',
'LIGHTPROBE_VOLUME', 'COLOR_BLUE', 'COLOR_GREEN',
'COLOR_RED', 'CONE', 'CUBE', 'CURVE_BEZCIRCLE',
'CURVE_BEZCURVE', 'CURVE_NCIRCLE', 'CURVE_NCURVE',
'CURVE_PATH', 'CURVES', 'EMPTY_ARROWS', 'EMPTY_AXIS',
'EMPTY_SINGLE_ARROW', 'MESH_CAPSULE', 'MESH_CIRCLE',
'MESH_CONE', 'MESH_CUBE', 'MESH_CYLINDER', 'MESH_GRID',
'MESH_ICOSPHERE', 'MESH_MONKEY', 'MESH_PLANE',
'MESH_TORUS', 'MESH_UVSPHERE', 'META_BALL', 'META_CAPSULE',
'META_CUBE', 'META_ELLIPSOID', 'META_PLANE', 'MONKEY',
'SPHERE', 'STROKE', 'SURFACE_NCIRCLE', 'SURFACE_NCURVE',

'SURFACE_NCYLINDER', 'SURFACE_NSPHERE',
'SURFACE_NSURFACE', 'SURFACE_NTORUS', 'TRIA_DOWN_BAR',
'TRIA_LEFT_BAR', 'TRIA_RIGHT_BAR', 'TRIA_UP_BAR', 'AREA_DOCK',
'AREA_JOIN_DOWN', 'AREA_JOIN_LEFT', 'AREA_JOIN_UP',
'AREA_JOIN', 'AREA_SWAP', 'FORCE_BOID', 'FORCE_CHARGE',
'FORCE_CURVE', 'FORCE_DRAG', 'FORCE_FLUIDFLOW',
'FORCE_FORCE', 'FORCE_HARMONIC', 'FORCE_LENNARDJONES',
'FORCE_MAGNETIC', 'FORCE_TEXTURE', 'FORCE_TURBULENCE',
'FORCE_VORTEX', 'FORCE_WIND', 'IMAGE_BACKGROUND',
'IMAGE_PLANE', 'IMAGE_REFERENCE',
'RENDER_SWAP_DIMENSIONS', 'RIGID_BODY_CONSTRAINT',
'RIGID_BODY', 'SPLIT_HORIZONTAL', 'SPLIT_VERTICAL',
'ANCHOR_BOTTOM', 'ANCHOR_CENTER', 'ANCHOR_LEFT',
'ANCHOR_RIGHT', 'ANCHOR_TOP', 'NODE_CORNER',
'NODE_INSERT_OFF', 'NODE_INSERT_ON', 'NODE_SIDE',
'NODE_TOP', 'SELECT_EXTEND', 'SELECT_SET', 'SELECT_SUBTRACT',
'ALIGN_BOTTOM', 'ALIGN_CENTER', 'ALIGN_FLUSH',
'ALIGN_JUSTIFY', 'ALIGN_LEFT', 'ALIGN_MIDDLE', 'ALIGN_RIGHT',
'ALIGN_TOP', 'BOLD', 'ITALIC', 'LINENUMBERS_OFF',
'LINENUMBERS_ON', 'SCRIPTPLUGINS', 'SMALL_CAPS',
'SYNTAX_OFF', 'SYNTAX_ON', 'UNDERLINE', 'WORDWRAP_OFF',
'WORDWRAP_ON', 'CON_ACTION', 'CON_ARMATURE',
'CON_GEOMETRYATTRIBUTE', 'CON_CAMERASOLVER',
'CON_CHILDOF', 'CON_CLAMPTO', 'CON_DISTLIMIT', 'CON_FLOOR',
'CON_FOLLOWPATH', 'CON_FOLLOWTRACK', 'CON_KINEMATIC',
'CON_LOCKTRACK', 'CON_LOCLIKE', 'CON_LOCLIMIT',
'CON_OBJECTSOLVER', 'CON_PIVOT', 'CON_ROTLIKE',
'CON_ROTLIMIT', 'CON_SAMEVOL', 'CON_SHRINKWRAP',
'CON_SIZELIKE', 'CON_SIZELIMIT', 'CON_SPLINEIK',
'CON_STRETCHTO', 'CON_TRACKTO', 'CON_TRANSFORM_CACHE',
'CON_TRANSFORM', 'CON_TRANSLIKE', 'HOOK', 'MOD_ARMATURE',
'MOD_ARRAY', 'MOD_BEVEL', 'MOD_BOOLEAN', 'MOD_BUILD',
'MOD_CAST', 'MOD_CLOTH', 'MOD_CURVE',
'MOD_CURVE_TO_TUBE', 'MOD_DASH', 'MOD_DATA_TRANSFER',
'MOD_DECIM', 'MOD_DISPLACE', 'MOD_DYNAMICPAINT',
'MOD_EDGESPLIT', 'MOD_ENVELOPE', 'MOD_EXPLODE',
'MOD_FLUID', 'MOD_FLUIDSIM', 'MOD_HUE_SATURATION',
'MOD_INSTANCE', 'MOD_LATTICE', 'MOD_LENGTH',
'MOD_LINEART', 'MOD_MASK', 'MOD_MESHDEFORM',
'MOD_MIRROR', 'MOD_MULTIRES', 'MOD_NOISE',
'MOD_NORMALEDIT', 'MOD_OCEAN', 'MOD_OFFSET',
'MOD_OPACITY', 'MOD_OUTLINE', 'MOD_PARTICLE_INSTANCE',

'MOD_PARTICLES', 'MOD_PHYSICS', 'MOD_REMESH', 'MOD_SCATTER_ON_SURFACE', 'MOD_SCREW', 'MOD_SHRINKWRAP', 'MOD_SIMPLEDEFORM', 'MOD_SIMPLIFY', 'MOD_SKIN', 'MOD_SMOOTH', 'MOD_SOFT', 'MOD_SOLIDIFY', 'MOD_SUBSURF', 'MOD_THICKNESS', 'MOD_TIME', 'MOD_TINT', 'MOD_TRIANGULATE', 'MOD_UVPROJECT', 'MOD_VERTEX_WEIGHT', 'MOD_WARP', 'MOD_WAVE', 'MOD_WIREFRAME', 'MODIFIER_DATA', 'ACTION_SLOT', 'ACTION_TWEAK', 'DRIVER', 'FF', 'FRAME_NEXT', 'FRAME_PREV', 'HANDLE_ALIGNED', 'HANDLE_AUTO', 'HANDLE_AUTOCLAMPED', 'HANDLE_FREE', 'HANDLE_VECTOR', 'IPO_BACK', 'IPO_BEZIER', 'IPO_BOUNCE', 'IPO_CIRC', 'IPO_CONSTANT', 'IPO_CUBIC', 'IPO_EASE_IN_OUT', 'IPO_EASE_IN', 'IPO_EASE_OUT', 'IPO_ELASTIC', 'IPO_EXPO', 'IPO_LINEAR', 'IPO_QUAD', 'IPO_QUART', 'IPO_QUINT', 'IPO_SINE', 'KEY_DEHLT', 'KEY_HLT', 'KEYFRAME_HLT', 'KEYFRAME', 'KEYINGSET', 'MARKER_HLT', 'MARKER', 'MUTE_IPO_OFF', 'MUTE_IPO_ON', 'NEXT_KEYFRAME', 'NLA_PUSHDOWN', 'NORMALIZE_FCURVES', 'ORIENTATION_PARENT', 'PAUSE', 'PLAY_REVERSE', 'PLAY_SOUND', 'PLAY', 'PMARKER_ACT', 'PMARKER_SEL', 'PMARKER', 'PREV_KEYFRAME', 'PREVIEW_RANGE', 'REC', 'REW', 'SOLO_OFF', 'SOLO_ON', 'CENTER_ONLY', 'CURSOR', 'EDGESEL', 'EDGE_BEVEL', 'EDGE_CREASE', 'EDGE_SEAM', 'EDGE_SHARP', 'FACE_CORNER', 'FACESEL', 'INVERSESQUARECURVE', 'LINCURVE', 'NOCURVE', 'PARTICLE_PATH', 'PARTICLE_POINT', 'PARTICLE_TIP', 'PIVOT_ACTIVE', 'PIVOT_BOUNDBOX', 'PIVOT_CURSOR', 'PIVOT_INDIVIDUAL', 'PIVOT_MEDIAN', 'PROP_CON', 'PROP_OFF', 'PROP_ON', 'PROP_PROJECTED', 'RNDCURVE', 'ROOTCURVE', 'SHARPCURVE', 'SMOOTHCURVE', 'SPHERECURVE', 'VERTEXSEL', 'VERTEX_CREASE', 'SNAP_EDGE', 'SNAP_FACE_CENTER', 'SNAP_FACE_NEAREST', 'SNAP_FACE', 'SNAP_GRID', 'SNAP_INCREMENT', 'SNAP_MIDPOINT', 'SNAP_NORMAL', 'SNAP_PEEL_OBJECT', 'SNAP_PERPENDICULAR', 'SNAP_VERTEX', 'SNAP_VOLUME', 'STICKY_UVS_DISABLE', 'STICKY_UVS_LOC', 'STICKY_UVS_VERT', 'ORIENTATION_GIMBAL', 'ORIENTATION_GLOBAL', 'ORIENTATION_LOCAL', 'ORIENTATION_NORMAL', 'ORIENTATION_VIEW', 'COPYDOWN', 'FIXED_SIZE', 'GIZMO', 'GP_CAPS_FLAT', 'GP_CAPS_ROUND', 'NORMALS_FACE', 'NORMALS_VERTEX_FACE', 'NORMALS_VERTEX', 'OBJECT_ORIGIN', 'ORIENTATION_CURSOR', 'PASTEDOWN', 'PASTEFLIPDOWN', 'PASTEFLIPUP', 'TRANSFORM_ORIGINS', 'UV_EDGESEL', 'UV_FACESEL', 'UV_ISLANDSEL', 'UV_SYNC_SELECT', 'UV_VERTEXSEL', 'AXIS_FRONT', 'AXIS_SIDE', 'AXIS_TOP', 'GRID',

'LAYER_ACTIVE', 'LAYER_USED', 'LOCKVIEW_OFF', 'LOCKVIEW_ON', 'OVERLAY', 'SHADING_BBOX', 'SHADING_RENDERED', 'SHADING_SOLID', 'SHADING_TEXTURE', 'SHADING_WIRE', 'XRAY', 'VIEW_CAMERA_UNSELECTED', 'VIEW_CAMERA', 'VIEW_LOCKED', 'VIEW_ORTHO', 'VIEW_PAN', 'VIEW_PERSPECTIVE', 'VIEW_UNLOCKED', 'VIEW_ZOOM', 'FILE_ALIAS', 'FILE_FOLDER', 'FOLDER_REDIRECT', 'APPEND_BLEND', 'BACK', 'BOOKMARKS', 'CURRENT_FILE', 'DESKTOP', 'DISC', 'DISK_DRIVE', 'DOCUMENTS', 'DOWNLOAD', 'DOWNLOAD_DONE', 'EXPORT', 'EXTERNAL_DRIVE', 'USB_DRIVE', 'FILE_3D', 'FILE_ARCHIVE', 'FILE_BACKUP', 'FILE_BLANK', 'FILE_BLEND', 'FILE_CACHE', 'FILE_FONT', 'FILE_HIDDEN', 'FILE_IMAGE', 'FILE_MOVIE', 'FILE_PARENT', 'FILE_REFRESH', 'FILE_SCRIPT', 'FILE_SOUND', 'FILE_TEXT', 'FILE_VOLUME', 'FILTER', 'FILTER_FILLED', 'FONTPREVIEW', 'FORWARD', 'HOME', 'IMGDISPLAY', 'IMPORT', 'LINK_BLEND', 'LONGDISPLAY', 'LOOP_BACK', 'LOOP_FORWARDS', 'NETWORK_DRIVE', 'NEWFOLDER', 'PREVIEW_LOADING', 'SETTINGS', 'SHORTDISPLAY', 'SORT_ASC', 'SORT_DESC', 'SORTALPHA', 'SORTBYEXT', 'SORTSIZE', 'SORTTIME', 'SYSTEM', 'TAG', 'TEMP', 'ALIASED', 'ANTIALIASED', 'MAT_SPHERE_SKY', 'MATCLOTH', 'MATCUBE', 'MATFLUID', 'MATPLANE', 'MATSHADERBALL', 'MATSPHERE', 'SEQ_CHROMA_SCOPE', 'SEQ_HISTOGRAM', 'SEQ_LUMA_WAVEFORM', 'SEQ_PREVIEW', 'SEQ_SEQUENCER', 'SEQ_SPLITVIEW', 'SEQ_STRIP_DUPLICATE', 'SEQ_STRIP_META', 'SEQ_STRIP_MODIFIER', 'MOD_BRIGHTNESS_CONTRAST', 'MOD_COLOR_BALANCE', 'MOD_CURVES', 'MOD_HUE_CORRECT', 'MOD_TONEMAP', 'MOD_WHITE_BALANCE', 'IMAGE_ALPHA', 'IMAGE_RGB_ALPHA', 'IMAGE_RGB', 'IMAGE_ZDEPTH', 'BLENDER_LOGO_LARGE', 'CANCEL_LARGE', 'DISC_LARGE', 'DISK_DRIVE_LARGE', 'EXTERNAL_DRIVE_LARGE', 'USB_DRIVE_LARGE', 'FILE_FOLDER_LARGE', 'FILE_LARGE', 'FILE_PARENT_LARGE', 'INFO_LARGE', 'NETWORK_DRIVE_LARGE', 'QUESTION_LARGE', 'WARNING_LARGE', 'KEY_BACKSPACE_FILLED', 'KEY_BACKSPACE', 'KEY_COMMAND_FILLED', 'KEY_COMMAND', 'KEY_CONTROL_FILLED', 'KEY_CONTROL', 'KEY_EMPTY1_FILLED', 'KEY_EMPTY1', 'KEY_EMPTY2_FILLED', 'KEY_EMPTY2', 'KEY_EMPTY3_FILLED', 'KEY_EMPTY3', 'KEY_MENU_FILLED', 'KEY_MENU', 'KEY_OPTION_FILLED', 'KEY_OPTION', 'KEY_RETURN_FILLED', 'KEY_RETURN', 'KEY_RING_FILLED', 'KEY_RING', 'KEY_SHIFT_FILLED', 'KEY_SHIFT', 'KEY_TAB_FILLED', 'KEY_TAB', 'KEY_WINDOWS_FILLED', 'KEY_WINDOWS',

'GESTURE_PAN', 'GESTURE_ROTATE', 'GESTURE_ZOOM', 'FUND',
'HEART', 'INTERNET_OFFLINE', 'INTERNET', 'USER',
'EXPERIMENTAL', 'MEMORY', 'RGB_RED', 'RGB_GREEN', 'RGB_BLUE',
'KEYTYPE_KEYFRAME_VEC', 'KEYTYPE_BREAKDOWN_VEC',
'KEYTYPE_EXTREME_VEC', 'KEYTYPE_JITTER_VEC',
'KEYTYPE_MOVING_HOLD_VEC', 'KEYTYPE_GENERATED_VEC',
'HANDLETYPE_FREE_VEC', 'HANDLETYPE_ALIGNED_VEC',
'HANDLETYPE_VECTOR_VEC', 'HANDLETYPE_AUTO_VEC',
'HANDLETYPE_AUTO_CLAMP_VEC', 'COLORSET_01_VEC',
'COLORSET_02_VEC', 'COLORSET_03_VEC', 'COLORSET_04_VEC',
'COLORSET_05_VEC', 'COLORSET_06_VEC', 'COLORSET_07_VEC',
'COLORSET_08_VEC', 'COLORSET_09_VEC', 'COLORSET_10_VEC',
'COLORSET_11_VEC', 'COLORSET_12_VEC', 'COLORSET_13_VEC',
'COLORSET_14_VEC', 'COLORSET_15_VEC', 'COLORSET_16_VEC',
'COLORSET_17_VEC', 'COLORSET_18_VEC', 'COLORSET_19_VEC',
'COLORSET_20_VEC', 'STRIP_COLOR_01', 'STRIP_COLOR_02',
'STRIP_COLOR_03', 'STRIP_COLOR_04', 'STRIP_COLOR_05',
'STRIP_COLOR_06', 'STRIP_COLOR_07', 'STRIP_COLOR_08',
'STRIP_COLOR_09', 'LIBRARY_DATA_INDIRECT',
'LIBRARY_DATA_OVERRIDE_NONEDITABLE', 'PACKAGE_INDIRECT',
'LAYERGROUP_COLOR_01', 'LAYERGROUP_COLOR_02',
'LAYERGROUP_COLOR_03', 'LAYERGROUP_COLOR_04',
'LAYERGROUP_COLOR_05', 'LAYERGROUP_COLOR_06',
'LAYERGROUP_COLOR_07', 'LAYERGROUP_COLOR_08', 'EVENT_A',
'EVENT_B', 'EVENT_C', 'EVENT_D', 'EVENT_E', 'EVENT_F', 'EVENT_G',
'EVENT_H', 'EVENT_I', 'EVENT_J', 'EVENT_K', 'EVENT_L', 'EVENT_M',
'EVENT_N', 'EVENT_O', 'EVENT_P', 'EVENT_Q', 'EVENT_R', 'EVENT_S',
'EVENT_T', 'EVENT_U', 'EVENT_V', 'EVENT_W', 'EVENT_X', 'EVENT_Y',
'EVENT_Z', 'EVENT_SHIFT', 'EVENT_CTRL', 'EVENT_ALT', 'EVENT_OS',
'EVENT_HYPER', 'EVENT_F1', 'EVENT_F2', 'EVENT_F3', 'EVENT_F4',
'EVENT_F5', 'EVENT_F6', 'EVENT_F7', 'EVENT_F8', 'EVENT_F9',
'EVENT_F10', 'EVENT_F11', 'EVENT_F12', 'EVENT_F13', 'EVENT_F14',
'EVENT_F15', 'EVENT_F16', 'EVENT_F17', 'EVENT_F18', 'EVENT_F19',
'EVENT_F20', 'EVENT_F21', 'EVENT_F22', 'EVENT_F23', 'EVENT_F24',
'EVENT_ESC', 'EVENT_TAB', 'EVENT_PAGEUP', 'EVENT_PAGEDOWN',
'EVENT_RETURN', 'EVENT_SPACEKEY', 'EVENT_ZEROKEY',
'EVENT_ONEKEY', 'EVENT_TWOKEY', 'EVENT_THREEKEY',
'EVENT_FOURKEY', 'EVENT_FIVEKEY', 'EVENT_SIXKEY',
'EVENT_SEVENKEY', 'EVENT_EIGHTKEY', 'EVENT_NINEKEY',
'EVENT_PAD0', 'EVENT_PAD1', 'EVENT_PAD2', 'EVENT_PAD3',
'EVENT_PAD4', 'EVENT_PAD5', 'EVENT_PAD6', 'EVENT_PAD7',
'EVENT_PAD8', 'EVENT_PAD9', 'EVENT_PADASTER',

'EVENT_PADSLASH', 'EVENT_PADMINUS', 'EVENT_PADENTER',
'EVENT_PADPLUS', 'EVENT_PADPERIOD', 'EVENT_MOUSE_4',
'EVENT_MOUSE_5', 'EVENT_MOUSE_6', 'EVENT_MOUSE_7',
'EVENT_TABLET_STYLUS', 'EVENT_TABLET_ERASER',
'EVENT_LEFT_ARROW', 'EVENT_DOWN_ARROW',
'EVENT_RIGHT_ARROW', 'EVENT_UP_ARROW', 'EVENT_PAUSE',
'EVENT_INSERT', 'EVENT_HOME', 'EVENT_END',
'EVENT_UNKNOWN', 'EVENT_GRLESS', 'EVENT_MEDIAPLAY',
'EVENT_MEDIASTOP', 'EVENT_MEDIAFIRST', 'EVENT_MEDIALAST',
'EVENT_APP', 'EVENT_CAPSLOCK', 'EVENT_BACKSPACE',
'EVENT_DEL', 'EVENT_SEMICOLON', 'EVENT_PERIOD',
'EVENT_COMMA', 'EVENT_QUOTE', 'EVENT_ACCENTGRAVE',
'EVENT_MINUS', 'EVENT_PLUS', 'EVENT_SLASH',
'EVENT_BACKSLASH', 'EVENT_EQUAL', 'EVENT_LEFTBRACKET',
'EVENT_RIGHTBRACKET', 'EVENT_PAD_PAN', 'EVENT_PAD_ROTATE',
'EVENT_PAD_ZOOM', 'EVENT_NDOF_BUTTON_V1',
'EVENT_NDOF_BUTTON_V2', 'EVENT_NDOF_BUTTON_V3',
'EVENT_NDOF_BUTTON_SAVE_V1',
'EVENT_NDOF_BUTTON_SAVE_V2',
'EVENT_NDOF_BUTTON_SAVE_V3', 'EVENT_NDOF_BUTTON_1',
'EVENT_NDOF_BUTTON_2', 'EVENT_NDOF_BUTTON_3',
'EVENT_NDOF_BUTTON_4', 'EVENT_NDOF_BUTTON_5',
'EVENT_NDOF_BUTTON_6', 'EVENT_NDOF_BUTTON_7',
'EVENT_NDOF_BUTTON_8', 'EVENT_NDOF_BUTTON_9',
'EVENT_NDOF_BUTTON_10', 'EVENT_NDOF_BUTTON_11',
'EVENT_NDOF_BUTTON_12', 'EVENT_NDOF_BUTTON_MENU',
'EVENT_NDOF_BUTTON_FIT', 'EVENT_NDOF_BUTTON_TOP',
'EVENT_NDOF_BUTTON_BOTTOM', 'EVENT_NDOF_BUTTON_LEFT',
'EVENT_NDOF_BUTTON_RIGHT', 'EVENT_NDOF_BUTTON_FRONT',
'EVENT_NDOF_BUTTON_BACK', 'EVENT_NDOF_BUTTON_ISO1',
'EVENT_NDOF_BUTTON_ISO2', 'EVENT_NDOF_BUTTON_ROLL_CW',
'EVENT_NDOF_BUTTON_ROLL_CCW',
'EVENT_NDOF_BUTTON_SPIN_CW',
'EVENT_NDOF_BUTTON_SPIN_CCW',
'EVENT_NDOF_BUTTON_TILT_CW',
'EVENT_NDOF_BUTTON_TILT_CCW',
'EVENT_NDOF_BUTTON_ROTATE',
'EVENT_NDOF_BUTTON_PANZOOM',
'EVENT_NDOF_BUTTON_DOMINANT',
'EVENT_NDOF_BUTTON_PLUS', 'EVENT_NDOF_BUTTON_MINUS',
'NODE_SOCKET_FLOAT', 'NODE_SOCKET_VECTOR',
'NODE_SOCKET_RGBA', 'NODE_SOCKET_SHADER',

'NODE_SOCKET_BOOLEAN', 'NODE_SOCKET_INT',
'NODE_SOCKET_STRING', 'NODE_SOCKET_OBJECT',
'NODE_SOCKET_IMAGE', 'NODE_SOCKET_GEOMETRY',
'NODE_SOCKET_COLLECTION', 'NODE_SOCKET_TEXTURE',
'NODE_SOCKET_MATERIAL', 'NODE_SOCKET_ROTATION',
'NODE_SOCKET_MENU', 'NODE_SOCKET_MATRIX',
'NODE_SOCKET_BUNDLE', 'NODE_SOCKET_CLOSURE',
'NODE_SOCKET_FONT', 'NODE_SOCKET_SCENE',
'NODE_SOCKET_TEXT', 'NODE_SOCKET_MASK',
'NODE_SOCKET_SOUND', 'NODE_SOCKET_INT_VECTOR')

dIAGNOSTICS:
QUAKE SURFACE STUDIO DIAGNOSTICS
Blender: 5.2.0 LTS
QSS object: test01_compile.bsp_QSS
Source BSP:
/mnt/sde1/FPS/IdTech2/QuakeDev/id1/maps/test01_compile.bsp
Preview mode: realtime
Render engine: BLENDER_EEVEE
RGB source: QLIT v1 .lit sidecar
BSPX lumps:
Light energy scale: 1.0
Source-match calibration: 1.0
Last bake: raw_mean=n/a source_mean=n/a atlas_mean=n/a
max=n/a normalization=n/a
Last attempted bake: scale=n/a max_lamp_energy=n/a
sampled_luxels=n/a sampled_mean=n/a image_stats=n/a
Last Cycles bake operator result: n/a
Last Cycles attempt config: engine=n/a target=n/a type=n/a
uv=n/a
Last attempted lamp states: n/a
Current (restored) bake settings: engine=BLENDER_EEVEE
target=IMAGE_TEXTURES samples=4096 diffuse_bounces=4
color=True diffuse=True direct=True indirect=True
Color management: view_transform=AgX look=None
exposure=0.0 gamma=1.0
Compiler bounce: 2
Compiler bounce color scale: 1.0
Quake direct bake: luxels=n/a lit=n/a rays=n/a blocked=n/a
raw_mean=n/a source_mean=n/a normalization=n/a
Mesh faces: 38; materials: 5; loops=164; vertices=164
  Attribute qss_bsp_face_id: 38 entries / 38 faces

Attribute qss_bsp_texinfo_id: 38 entries / 38 faces
Attribute qss_bsp_miptex_id: 38 entries / 38 faces
Attribute qss_lm_has_data: 38 entries / 38 faces
Attribute qss_lm_atlas_x: 38 entries / 38 faces
Attribute qss_lm_atlas_y: 38 entries / 38 faces
Attribute qss_lm_sample_w: 38 entries / 38 faces
Attribute qss_lm_sample_h: 38 entries / 38 faces
UV Quake_Texture_UV: 164 entries / 164 loops
UV Quake_Lightmap_UV: 164 entries / 164 loops
Last detach error: none
Last Quake bake error: none
Lightmap image: QSS_Lightmap_test01_compile.bsp (512, 512) float=True colorspace=Non-Color
Atlas face sample stats: 38 faces; chromatic by atlas pixels: 38/38
face 0: 75 luxels mean=(0.377,0.209,0.196) range=(0.443,0.208,0.188) chroma=0.322
face 1: 45 luxels mean=(0.562,0.354,0.345) range=(0.506,0.314,0.302) chroma=0.325
face 2: 225 luxels mean=(0.537,0.385,0.421) range=(0.569,0.376,0.486) chroma=0.325
face 3: 225 luxels mean=(0.567,0.315,0.311) range=(0.596,0.216,0.208) chroma=0.502
face 4: 75 luxels mean=(0.532,0.195,0.191) range=(0.467,0.153,0.153) chroma=0.498
face 5: 45 luxels mean=(0.308,0.264,0.565) range=(0.369,0.322,0.267) chroma=0.404
face 6: 15 luxels mean=(0.151,0.115,0.166) range=(0.294,0.239,0.224) chroma=0.220
face 7: 75 luxels mean=(0.217,0.164,0.198) range=(0.294,0.239,0.243) chroma=0.220
face 8: 15 luxels mean=(0.181,0.150,0.155) range=(0.153,0.114,0.110) chroma=0.059
face 9: 99 luxels mean=(0.118,0.093,0.526) range=(0.259,0.224,0.388) chroma=0.557
face 10: 165 luxels mean=(0.087,0.065,0.433) range=(0.259,0.224,0.525) chroma=0.557
face 11: 165 luxels mean=(0.052,0.034,0.097) range=(0.169,0.133,0.239) chroma=0.208
face 12: 135 luxels mean=(0.505,0.220,0.219) range=(0.427,0.137,0.137) chroma=0.463
face 13: 135 luxels mean=(0.355,0.219,0.214) range=(0.337,0.133,0.125) chroma=0.271

face 14: 135 luxels mean=(0.043,0.022,0.371) range=(0.051,0.031,0.365) chroma=0.498
face 15: 135 luxels mean=(0.025,0.007,0.063) range=(0.024,0.012,0.212) chroma=0.200
face 16: 135 luxels mean=(0.430,0.359,0.429) range=(0.353,0.349,0.447) chroma=0.239
face 17: 135 luxels mean=(0.160,0.136,0.509) range=(0.384,0.337,0.404) chroma=0.561
face 18: 45 luxels mean=(0.237,0.183,0.176) range=(0.239,0.180,0.173) chroma=0.110
face 19: 135 luxels mean=(0.504,0.309,0.309) range=(0.471,0.263,0.255) chroma=0.345
face 20: 135 luxels mean=(0.104,0.082,0.096) range=(0.298,0.247,0.247) chroma=0.067
face 21: 45 luxels mean=(0.468,0.199,0.197) range=(0.282,0.165,0.165) chroma=0.341
face 22: 45 luxels mean=(0.381,0.334,0.501) range=(0.259,0.208,0.149) chroma=0.239
face 23: 75 luxels mean=(0.386,0.324,0.429) range=(0.349,0.325,0.447) chroma=0.239
face 24: 225 luxels mean=(0.425,0.302,0.315) range=(0.518,0.447,0.533) chroma=0.255
face 25: 225 luxels mean=(0.511,0.258,0.256) range=(0.471,0.341,0.341) chroma=0.416
face 26: 75 luxels mean=(0.359,0.249,0.252) range=(0.310,0.180,0.173) chroma=0.188
face 27: 45 luxels mean=(0.248,0.222,0.513) range=(0.298,0.267,0.247) chroma=0.392
face 28: 65 luxels mean=(0.205,0.164,0.195) range=(0.224,0.176,0.180) chroma=0.161
face 29: 75 luxels mean=(0.195,0.155,0.188) range=(0.247,0.200,0.231) chroma=0.212
face 30: 15 luxels mean=(0.159,0.136,0.141) range=(0.122,0.082,0.082) chroma=0.051
face 31: 33 luxels mean=(0.036,0.025,0.240) range=(0.086,0.075,0.133) chroma=0.275
face 32: 165 luxels mean=(0.077,0.065,0.421) range=(0.216,0.196,0.525) chroma=0.561
face 33: 165 luxels mean=(0.052,0.040,0.101) range=(0.149,0.125,0.239) chroma=0.208
face 34: 45 luxels mean=(0.022,0.013,0.334) range=(0.027,0.020,0.239) chroma=0.435

face 35: 45 luxels mean=(0.458,0.376,0.368) range=(0.208,0.184,0.188) chroma=0.122
face 36: 45 luxels mean=(0.144,0.109,0.113) range=(0.169,0.129,0.129) chroma=0.067
face 37: 45 luxels mean=(0.274,0.251,0.537) range=(0.200,0.188,0.196) chroma=0.388
MATERIALS:
slot 0 QSS_001_wwood1_5: base=['QSS_TEX_001_wwood1_5[sRGB]'] lightmap=['QSS_Lightmap_test01_compile.bsp[Non-Color]'] uv=['texture_uv: Quake_Texture_UV', 'lightmap: Quake_Lightmap_UV']
slot 1 QSS_003_wwall1_1: base=['QSS_TEX_003_wwall1_1[sRGB]'] lightmap=['QSS_Lightmap_test01_compile.bsp[Non-Color]'] uv=['texture_uv: Quake_Texture_UV', 'lightmap: Quake_Lightmap_UV']
slot 2 QSS_004_afloor3_1: base=['QSS_TEX_004_afloor3_1[sRGB]'] lightmap=['QSS_Lightmap_test01_compile.bsp[Non-Color]'] uv=['texture_uv: Quake_Texture_UV', 'lightmap: Quake_Lightmap_UV']
slot 3 QSS_005_wceiling5: base=['QSS_TEX_005_wceiling5[sRGB]'] lightmap=['QSS_Lightmap_test01_compile.bsp[Non-Color]'] uv=['texture_uv: Quake_Texture_UV', 'lightmap: Quake_Lightmap_UV']
slot 4 QSS_MISSING_TEXTURE: base=['QSS_MISSING_TEXTURE_WHITE[sRGB]'] lightmap=['QSS_Lightmap_test01_compile.bsp[Non-Color]'] uv=['texture_uv: Quake_Texture_UV', 'lightmap: Quake_Lightmap_UV']
IMPORTED LIGHTS:
QSS_light_001 type=POINT color=(0.0, 0.0, 1.0) energy=150 W style=0 inferred=False value=150.0 delay=0 range=300.0 calibration=1.0
QSS_light_002 type=POINT color=(0.6667, 0.0, 0.0) energy=150 W style=2 inferred=True value=150.0 delay=0 range=300.0 calibration=1.0
QSS_light_004 type=POINT color=(1.0, 1.0, 1.0) energy=150 W style=0 inferred=False value=150.0 delay=0 range=300.0 calibration=1.0
QSS_light_005 type=POINT color=(1.0, 1.0, 1.0) energy=150 W style=2 inferred=False value=150.0 delay=0 range=300.0 calibration=1.0
World: QSS_LivePreview_BlackWorld_test01_compile.bsp_QSS
Background color=(0.0, 0.0, 0.0, 1.0) strength=0.0
BSP face style distribution: {0: 38, 2: 29}
BSP face 0: styles=[0, 2] lightofs=0
BSP face 1: styles=[0, 2] lightofs=252

BSP face 2: styles=[0, 2] lightofs=1724
BSP face 3: styles=[2, 0] lightofs=3824
BSP face 4: styles=[2, 0] lightofs=344
BSP face 5: styles=[0] lightofs=632
BSP face 6: styles=[2, 0] lightofs=952
BSP face 7: styles=[2, 0] lightofs=2176
BSP face 8: styles=[2, 0] lightofs=3200
BSP face 9: styles=[0] lightofs=152
BSP face 10: styles=[0, 2] lightofs=2460
BSP face 11: styles=[0, 2] lightofs=984
BSP face 12: styles=[2, 0] lightofs=1452
BSP face 13: styles=[0, 2] lightofs=2928
BSP face 14: styles=[0] lightofs=496
BSP face 15: styles=[0] lightofs=1316
BSP face 16: styles=[0] lightofs=2792
BSP face 17: styles=[0] lightofs=3656
BSP face 18: styles=[0] lightofs=4276
BSP face 19: styles=[2, 0] lightofs=680
BSP face 20: styles=[2, 0] lightofs=3384
BSP face 21: styles=[2, 0] lightofs=4324
BSP face 22: styles=[0, 2] lightofs=4484
BSP face 23: styles=[0, 2] lightofs=5472
BSP face 24: styles=[0, 2] lightofs=6368
BSP face 25: styles=[2, 0] lightofs=5824
BSP face 26: styles=[2, 0] lightofs=5672
BSP face 27: styles=[0, 2] lightofs=6276
BSP face 28: styles=[2, 0] lightofs=2328
BSP face 29: styles=[2, 0] lightofs=3232
BSP face 30: styles=[2, 0] lightofs=3792
BSP face 31: styles=[0, 2] lightofs=4416
BSP face 32: styles=[0, 2] lightofs=5140
BSP face 33: styles=[2, 0] lightofs=4668
BSP face 34: styles=[0] lightofs=5624
BSP face 35: styles=[0, 2] lightofs=4576
BSP face 36: styles=[2, 0] lightofs=5000
BSP face 37: styles=[0] lightofs=5092
Viewport: RENDERED scene_lights=True scene_world=True scene_lights_render=True scene_world_render=True

NOTE: atlas chroma reports actual sampled face pixels, not the source-side summary counter.
NOTE: Live Lights requires View3D use_scene_lights_render=True

and use_scene_world_render=True.
Run ericw-tools bspinfo on the same BSP for independent per-style lightmap atlas exports.

Worked for 8s

ChatGPT said: