



EX:1- EXTERNAL css

INPUT:



```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet"href="mystyle.css">
</head>
<body>
<h1>This is a heading</h1>
<p>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:




EX:2- INTERNAL css

INPUT:

```
internal.html - Notepad
File Edit Format View Help
<DOCTYPE html>
<html>
<head>
<style>
body{
background-color:linear;
}
h1{
color:maroon;
margin-left:40px;
}
</style>
</head>
<body>
<h1> This is a heading</h1>
<p> This is a paragraph.</p>
</body>
</html> |
```

OUTPUT:




EX:3- INLINE css

INPUT:

```
inline.html - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<body>
<h1 style="color:lightpink;text-align:center;">
This is a heading</h1>
<p style="color:red;">This is a paragraph.</p>
</body>
</html>
```

OUTPUT:




EX:4- BACK GROUND COLOR css

INPUT:


```
background_color.html - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html lang="en" "dir"="ltr">
<head>
<meta charset="utf-8">
<title></title>
<style media="screen">
h1{
background-color:lightgreen;
}
div{
background-color:lightblue;
}
p{
background-color:yellow;
}
</style>
</head>
<body>
<h1>hello</h1>
<div class="">
HOW ARE YOU???
```

OUTPUT:




EX:5- BACKGROUND IMAGE css

INPUT:




OUTPUT:




EX:6- BOARDSERS css

INPUT:

A screenshot of a Notepad window titled 'borders.html - Notepad'. The window contains the following code:

```
<!DOCTYPE html>
<html>
<style>
p.dotted{border-style:dotted;}
p.dashed{border-style:dashed;}
p.solid{border-style:solid;}
p.double{border-style:double;}
p.groove{border-style:groove;}
p.ridge{border-style:ridge;}
p.inset{border-style:inset;}
p.outset{border-style:outset;}
p.none{border-style:none;}
p.hidden{border-style:hidden;}
p.mix{border-style:dotted dashed solid double;}
</style>
</head>
<p class="dotted">A dotted border</p>
<p class="dashed">A dashed border</p>
<p class="solid">A solid border</p>
<p class="double">A double border</p>
<p class="groove">A groove border</p>
```

OUTPUT:





EX:7.1- LIST WITH STYLES css

INPUT:

```
list with styles - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
ul.a{list-style-type:circle;}
ul.b{list-style-type:disc;}
ul.c{list-style-type:square;}
ol.d{list-style-type:armenian;}
ol.e{list-style-type:cnk-ideographic;}
ol.f{list-style-type:decimal;}
ol.g{list-style-type:decimal-leading-zero;}
ol.h{list-style-type:katakana-iroha;}
ol.i{list-style-type:lower-greek;}
ol.j{list-style-type:lower-roman;}
</style>
</head>
<body>
<h2> All list style types</h2>
<ul class="a">
<li>circle type</li>
<li>Tea </li>
```

OUTPUT:




EX:7.2- LIST WITH COLORS css

INPUT:


```
list with colors - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<style>
ol{
background:#ff9999;
padding:20px;
}
ul{
background:#3399ff;
padding:20px;
}
ol li{
background:#ffe5e5;
color:dark red;
padding:5px;
margin-left:35px;
}
ul li{
background:#cce5ff;
color:dark blue;
```

OUTPUT:




EX:8 TABLE WITH STYLES

INPUT:

```
table with styles - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<style>
#customers{
font-family:Arial,Helvetica,sans-serif;
border-collapse:collapse;
width:100%;
}
#customers td,#customers th{
border:1px solid #ddd;
padding:8px;
}
#customers
tr:nth-child(even){background-color:#a2a2a2;}
#customers tr:hover{background-color:#ddd;}
#customers th{
padding-top:12px;
padding-bottom:12px;
text-align:left;
background-color:#04AA6D;
```

OUTPUT:



company	contact	country	company	contact	country	company	contact	country	company	contact	country	company	contact	country
Alfreds Futterkiste	Maria Anders	Germany												
Berglunds snabbkop	Christina Berglund	Sweden												
Centro Comercial Moctezuma	Francisco Chang	Mexico												
Ernst Handel	Roland Mendel	Austria												
Island trading	Helen Bennett	UK												

EX:9- FORM TAG

INPUT:

```
form with styles - Notepad
File Edit Format View Help

<!DOCTYPE html>
<html>
<head>
<style>
*{
  box-sizing: border-box;
}
input[type=text], select, text area {
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  resize: vertical;
}
label {
  padding: 12px 12px 12px 0;
  display: inline-block;
}
input[type=submit] {
  background-color: #04AA6D;
  color: white;
}
```

OUTPUT:

The screenshot shows a web browser window with a single tab titled "form with styles.html". The address bar shows the file path "Y:/form%20with%20styles.html". A notification bar at the top states: "To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7." with a "Learn more" link. The main content area is titled "responsive form" and includes a note: "resize the browser window to see the effect. when the screen is less than 600px wide, make the two columns stack on top of each other instead of next to each other." Below this is a form with the following elements:

- Labels on the left: "first name", "last name", "country", "subject".
- Input fields on the right: a text input for "first name" (placeholder: "your name..."), a text input for "last name", a dropdown menu for "country" (selected: "Australia"), and a text area for "subject" (placeholder: "write something...").
- A green "submit" button at the bottom right.


EX:10- VERTICAL NAVIGATION BAR

INPUT:

```
Vertical Nav Bar - Notepad
File Edit Format View Help

<!doctype HTML>
<html>
<head>
<style>
ul{
list-style-type: none;
margin: 0;
padding: 0;
width: 200px;
background-color: #f1f1f1;
}
li a{
display: block;
color: #000;
padding: 8px 16px;
text-decoration: none;
}
li a.active{
background-color: #04AA6D;
color: white;
}
}
```

OUTPUT:




EX:11- STICKY HORIZONTAL NAVIGATION BAR

INPUT:

```
sticky - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
body{
font-size:28px;
}
ul{
list-style-type:none;
margin:0;
padding:0;
overflow:hidden;
background-color:#333;
position:-webkit-sticky;/*safari*/
position:sticky;
top:0;
}
li{
float:left;
}
li a{
```

OUTPUT:



EX:12.1 DROPDOWN IN NAVIGATION BAR


INPUT:

```
dropdown in navigation bar - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
body {
  background-color:white;
}
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #38444d;
}

li {
  float: left;
}


li a, .dropbtn {
  display: inline-block;
```

OUTPUT:



EX:12.2- DROP DOWN IMAGE

INPUT:




```
<!DOCTYPE html>
<html>
<head>
<style>
.dropdown {
  position: relative;
  display: inline-block;
}

.dropdown-content {
  display: none;
  position: absolute;
  background-color: #f9f9f9;
  min-width: 160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
}

.dropdown:hover .dropdown-content {
  display: block;
}
```

OUTPUT:




EX:13- SHORTHAND PROPERTY

INPUT:


```
transition - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
div{
width:100px;
height:100px;
background:red;
transition:width 2s linear 1s;
}
div:hover{
width:300px;
}
</style>
</head>
<body>
<h1>Using the Transition shorthand Property</h1>
<p>Hover over the div element below,to see the transition effect:</p>
<div></div>
<p><b>Note:</b>The transition effect has a 1 second delay before starting.</p>
```

OUTPUT:




EX:14- ANIMATION

INPUT:

```
animation - Notepad
File Edit Format View Help
|<!DOCTYPE html>
<html>
<head>
<style>
div{
width:100px;
height:100px;
background-color:red;
position:relative;
animation-name:example;
animation-duration:1s;
animation-iteration-count:infinite;
//animation-direction:reverse;
//animation-direction:alternate;
}
@keyframes example{
0% {background-color:red;left:0px;top:0px;}
25% {background-color:yellow;left:200px;top:0px;}
50% {background-color:blue;left:200px;top:200px;}
75% {background-color:green;left:0px;top:200px;}
100% {background-color:red;left:0px;top:0px;}
}
```

OUTPUT:



THE END

