


**MetaMask
JPYC
Sub-Payment System
User-Manual**



TANAKA SENKI

Connect Your Wallet



Push This.

Choice.



Make Receipt

ReadQR

Address: Not Connected

Read ERC-681 Receipt

Read_Start

Choice.



\$
Read



Write

Make Receipt

Tx Identification Tag
(If you need)

Choose
stablecoin

Finally
Push this.

WriteQR


Chain: **Ethereum** ▾

Address: 0xA9e4...07fB22

☒ tag: - - - -

Amount (JPYC)

JPYC ▾



SET



\$
Read

Write

Make Receipt

Example

WriteQR

Chain: Polygon

Address: 0xA9e4...07fB22

tag: 2026 - 0604 - 7962 - 5196

Amount (JPYC)
3200JPYC

SET

\$
Read


Write

Payment

- Since Receipt is built using the ERC-681 standard, it is compatible with a variety of wallets.
- If you encounter an error, please use this app's “Read Tx” feature.

Payment (this app)

If you connect wallet,
you can push this.



ReadQR

Address: 0xA9e4...07fB22

Read ERC-681 Receipt

Read_Start




\$
Read

QR
Write

Payment (this app)

After read receipt,
push this.



ReadQR

Address: 0xA9e4...07fB22

Read ERC-681 Receipt

Checking Phase


Check

\$
Read

Write

Payment(this app)

After check,
we can sign through
your wallet app.



Donate!

WriteQR

DEBUG

Chain: Polygon ▾

Address: 0xA9e4...07fB22



Amount (USDC)

3.3

USDC ▾



RESET



Read



Write

Donate!

WriteQR

DEBUG

Chain: Polygon ▾

Address: 0xA9e4...07fB22



Amount (JPYC)

330

JPYC ▾



RESET



Read



Write