

Random Traffic Floor Free Movement TR34 3rd Edition FM2

안성시 일죽 방초2지구 물류센터 1층

검수의뢰자 : 플랫콘(주)

검수회사 :

ALLENFACE KOREA

서울시 강남구 봉은사로 326, 9층 985호(역삼동, 남전빌딩)

E-mail: allenface@naver.com

http://blog.naver.com/allenfacekorea



Random Traffic for F-Number Area Survey Testing Result Report index

1. 검수 계약 사항 Information
2. F-number 의 정의
3. F-Number Certification
4. Survey Report
4.1 구간별 F umber Analysis Summary
4.2 구간별 Individual Slabs F Number & TR34 3 rd Edition FM2 Conversion

별첨. 바닥 평탄도 검수 Survey Plan (A3 CAD도면)



Information안성시 일죽 방초2지구 물류센터

안성시 일죽 방초2지구 물류센터 Free movement에 대한 평탄도 검수에 대한 자세한 내용은 다음과 같습니다.

의 뢰 자 : 플랫콘 시공사 : -

미장마감공사 : 플랫콘

프로젝트명: 안성시 일죽 방초2지구 물류센터

주 소:-

검수면적: 1층(5,668m2)

검수기준: TR34 3rd Edition "FM2 기준값 적용"

TR34 3rd Edition convert into FF/FL								
등급	Property II		Property IV		OAFF	OAFL	MLFF	MLFL
ОН	95%(mm)	100%(mm)	95%(mm)	100%(mm)	Number	Number	Number	Number
FM1	2.5	4.0	4.5	7.0	31	47	18.6	28.2
FM2 Special	3.0	4.5	6.5	10.0	26	32	15.6	19.2
FM2	3.5	5.5	8.0	12.0	22	26	13.2	15.6
FM3	5.0	7.5	10.0	15.0	15	21	9	12.6

Survey from: 2024.02.06

Test Equipment:

D-meter Recalibration by 098(2025.07.17), 257(2025.01.25), 448(2024.06.15), 635(2025.10.19) Metric(300mm Step) Model Downloading D-Meter (S/N 098, 257, 448, 635) manufacturer by Allen Face & Company, LLC of Wilmington, USA

Test measurement standard & method: According to USA ASTM E1155M







What are F-Numbers?

The F-Number System (ASTM E-1155) is a rational, comprehensive, and extraordinarily effective methodology for specifying and controlling both floor flatness and levelness in all situations where the traffic patterns are unconstrained.

F-Numbers replace all forms of the traditional "gap under the straightedge" type tolerance, since every such format - regardless of wording – is known to be incompetent per force. For reasons that quickly become obvious upon use, F-Numbers are also much superior to both the TR-34 Property II and Property IV Free Movement and the DIN 18202 5.4 Table 3 specification formats.

As explained below, both those systems suffer from serious practical problems owing to their inflexibility, unreality, and failure to address equitable remedy.


The rules for collecting the F-Number data, making the F-Number calculations, and reporting the F-Number results are all set forth in ASTM E 1155M: Standard Test Method for Determining FF Floor Flatness and FL Floor Levelness Numbers (Metric).

Basic properties of flatness and levelness

F-Numbers and TR34 rely on the same basic properties of flatness and levelness. Flatness is based on the floor's curvature over a 600mm span (Figure 1).


In the F-Number system, this is called 600mm curvature or *q*. TR34 called, it Property II in Editions 1-3, but changed the name to Property F in Edition 4.





600mm curvature, the basic property of flatness

Levelness is based on the floor's slope over a span of 3m as shown below in Figure 2. In the F-Number system, this is called the 3m slope or z. TR34 called it Property IV in Editions 1-3, but changed the name to Property E in Edition4.



3m slope, the basic property of floor levelness

These basic properties in the F-Number and TR34 systems are not merely similar.



They are exactly the same.


600mm curvature, Property II, and Property F are just different names for the same thing. Likewise, 3m slope, Property IV, and Property E are all synonymous.

F 넘버란 무엇인가?

F number 시스템은(ASTM E-1155)은 자유로운 주행 패턴의 모든 상황에 대한 평탄도(FF)와 레벨도(FL)를 확인하고 조정하기 위한 합리적이고, 종합적 이며 특별히 효과적인 방법론 입니다. F number 계산을 위한 F number 데이터 수집과 F number 결과값에 대한 보고서에 따른 규칙은 ASTM E1155 M (FF -바닥 평탄도와 FL - 바닥 레벨도 넘버를 결정하는 테스트 표준 방법)과 ACI 117에 준합니다.

평탄도와 레벨도의 기본 특징


F number 평탄도(FF값)는 600mm 사이 바닥의 굴곡 (그림 1)에 기초를 두고 있습니다. F number 시스템에서 600mm 굴곡률을 q라고 명기합니다.



The 30 cm incremental curvature q measures the local flatness (FF)

F number 레벨도(FL값)는 3M 간격 바닥 경사면 (그림2)에 기초를 두고 있습니다. F number 시스템에서 3M 경사면을 Z라고 명기합니다.





The 3 m elevation difference z measures the local levelness (FL)

ALLEN FACE & COMPANY, LLC	D-Meter* F-Meter* ScreedR	D-Meter* F-Meter* ScreedRail ALLEN FACE & COMPANY, LLC
339 AMROAMALD DRIVING GALBERTS, 4, 00158 TIL, 1254-699-000 FRX, 147-44-0235	SSE ARROWNERD DRINE GLIERTRI, IL 69196	ALLEN PACE & CONFANT, LEC
FALC 64744-025 WEB: wiew allerface com	TEL 224-698-000 FAX SF 404-0203 WEB* www.alerface.com	TE. 20+409-0000 MA. 60*44-030 WW. www.finites.com
D-Meter	D-Meter	D-Meter
Calibration Certificate	Calibration Certificate	Calibration Certificate
D-Meter Serial Number: 98		
Date Calibrated: 7/17/2023	D-Meter Serial Number: 257 Date Calibrated: 1/13/2023	D-Meter Serial Number: 635 Date Calibrated: 10/19/2023
	1 24 202	
Slope Sensor Offsets: OK	Slope Sensor Offsets: οκ	Slope Sensor Offsets: OK Test Track Confirmation: OK
Test Track Confirmation: 0K Download to PC: 0K	Test Track Confirmation: OK Download to PC: OK	Download to PC: OK
All Other Systems: OK	All Other Systems: OK	All Other Systems: OK
		11 4 / 1
Sport ul	Scattuil	Christian Vougo
D Materia E Materia	IN WITNESS WHE	REOF, the Company and the Distributor have caused this
D-Meter* F-Meter*	ScreedRail instrument to be executed by above written.	their duly authorized employees, as of the day and year first
ALLEN FACE & COMPA	NY. LLC	
	Allen Face and Company LC SUB ARROWNING DENVE SUBJECTS L. 60-36	ALLEN FACE KOREA
	TEL 244 604 6005 TEL 247 644 6035	99
	With www.aterface.com By:	By: Same: Mr. TAERYUN LEE
	Name: ALLEN FACE Tide: MEMBER MANAGER	
D-Meter	ADDRESS:	ADDRESS
Calibration Certificat	2725 Old Wrightsboro Rd Bl	
Canoration Certificat	Wilmington NC 28405, USA Telephone 910-763-4501	Kyenggido, Korea, Zip code 14607 Telephone 82-10-7242-0098
	Attention: ALLEN FACE	Attention: TAEHYUN LEE(TERRY)
D-Meter Serial Number: 448		
Date Calibrated: 6/15/2	022 A Oorti	ilaata Taabalalaa 🕏
	• certi	ficate Technician 🔷
Slope Sensor Offsets: OK	2000000000	Chenene
	2 A 1 A	Nombe 2
Test Track Confirmation: OK	a "C") 1- Symmet	only is and of the contract Contract
Download to PC: OX	Si / All Committee	The Same of the
	3 40	O E VOL COMPANY 1 1 10
All Other Systems: OK	a //	A A G
All Other Systems: Ox	Trehmin 3	Toohuun Loo
All Other Systems: ox	Taehyun	Taehyun Lee
Snat all	Caelyun ?	Taehyun Lee
All Other Systems: Ox Scott Winefika - Allen Face & Co. Lab Man	Catelyum alon face Kores	Taehyun Lee Allen Face Korea
Soutail	Catelyum alon face Kores	
Scott Winefika - Allen Face & Co. Lab Man	Caeligum alen face Kore	
Soutail	Caeligum alen face Kore	Allen Face Korea
Scott Winefika - Allen Face & Co. Lab Man	Alen Face Korn	Allen Face Korea Man face & Company Control of Control Control of Control Con
Scott Winefika - Allien Face & Co. Lab Man Note: Next Factory Calibration Should be Performed On Or Before	Alen Face Korn	Allen Face Korea India India



F-Number Certification

안성시 일죽 방초2지구 물류센터 Free movement에 대한 평탄도 검수에 대한 자세한 내용은 다음과 같습니다.

의 뢰 자 : 플랫콘 시공사 : -

미장마감공사 : 플랫콘

프로젝트명: 안성시 일죽 방초2지구 물류센터

주 소:-

검수면적: 1층(5,668 m2)

검수기준: TR34 3rd Edition "FM2 기준값 적용"

Permit Limit

TR34 3rd Edition FM2 (FF 22.0 / FL 26.0)


Survey Result

TR34 3rd Edition FM2 (FF 46.4 / FL 29.1)

TR34 3rd Edition convert into FF/FL									
등급	Property II		Property IV		OAFF	OAFL	MLFF	MLFL	
0 日	95%(mm)	100%(mm)	95%(mm)	100%(mm)	Number	Number	Number	Number	
FM1	2.5	4.0	4.5	7.0	31	47	18.6	28.2	
FM2 Special	3.0	4.5	6.5	10.0	26	32	15.6	19.2	
FM2	3.5	5.5	8.0	12.0	22	26	13.2	15.6	
FM3	5.0	7.5	10.0	15.0	15	21	9	12.6	

미국 F - Number Compliance

ALLENFACE KOREA hereby certifies the Random Traffic Floor 100% conform according to the contract floor Flatness(FF) & Levelness(FL) TR34 3rd Edition FM2 specification. (See Summary)



Very truly yours,
Stamp by
ALLENFACE KORE