# 379221 학교:11代表

학년: 3

#### 유위사항

1. 반드시 검정색 싸인펜으로 표기 하여야 합니다.

검정색 싸인펜 이 역의 필기큐 사용시 정상적으로 처리가 안될 수 있습니다.

2. 표기란에는 🛢 와 같이 바르게 표기해야 합니다.

잘못된 표겨 데시: 🕢 🔞 💽 🛭 📝

3. 수정시에는 수정테이프醬 이용하여 깨끗하게 수정 하여야 합니다.

[건	[회	변 나=	호 나
S	7	2	S
0	0	0	0
0	8	0	[8]
8	3	8	8
3	(3)	9	3
િ.	<b>(</b>	0	0
8	(8)	0	3
$\{\theta\}$	8	6	8
$\widehat{\mathcal{D}}$	•	$(\overline{g})$	0
(1)	0	8	8
(9)	0	1	9

•				• • • • • • • • • • • • • • • • • • • •	•
	Ź	ą	5	_	_
	9		() 0	B	
	- - 		000000000000000000000000000000000000000	00000000000000000000000000000000000000	
	(A)			(d) (d) (d)	

ĺ	문변	1	``	답		<u> </u>	 락
	1		0		[3]	(4)	<b>@</b>
!	2	ļ	(1)	Ø	(3)	(4)	(8)
	3	ĺ	O	(3)	(8)	(4)	0
	4		$\Theta$	[2]	[3]	(3)	
į	5	<u> </u>	O	8	Û	9	0
	6		$\emptyset$	()	[3]	(3)	(6)
!	7	ļ		8	ŋ	$\Theta$	(s)
ĺ	8		Ø	8	(3)	@	9
	9		(3)	$[\hat{z}]$	(3)	(4)	0
ļ.	10	ļ 	0	8	(3)	•	(8)
	11		0	2	(3)	(2)	િ
	12		0	2	(8)	<u>@</u>	(6)
ĺ	13		Ó	(3)	(3)	3	(5)
	14		0	<u>[3]</u>	ြ		<u>(5)</u>
ļ.	15		0	િ	(3)	0	(6)
	16		0	(2)	(3)	(3)	(§
	17		6	(8)	$^{\odot}$	6	(8)
1	8		0	8	(3)	( <u>a</u> )	9
1	19		(	(2)	(3)	(4)	(b)
2	20		0	@	(3)	3	8

是	번		닯		Ī	 라	
2	1	0	[2]	[3]	(4)	િ	
2	2	()	(2)	8	(g)	(6)	
2	3	()	(a)	[3]	4	(6)	
2	4	()	(2)	(3)	(3)	(§)	
2	5	(i)	[3]	(8)	0	$\widehat{\mathcal{G}}$	
2	<u>ا</u> 8	0	(9)	(6)	13	(3)	
2	7	Ú	[2]	(3)	3	( <u>f)</u>	
21	3	0	(ž)	[9]		(3)	
29	þ	$\Theta$	(2)	(3	${ \mathfrak{S} }$	9	
30		$\{ij\}$	(2)	[a]		$\odot$	
3	1	0	(8)	(3)	B	0	
32	2	0	[z]	(3)	(4)	િ	
33	3	$\langle \bar{\imath} \rangle$	(2)	8	8	(ŝ)	ĺ
34	4	0	(2)	8	(4)	(b)	
35	<u>;</u>	0	(8)	[9]	(4)		ĺ
36		0	8	(3)	(4)	(5)	
37		$\Theta$	(g)	3	0	8	ĺ
38	-	$\Theta$	8	(3)	0	0	
39		0	<u>[3]</u>	(3)	3	(e)	; 
40	}	(	0	<u>@</u>	8	0	

	문변		답		í	란	
	41	6	) (a	3	[4]	[8]	
-	42	(6	(6)	(3)	(8)	(6)	
	43	()	[ [3]	[3	4	(§	
	44	0	<u>(g)</u>	6)	8	(s)	
	45	0	(9	[3]	(1)	0	
ĺ	46	0	(8)	[3]	(6)	(g)	
	47	0	(3)	(3)	(3)	$\left( g\right)$	i
ĺ	48	0	0	9	8	(6)	
	49	0	(3)	(3	(4)	8	İ
ĺ	50	(3)	(2)	(9)	(6)	(E)	
	51	()	P	[3]	(4)	(8)	
i	52	(3)	8	(a)	(3)	9	ļ
	53	0	(g)	3	$\Theta$	8	ĺ
1	54	0	(8)	[3]	(9)	(5)	
	55	()	8	(3)	0	6	_[
ļ	56	0	<u>(2)</u>	(3)	Ø	9	ļ
;	57	(1)	3	[3]	( <del>4</del> )	8	ا
1	58	()	(9)	9	(3)	(§)	-
1	59	$\{i\}$	િ	(3)	(4)	(8)	
	80	()	<u>(2)</u>	(§)	0	9	

## 3년일~212월 학교: 두명종

학년: 3

#### 유의사항

1, 반도사 검정색 싸인펜으로 표기 하여야 합니다.

검정색 싸인맨 이 역의 필기류 서용시 청상적으로 처리가 안될 수 있습니다.

2. 표기란에는 🛢 와 같이 바르게 표거해야 합니다.

전 5	전화번호 뒷자리					
IL.	q	0	В			
0	0	8	@			
(3	0	0	Û			
(8)	0	(B)	8			
3	3					
8	(4)	(8)	0			
[8]	(8)	8	<b>3</b>			
[6]	(8)	(6)	0			
8	0	0	0			
(8)	8	8				
(9)	8	9	9			

<b>성</b>			
00000000000000000000000000000000000000	~	4 5	병 3
□ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	03	Ž	03
1	\(\text{\text{\$\ext{\$\text{\$\exitinx{\$\text{\$\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\}\}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}	00000000000000000000000000000000000000	 

운변	9	달		2	ŀ
1	()	(2)	(9)	8	8
2	*	(g)	(3)	8	$(\hat{\varepsilon})$
3	0	0	(g)	(3)	8
4	()	(§)	ŝ	0	(3)
5	()	[2]	*	(3)	(6)
6	0	É	(3)	(4)	8
7	0	(2)	[3]	3	Ħ
8		8	(§)	8	8
9	-	₹ <u></u>	(3)	8	(6)
10	8	8	(9)	8	(6)
11	8		(8)		(B)
12	0	[2]	(3)	(4)	(9
13	0	(2)	0	(3)	(§
14	0	(2)	(3)	(4)	(§)
15	0	8	3	9	9
16	0	(3)	(g)	3	(a)
17	0	8	8	3	(S)
18	0	(2)	(3)	8	<u></u>
19	0	8	3	(3)	(3)
20	()	(g)	3	(3)	(3)

문변 	<u></u>	닯		Ę	<u>ł</u>
21	(1)	(2)	(3)	(6)	3
22	$_{0}$	8	(3)	3	(9)
23	Û	3	(3)	g	3
24	0	(2)	(3)	${ \mathfrak{S} }$	9
25	0	8	( <u>G</u>	( <u>4</u> )	(6)
26	0	(2)	3	9	(6)
27	0	[e]	[9]		(S)
28	()	[2]	8		.0
29	(1)		[3]		(3)
30	(i)	$\begin{bmatrix} \hat{g} \end{bmatrix}$	(3)	(	(5)
31	0	2	3	0	િ
32	0	$\begin{bmatrix}\hat{z}\end{bmatrix}$	(3)	(3)	(B)
33	0	[2]	(3)	(3)	(G)
34	0	(8)	3	8	(8)
35	0	(2)	(a)	(3)	${\mathfrak S}$
36	9	(8)	8	8	8
37	0	(g)	$[\hat{g}]$	0	(a)
38	0	(a)	(3)	$\left\{ \mathbf{a}\right\}$	(s)
39	0	(9)	9	(4)	(6)
40	0	[3]	(3)	(a)	0

문번	(	글		2	<u>+</u>
41	ij	(3)		(4)	6
42	0	()	(3)	(4)	0
43	(1)		(3)	$\left[ \overline{g}\right]$	(6)
44	(1)	8	(3)	8	6
45	(1)	(3)	(g)	(2)	(8)
46	(1)	(2)	(3)	(4)	(6)
47	0	( <u>@</u> )	0	8	(g)
48	0	$\binom{2}{2}$	[3]	8	$\left  \hat{\theta} \right $
49	0	(g)	[3]	$\langle \hat{g} \rangle$	$ \hat{s}\rangle$
50 51	0	8	[3]	Ø	(6)
51	0	<u>(2)</u>	[3]	િ	(9)
52	0		[a]	$[\cdot]$	
53	0	9	$ \widehat{s} $	0	6
54	0	0	(§)		(8)
55	0	(g)	[3]		(S) (S) (S)
56	0	()	(3)	0	(3)
57	(1)	(2)	[3]	(4)	
58	0		ß	(d)	(3)
59	0	$\widehat{[z]}$	[3]	6	8
60	0	(9)	(3)	(4)	(S) (S) (S)

### 3력일·건28 학교: 지산형

학년: 3

### 유의사함

1, 반드시 검정색 싸인펜으로 표기 하여야 합니다.

검정색 싸인겐 이 약의 필거류 서용사 청상적으로 처리가 안될 수 있습니다.

2. 표기란에는 📳 와 같이 바르게 표기해야 합니다.

잘못된표기에서: 👸 🕦 📵 🕕 📝

3. 수정시에는 수정태야프를 이용하여 깨끗하게 수정 하여야 합니다.

전화번호 뒷자리						
η	9	5	5			
0	0	0	0			
0	0	$^{\odot}$	0			
3	9	(8)	2			
9	3	9	3			
0	<b>(4)</b>	(	(4)			
0	9	•	•			
(e)	9	0	€			
•	0	0	Û			
(8)	(8)	8	9			
(9)	•	0	9			
l	! ! ~	<u> </u>				

Ç	3 C	년 5
· <u>*</u>	년 -	재
OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	00000000000000000000000000000000000000	00000000000000000000000000000000000000

듄	: 번		답			2	<u></u>
	í	0	(	3)	[3]	0	•
	2	•	(	2)	(3)	(3)	(s]
	3	(1)	(	2)	(3)	6	
	4	(1)	(8	ĝ		$\widehat{\mathfrak{G}}$	9
	5	(1)	(	)	9	(2)	(9)
-	6	$\Theta$	(		3	(4)	(§
	7	()	(	2)	•	(4)	<u>(8)</u>
	8	8		)	(3)	(4)	B
İ	9	1	) (	e)		(3)	<b>(3)</b>
	10	(	i (	9	(3)	•	(6)
	11	(1	1 {	2)	(9)	0	8
	12	0	1	3	(3)	(3)	(6)
-	13	0	} (	2)	3	$\odot$	(6)
	14	(3	) (	શ	8	0	(8)
	15	1	) (	3	[3]	(8)	9
ĺ	16	0	) (	3	8	8	(B)
	17	(	) (	2)	(3)	(4)	${\mathfrak S}$
	18	(	) (	9	(3)	E	(8)
	19	0	) {	કે ક	(3)	(3)	0
	20		) (	3	(3)	(4)	<u>(8)</u>

문번		답			ł
21	9	(2)	(9)	(d)	<u>}</u> (8)
22	(1)	(2)	9	(4)	(8)
23	$\emptyset$	0	(3)	(a)	(8)
24	(j)	(z)	[3]	(3)	3
25	0	(g)	[3]	8	8
26	0	(2)	(8)	8	8
27	()	8	(3)	3	(s)
28	0	<u>(2)</u>	(3)	8	(a)
29	0	8	(§)		(6)
30	O	(§)	(3)	( <u>4</u> )	(3)
31	0	(2)	(3)	0	(B)
32	0	<u>(8)</u>	(3)	(6)	8
33	0	<u>(2)</u>	(3)	3	(§
34	0	[2]	(3)	$\Theta$	િ
35	0	8	(3)	8	0
36	0	8	(9)	0	િ
37	0	8	(3)	(8)	(s)
38	0	8	[3]		8
39	0	(g)	(3)	(a)	0
40	0	(9)	[3]	0	0

문번		답	란		
41	()	(8)	(3)	<u>[4]</u>	8
42	$(\mathfrak{j})$	(2)	(g)	(1)	8
43	(i)	(3)	[3]	(d)	0
44	0	(3)	$[\hat{\theta}]$	[4]	8
45	(1)	(2)	[3]	(4)	
46	(1)	0	[3]	(4)	(S. )
47	0	(ŝ)	[3]	(4)	9
48	(	$\widehat{\mathbb{S}}$	[3]	0	8.
49	(1)	0	8	Œ	(8)
50	0	(g)	(3)	8	9
51	0	(2)	(3)	(3)	(B)
52	(3)	$\left[ g\right]$	(3)	(s)	9
53	0	0	(3)	(3)	6
54	${}_{\scriptsize{\textcircled{\tiny 0}}}$	8	$^{\odot}$		(9)
55	(1)	8	(3)	Ø	0
56	(1)	(3)	(a)	[4]	િક
57	0	(3)	[8]		(3)
58	0	8	[3]	$\left  \hat{s} \right $	(3)
59	(1)	(2)	(9)	$\widehat{\mathcal{G}}$	0
60	0	3	(3)	(a)	0

3<sup>3</sup>일생 21 1 학교 :

학년:

#### 유약사항

1. 반드시 검정색 싸인팬으로 표기 하여야 합니다.

. 결정색 싸인阀 이 외의 필기를 사용시 정상적으로 처리가 안될 수 있습니다.

2. 표기란에는 📳 와 같이 바르게 표기해야 합니다.

<sup>잘못된 표가 예시 :</sup> ☑ ፡ ૹ ● ④ ☑ ☑ 3, 수정시에는 수정테이프를 이용하여 깨끗하게 수정 하여야 합니다.

전화번호 뒷자리						
(p)	0	0	0			
$\bigcirc$		0	0			
(2)			2			
9	(3) (4)	8	3			
(3)	(3)	9	0			
0	(8)	9	8			
<u>(6)</u>	છ	6	[6]			
7		Ø	Ø			
(8)	(0)	8	8			
(9)	9	(9)	0			
	, ,,,,,,,	<u>.                                    </u>				

S	H [	병
·		 
	00000000000000000000000000000000000000	<b>\\</b> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

문변	ļ	<b>a</b>	른	<u>}</u>	
1	()	<u>ૄ</u>	8	3	*
2	0	8	(3)	(d)	(B)
3	(1)		(3)	@	*
4	(1)	(3)	*	(3)	(g)
5	(1)	2	*	8	(8)
6	0	*	(3)	(3)	(ē)
7	0	8			(3)
8	8	¥	$\left[ \widehat{a}\right]$		(5)
9		<u>(8)</u>	[3]	(	(5)
10	0	(2)	(3)	*	(9
11	0	(g)	(3)	0	(3)
12	θ	(2)	(3)	(3)	(6)
13	O	2	8	3	9
14	0		(3)	8	(3)
15	0	8	9	4	(B)
16	0	E	8		(3)
16	0	8	(8)		( <u>B</u> )
18	0	(s)	(3)	(4)	()
19	9	0	(3)	(3)	(g)
20	0	ଥ	(3)	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	(6)

윤번		답	2	Į.	
21	(i)	[2]	3	(3)	
22	(1)	(2)	(8)	(3)	(8)
23	0	3	$\left\{ _{0}\right\}$		0
24	$\Theta$	(2)	8	[4]	(5)
25	(}	(2)	(§)	( <u>4</u> )	( <u>6</u> )
26	(3)	(8)	(a)	(3)	(6)
27	8)	<u>(</u> 2)	$\left[ \mathfrak{d}\right]$	(4)	(5)
28	0	[2]	(6)	(3)	.(§).
29	O	<b>(2)</b>	(3)	(3)	$^{\odot}$
30	0	$\left[ \overline{z}\right]$	િ	8	
31	0	(2)	3	0	(6)
32	θ	(2)	(a)		(g)
33	0	8	8	0	8
34	0	8	(3)	9	8
35	(9)	(3)	(8)	(4)	8
36	0	(2)	(3)	(4)	6
37	0	(8)	(8)	(4)	(§
38	0	(S)	(3)		(B)
39	0	(8)	9	4	ઉ
40	0	(g)	(3)		(B)

온번	답			라		
41	()	(2)	(6)	6	(8)	
42	(1)	(3)	(3)	(e)	6	
43	0	(g)	(3)		8	
44	0	9	(3)	<u>(</u>	(6)	
42 43 44 45	9	<u>(2)</u>	(i)	3	8888888	
46	()	(g)	[3]	8	6	
47	8	(2)	(3)	[4]	8	
48	0	(g)	(3)		9	
49	(i)	$\left[ z\right]$	[3]	[4]	8	
50	(j)	9	3	(d)	8	
51	0	(3)	[3]	(4)	8	
52	0	(z)	[3]		(8)	
53	0	(3)	[3]	[4]	(§	
54	Û	9	[3]	( <del>4</del> )	(3)	
55	0	(2)	(8)	(4)	(8)	
56	0	0	(3)	4	(§	
57	0	(2)	[3]	( <del>4</del> )	()	
58	(i)	[3]	(3)	$\left \widetilde{\mathfrak{q}}\right $	8	
59	(1)	(2)	(3)	(4)	8	
60	O	[2]	(3)	$\left[\hat{A}\right]$	(ä)	