경<sup>2</sup>리일-2선소8 학교 :

교: 학년;

## 유의사항

1, 반드시 검정색 싸인펜으로 표기 하여야 합니다.

검정색 싸인만 이 역의 필기류 사용시 정상적으로 처리가 안될 수 있습니다.

2. 표기란에는 🛢 와 같이 바르게 표기해야 합니다.

잘못된표기에서: 🕢 🕅 🌖 🕽 🌠

3. 수정시에는 수정테이프를 이용하여 깨끗하게 수정 하여야 합니다.

전화번호 뒷자리					
Ó	2	4	١		
Û	0	8	3		
(i)	0	0			
(8)		(g)	3		
(8)	9	(9)	3		
0	0	•	(4)		
( <u>i</u> )	9	0	9		
	8		6		
0	3	0	(7)		
	E		(8)		
(9)	(8)	0	9		

<u>خ</u>	H [	 병
0	A	<u> </u>
00000000000000000000000000000000000000	\(OQ\(\text{OQ\(\te	00000000000000000000000000000000000000

문번	닪			Ē	<u>+</u>
1		2)	3	(4)	(8)
2		[2]	[3]	(4)	<b>(6)</b>
3	0	(2)	(3)	•	<b>(5)</b>
4	0	8	(9)	હ	
5	0	(8)	(8)	•	(s)
6	ı	(3	9	@	$\Theta$
7	0	ŧ	(3)	•	(3)
8	0	(3)		4	<b>(5)</b>
9	0		(3)	•	(8)
10	•	(2)	(3)	(4)	(5)
11	0	(5)	3	0	•
12	9	2	(B)	•	(3)
13	0	[8]	9	ŧ	<u>(</u> §)
14	8	ŧ	(9)	$\widehat{\left( \boldsymbol{\theta} \right)}$	(8)
15	•	8	(3)	8	(8)
16	0	(g)	3		9
17	0	8	(§:	0	8
18	0	2	(3)	ð	<b>(5</b> )
19	1	8	(3)		<b>(</b> 5)
20	(1) 	8	3	(4)	<u>(</u> 8)

문번		답		2	<u></u>
21	0	(8)	(3)	(4)	હ
22	(3)	(2)	[3]	4	( <u>B</u> )
23	0	(2)	(\$)	<b>(4)</b>	(§)
24	0	(2)	(S)	<u>(4)</u>	(§
25	0	(2)	8	0	(s)
26	0	(2)	(8)	(9)	(5)
27	0	(z)	(3)	$\mathbb{G}$	ક્ર
28	0	[2]	(3)	(4)	<u>(§)</u>
29	Ð	Ø	(3)	( <u>4</u> )	$\odot$
30	(1)	(8)	(3)	(4)	(§
31	0	<u>(2)</u>	(3)	(d)	8
32	(3)	8	(a)	(4)	8
33	0	(2)	(3)	(	[6]
34	0	8	(3)	(4)	(6)
35	(1)	2	[3]	0	(5)
36	()	[3]	(3)	<u>(a)</u>	(§
37	0	8	3	4	8
38	$\mathfrak{g}$	[2]	(9)	(4)	(8)
39	(1)	[2]	[3]	4	<u>(s)</u>
40	0	8	8	(d)	<b>(5)</b>

문변	<u> </u>	답			발	
41	0	(3)	[3]	(6)	(s)	
42	0	(s)	(3)	(4)	0	
43	0	[2]	[3]	(4)	(§)	
44	0	[2]	[3]	(4)	(§)	1
45	0	( <u>2</u> )	(3)	4	6	
46	0	(2)	(3)	9	6	
47	0	2	8	(3)	[s]	
48	0	3	8	(4)	[s]	
49	1	(2)	(3)	(4)	(§)	ļ
50	O	(2)	[3]	(4)	( <u>s)</u>	
51	0	(z)	[3]	<u>(4)</u>	(6)	
52	(3)	F	(3)		(s)	
53	0	(2)	(8)	(3)	(5)	
54	0	(2)	(§)	(A)	(a)	
55	0	(g)	[3]	(4)	(§)	
56	0	[2]	0	(4)	િ	
57	0	8	0	(3)	(s)	
58	$\odot$	8	(3)	8	(s)	
59	0	8	(3)	<b>(</b> }	[s]	
60	(1)	(ž)	[3]	(4) (4)	(3)	-

3月岁-2128

ᆕᅡᅳ	-
러파	-

학년:

## 유의사항

1, 반드시 검정색 싸인펜으로 표기 하여야 합니다.

엄청색 싸이ñ 이 외의 필기류 사용시 정상적으로 처리가 안될 수 있습니다.

2. 표기란에는 🛢 와 같이 바르게 표기해야 합니다.

잘못된표기에서: 🚱 🕱 🕞 🕦 🗷

3. 수정시에는 수정태이프를 이용하여 깨끗하게 수정 하여야 합니다.

전화번호 뒷자리				
6	9	в	4	
(8)	0	0	0	
(1)	0	0	0	
(8)	3	0	(2)	
3)	(3)	(3)	3	
3	0	3	•	
(1)	(s)	3	9	
	@	8	6	
0	3	(7)	9	
(8)	0	8	8	
(9)	Ü	(g)	(9)	

Ż	j 6	Ħ S
ଥ	F	건
	00000000000000000000000000000000000000	<b>A</b> OO   <b>OO</b> O

문번	답			5	ł
1		(2)	(3)	0	9
2		(2)	(3)	3	(3)
3	(1)	8	(3)	8	(5)
4	(i)	(g)	8	(3)	0
5	0	(2)	6	•	(6)
6	1	(2)	(3)	(	9
7	0	•	[3]		\[8]
8	(j)	(8)		<u>(4)</u>	<u>(6)</u>
9	(9)	(g)	(3)	•	(ā)
10	•	(g)	(3)	4	(8)
11	0	(8)	(3)	0	
12	0	2	8	ĵ	(6)
13	0	(2)	8	•	(B)
14	0	•	(3)	(4)	8
15	•	(2)	3	(4)	(3)
16	0	8	9	(4)	<u>(8)</u>
17	(9)	[2]	(3)	(4)	9
18	0	(2)	(3)	(4)	$\Theta$
19	0	0	(3)	0	(f)
20	(1)	8	(3)	8	(6)

21 🖯 🖯	3 8	- 1
1 1		9
22 1 8	@ @ <b>(</b>	9
23 (1) (2)	3 3 (	
24 1 2	3 9 6	9
25 1 2	80	3
<b>26</b> [1]. ලි	(9) (4) (e	3
27 () (2)	9 4 6	
28 3 3	a 4	9
29 🖯 🖲	B @ (	3
30 ව ව	0 4	5)
31 1 2	3 ⊕ (	9
32 1 2	199	6)
33 1 2	B (9) (9	3)
34 1 2	8 9 (	6)
<b>35</b> () (2	કિં છે (	3)
36 () (2	9 4 (	9
37 🖰 🖰	8 4 (	8)
38 0 0	3 4 (	3
39 0 @	3 4	<u></u>
40 1 8	J 3 (4) (	9

문변	. !	답 란			<u> </u>
41	()	(3)	(3)	( <u>a</u> )	8
42	0	(3)	(3)		8.
43	(3)	$\{z\}$	(3)		8
44	0	(3)	(3)	$\begin{bmatrix} \overline{4} \end{bmatrix}$	(3)
45	()	<u>(2)</u>	[3]	(d)	(B)
46	(1)	(2)	[3]	<u>[4]</u>	8
47	(	(2)	(a)		(8)
48	(i)	(g)	(3)	(4)	(8)
49	$_{0}$	<u>(2)</u>	(3)	(4)	( <u>s)</u>
50	0	8	(3)	4	(9)
51	()	(z)	[3]	<b>(4)</b>	(3)
52	(	(z)	3		9
53	(i)	[2]	[3]	(d)	(6)
54	0	<u>[2]</u>	(3)	(3)	9
55	θ	2	(3)	4	<u>(§)</u>
56	0	(S)	[3]		<u>(6)</u>
57	$\Theta$	Ø	(3)	(§)	(5)
58	0	8	(3)	(4)	(5)
59	(i)	[2]	(3)		(5)
60	0	(g)	(3)	$\begin{pmatrix} a \\ \end{pmatrix}$	(6)

경기성·제소 학교: 지선 | B 학년: |

## 유의사항

1. 반도시 검정색 싸인펜으로 표기 하여야 합니다.

건정색 싸인젠 이 역의 필기류 사용사 정상적으로 처리가 안될 수 있습니다.

2. 표겨란에는 📕 와 같이 바르게 표기해야 합니다.

괄옷된 표기 예시 : 🕢 🕦 📵 🕦 🖉

3. 수정시에는 수정테이프를 야용하여 깨끗하게 수정 하여야 합니다.

[천 - 5	전화번호 뒷자리					
9	2	D	J			
9	(9)	0	(8)			
0	0	9	0			
9	(	8	6			
9	(8)	9	8			
(3)	હ	(2)	0			
(6)	9	(8)	6			
(6)	8	6	8			
$\left  \widetilde{\partial} \right $	(7)	•	3			
(1)	(a)	8				
9	(9)	9	(8)			

Ç		_	
憂	Д	<del>[</del> 27]	
©©©©©©©©®®©©©©®®®®®®®®®®©©©©©©©©®®®©©©©®®®®	 	 	

문번		답	란		
1	(1)	(2)	(3)	(2)	(8)
2		[2]	(3)	$\odot$	<b>(B)</b>
3	(1)	8	(3)	(1)	(5)
4	(1)	(2)	8	${ \small \small { \small \Large { \small $	
5	(1)	$\widehat{\mathbb{S}}$	(3)	•	3
6	(1)	8	(3)	છ	9
7	(1)		8	8	(6)
8	0	$\hat{z}$	•	8	{B}
9	()	8	(3)	•	3
10		(3)	3	(4)	(9)
11	(1)	8	(3)	8	0
12	0	2	3	•	<b>(5)</b>
13	0	8	(3:	1	<b>(b)</b>
14	Ŋ	•	(3)	8	<b>6</b>
15		(2)	3		0
16	(1)	(2)	(g)	(3)	(s)
17	(1)	8	(3)	(4)	(8)
18	0	8	(3)		<b>(8)</b>
19	0		(3)	(4)	8
20	(1)	$\widehat{g}$	(3)	(4)	(3)

문변	답			3	<u>†</u>
21	0	(2)	(3)	(4)	<u>(6)</u>
22	0	(2) (2)	$\{\hat{\mathbf{g}}\}$	$[\![\mathfrak{g}]$	[s]
23	Û	3	(a)		(3)
24	Ð	( <u>2)</u>	[3]	<u>(</u>	$\hat{\mathbb{S}}$
25	0		(g)	[4]	6
26	0	(3)	(9)	(a)	(9)
27	(1)	(2)	(3)	4	(s)
28	0	8	$\{\bar{3}\}$	$\left( \underline{a}\right)$	(5)
29	(i)	2	(3)		(s)
30	(1)	(3)	(3)	( <u>a</u> )	(s)
31	0	3	(3)	<b>(4)</b>	0
32	1	8	(3)		9
33	0	0	(3)	$[\![a]\!]$	[6]
34	0	2	(3)	$\widehat{\{g\}}$	(6)
35	(1)	8	(3)	(a)	(s)
36	0	2	8	<u>(4)</u>	(6)
37	(1)	8	8		9 9 9
38	(I)	8	(3)	$\begin{bmatrix} 4 \end{bmatrix}$	0
39	0	8	(%)	(3)	(6)
40	(1)	(S)	(3) (3)	8	(6)

문번		답		Ē	<u></u>
41	9	(g)	(3)	(3)	9
41 42 43	(1)	[2]	(3)	(4)	(s)
43	$(\mathfrak{g}$	[g]	[3]	(4)	(9)
44	(	2	[3]	$\binom{4}{2}$	0
45	0	{p	[3]	(d)	9
46	0	<b>(9</b> )	[3]	( <u>4</u> )	9
47	()	<b>(2)</b>	(a)	4	(8)
48	0	(z)	(g)	$\left[ \underline{4}\right]$	(8)
49	(1)	8	3	$\widehat{\left[4\right]}$	8
50	(1)	(3)	(9)	$\left[ \hat{g}\right]$	9
51	0	(2)	[3]	[4]	<u>(8)</u>
52	0	$\langle z \rangle$	(3)	$[\S]$	<u>[8]</u>
53	Ò	(2) 2)	(3)		6
54	0	(z)	(3)	8	9
55	(1)	2	(3)	0	(3)
56	0	[2]	(3)	ઉ	0
57	0	(2)	[3]	8	8
58	$^{\odot}$	<u>(2)</u>	[3]	0	(9)
59	(	(8)	(3)	(4)	8
60	@	(ટ્રો	(9)	<u>(4)</u>	8