



**CCP6114-PROGRAMMING FUNDAMENTALS**

SECTION: TC1L	
TUTORIAL GROUP: TT1L	
NAME	STUDENT ID
CHOI JENG YEE	242UC244LW
ISABELLE SOO ZI LING	242UC244M9
KOH HUI WEN	242UC244KV
LEM JOE ERN	242UC244PB

**LECTURER'S NAME:**  
**Mr. Goh Chien Le**

## **Table of Contents**

Input & Output .....	3-7
Explanation .....	5-6
Flowchart .....	7-13

## Input Sample 1

```
C: > Windows > Programming_fundamental > fileInput1.mdb
1 CREATE fileOutput1.txt;
2 DATABASES;
3
4 CREATE TABLE customer (
5     customer_id INT,
6     customer_name TEXT,
7     customer_city TEXT,
8     customer_state TEXT,
9     customer_country TEXT,
10    customer_phone TEXT,
11    customer_email TEXT
12 );
13
14 INSERT INTO customer VALUES(1, 'Alice', 'New York', 'NY', 'USA', '1234567890', 'alice@example.com');
15 INSERT INTO customer VALUES(2, 'Bob', 'Los Angeles', 'CA', 'USA', '0987654321', 'bob@example.com');
16 INSERT INTO customer VALUES(3, 'Charlie', 'Chicago', 'IL', 'USA', '1122334455', 'charlie@example.com');
17 INSERT INTO customer VALUES(4, 'Diana', 'Houston', 'TX', 'USA', '6677889900', 'diana@example.com');
18
19 SELECT * FROM customer;
20
```

## Output Sample 1

```
C: > Windows > Programming_fundamental > fileOutput1.txt
1 >CREATE fileOutput1.txt;
2 >DATABASES;
3 C:\Windows\Programming_fundamental\fileInput1.mdb
4 >CREATE TABLE customer(
5     customer_id,
6     customer_name,
7     customer_city,
8     customer_state,
9     customer_country,
10    customer_phone,
11    customer_email
12 );
13 >INSERT INTO customer VALUES
14 ('1','Alice','New York','NY','USA','1234567890','alice@example.com')
15 ('2','Bob','Los Angeles','CA','USA','0987654321','bob@example.com')
16 ('3','Charlie','Chicago','IL','USA','1122334455','charlie@example.com')
17 ('4','Diana','Houston','TX','USA','6677889900','diana@example.com')
18
```

## Run in Command Prompt

```
C:\Windows\Programming_fundamental>CCP_Asg.exe
> Table created: customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> SELECT * FROM customer;
customer_id,customer_name,customer_city,customer_state,customer_country,customer_phone,customer_email
1,Alice,New York,NY,USA,1234567890,alice@example.com
2,Bob,Los Angeles,CA,USA,0987654321,bob@example.com
3,Charlie,Chicago,IL,USA,1122334455,charlie@example.com
4,Diana,Houston,TX,USA,6677889900,diana@example.com
> Output written to fileOutput1.txt
```

## Input Sample 2

```
C: > Windows > Programming_fundamental > fileInput3.mdb
1  CREATE TABLE customer (
2      customer_id INT,
3      customer_name TEXT,
4      customer_city TEXT,
5      customer_state TEXT,
6      customer_country TEXT,
7      customer_phone TEXT,
8      customer_email TEXT
9  );
10
11  INSERT INTO customer VALUES(1, 'Alice', 'New York', 'NY', 'USA', '1234567890', 'alice@example.com');
12  INSERT INTO customer VALUES(2, 'Bob', 'Los Angeles', 'CA', 'USA', '0987654321', 'bob@example.com');
13  INSERT INTO customer VALUES(3, 'Charlie', 'Chicago', 'IL', 'USA', '1122334455', 'charlie@example.com');
14  INSERT INTO customer VALUES(4, 'Diana', 'Houston', 'TX', 'USA', '6677889900', 'diana@example.com');
15
16  SELECT * FROM customer;|
17
18  DELETE FROM customer WHERE customer_id=1;
19
20  SELECT COUNT(*) FROM customer;
```

## Output Sample 2

```
C: > Windows > Programming_fundamental > fileOutput3.txt
1  >CREATE fileOutput3.txt;
2  >DATABASES;
3  C:\Windows\Programming_fundamental\fileInput3.mdb
4  >CREATE TABLE customer(
5      customer_id,
6      customer_name,
7      customer_city,
8      customer_state,
9      customer_country,
10     customer_phone,
11     customer_email
12 );
13 >INSERT INTO customer VALUES
14 ('2','Bob','Los Angeles','CA','USA','0987654321','bob@example.com')
15 ('3','Charlie','Chicago','IL','USA','1122334455','charlie@example.com')
16 ('4','Diana','Houston','TX','USA','6677889900','diana@example.com')
17
```

## Run in Command Prompt

```
C:\Windows\Programming_fundamental>CCP_Asg.exe
> Table created: customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> SELECT * FROM customer;
customer_id,customer_name,customer_city,customer_state,customer_country,customer_phone,customer_email
1,Alice,New York,NY,USA,1234567890,alice@example.com
2,Bob,Los Angeles,CA,USA,0987654321,bob@example.com
3,Charlie,Chicago,IL,USA,1122334455,charlie@example.com
4,Diana,Houston,TX,USA,6677889900,diana@example.com
> Row deleted.
> SELECT COUNT(*) FROM customer;
Count: 3
> Output written to fileOutput3.txt
```

## Input Sample 3

```
C: > Windows > Programming_fundamental > fileInput2.mdb
1  CREATE TABLE customer (
2      customer_id INT,
3      customer_name TEXT,
4      customer_city TEXT,
5      customer_state TEXT,
6      customer_country TEXT,
7      customer_phone TEXT,
8      customer_email TEXT
9  );
10
11 INSERT INTO customer VALUES(1, 'Alice', 'New York', 'NY', 'USA', '1234567890', 'alice@example.com');
12 INSERT INTO customer VALUES(2, 'Bob', 'Los Angeles', 'CA', 'USA', '0987654321', 'bob@example.com');
13 INSERT INTO customer VALUES(3, 'Charlie', 'Chicago', 'IL', 'USA', '1122334455', 'charlie@example.com');
14 INSERT INTO customer VALUES(4, 'Diana', 'Houston', 'TX', 'USA', '6677889900', 'diana@example.com');|
15
16 SELECT * FROM customer;
17
18 UPDATE customer SET customer_email='updatedemail@example.com' WHERE customer_id=3;
19
20 DELETE FROM customer WHERE customer_id=4;
21
22 SELECT COUNT(*) FROM customer;
23
```

### Explanation:

This script demonstrates the creation and manipulation of a customer table in a database. The table is created using the `CREATE TABLE` command with columns for customer details such as ID, name, city, state, country, phone, and email. These columns are defined with appropriate data types, such as `INT` for numeric IDs and `TEXT` for text-based fields like names, cities, and emails.

After the table creation, four records are added using the `INSERT INTO` command. Each record represents a customer with their unique ID and associated details. The `SELECT * FROM customer;` command retrieves and displays all the records, showing the complete customer data stored in the table. Finally, the `SELECT (*) FROM customer;` command displays all the customer information in a tabular format.

## Output Sample 3

```
C: > Windows > Programming_fundamental > fileOutput2.txt
1  >CREATE fileOutput2.txt;
2  >DATABASES;
3  C:\Windows\Programming_fundamental\fileInput2.mdb
4  >CREATE TABLE customer(
5  customer_id,
6  customer_name,
7  customer_city,
8  customer_state,
9  customer_country,
10 customer_phone,
11 customer_email
12 );
13 >INSERT INTO customer VALUES
14 ('1','Alice','New York','NY','USA','1234567890','alice@example.com')
15 ('2','Bob','Los Angeles','CA','USA','0987654321','bob@example.com')
16 ('3','Charlie','Chicago','IL','USA','1122334455','updatedemail@example.com')
17
```


### Explanation:

The provided output file demonstrates the process of creating and managing a simple database and its associated operations. Initially, a file named fileOutput2.txt is created, and a database located at C:\Windows\Programming\_fundamental\fileInput2.mdb is selected. A table named customer is then created with columns for customer ID, name, city, state, country, phone, and email, though these fields are incorrectly defined as integers, which is unsuitable for text-based data like names and email addresses. Following this, three customer records are inserted into the table, each containing details such as ID, name, location, phone number, and email address. The records are retrieved using the SELECT \* FROM customer; command, which displays all the customer information in a tabular format. Finally, the SELECT COUNT(\*) FROM customer; command is used to count the total number of rows in the table, resulting in a count of 3. Despite its functionality, the script has a notable issue with the incorrect data type definitions for several fields that should store text instead of integers.

## Run in Command Prompt

```
C:\Windows\Programming_fundamental>CCP_Asg.exe
> Table created: customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> Row inserted into customer
> SELECT * FROM customer;
customer_id,customer_name,customer_city,customer_state,customer_country,customer_phone,customer_email
1,Alice,New York,NY,USA,1234567890,alice@example.com
2,Bob,Los Angeles,CA,USA,0987654321,bob@example.com
3,Charlie,Chicago,IL,USA,1122334455,charlie@example.com
4,Diana,Houston,TX,USA,6677889900,diana@example.com
> Row updated.
> Row deleted.
> SELECT COUNT(*) FROM customer;
Count: 3
> Output written to fileOutput2.txt
```


## Flowchart of Whole Program






## Flowchart of Function


### 1. Insert Row




## 2. Delete Row




### 3. Select All



#### 4. Select All



## 5. Update Row



## 6. Create Table

