Dingbats

Range: 2700-27BF

The Unicode Standard, Version 14.0

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 14.0*

Characters in this chart that are new for The Unicode Standard, Version 14.0 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts.

See https://www.unicode.org/charts/PDF/Unicode-14.0/ for charts showing only the characters added in Unicode 14.0.

See https://www.unicode.org/Public/14.0.0/charts/ for a complete archived file of character code charts for Unicode 14.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 14.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 14.0, online at https://www.unicode.org/versions/Unicode14.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2021 Unicode, Inc. All rights reserved.

	270	271	272	273	274	275	276	277	278	279	27A	27B
0	*		¥	*	*		99	(1	7	 	ठ
	2700	2710	2720	2730	2740	2750	2760	2770	2780	2790	27A0	27B0
1	3	\hookrightarrow	\$	*			\$	•	2	8	=	\Rightarrow
	2701	2711	2721	2731	2741	2751	2761	2771	2781	2791	27A1	27B1
2	×	•	+	*			•		3	9	>	
	2702	2712	2722	2732	2742	2752	2762	2772	2782	2792	27A2	27B2
3	%		•‡•	*	*	?	*		4	10	>	⋙→
	2703	2713	2723	2733	2743	2753	2763	2773	2783	2793	27A3	27B3
4	%		•	*	*	D	•	{	(5)	→	>	*
	2704	2714	2724	2734	2744	2754	2764	2774	2784	2794	27A4	27B4
5	\mathcal{O}	X	*	*	*	Å	•	}	(6)	+	\	>
	2705	2715	2725	2735	2745	2755	2765	2775	2785	2795	27A5	27B5
6		*	♦	*	**	*	¥	1	7	_		1/x
	2706	2716	2726	2736	2746	2756	2766	2776	2786	2796	27A6	27B6
7		X	♦	*	米	•	ES	2	(8)	÷		•
	2707	2717	2727	2737	2747	2757	2767	2777	2787	2797	27A7	27B7
8	+	X	\	*	*		(3	9	*		→ →
	2708	2718	2728	2738	2748	2758	2768	2778	2788	2798	27A8	27B8
9	X	#	\$	*	*)	4	(10)	→	□	*
	2709	2719	2729	2739	2749	2759	2769	2779	2789	2799	27A9	27B9
Α	\$	+		*	*		(5	U	7		→
	270A	271A _	272A	273A	274A	275A	276A	277A	278A	279A	27AA	27BA
В		+	*	*	*	6)	6	2	→	→	*
	270B	271B	272B	273B	274B	275B	276B	277B	278B	279B	27AB	27BB
С	8	4		*	×	9	(7	3	→		>
	270C	271C	272C	273C	274C	275C	276C	277C	278C	279C	27AC	27BC
D		†		*	\mathbf{O}	66)	8	4	→	\Box	>
	270D	271D	272D	273D	274D	275D	276D	277D	278D	279D	27AD	27BD
Ε		Ť	*	*	X	99	<	9	5	\rightarrow	\Box	⇒
	270E	271E	272E	273E	274E	275E	276E	277E	278E	279E	27AE	27BE
F	(+	*	*		9	>	10	6			00
	270F	271F	272F	273F	274F	275F	276F	277F	278F	279F	27AF	27BF

ITC Zapf dingbats series 100. Some of the ITC Zapf dingbats have been unified with geometric shape characters. Gaps in the chart have subsequently been filled with other dingbat-like symbols.

- → 260E 🏗 black telephone
- → 261B 🖝 black right pointing index
- → 261E 🖙 white right pointing index
- → 2605 ★ black star
- → 25CF black circle
- → 25A0 black square
- \rightarrow 25B2 \triangle black up-pointing triangle
- → 25BC ▼ black down-pointing triangle
- → 25C6 ♦ black diamond
- \rightarrow 2192 \rightarrow rightwards arrow
- \rightarrow 2194 \leftrightarrow left right arrow
- → 2195 ‡ up down arrow

Miscellaneous

- 2700

 ★ BLACK SAFETY SCISSORS
 - forms a pair with 2704 × white scissors
- 2701 → UPPER BLADE SCISSORS
- 2702 > BLACK SCISSORS
- 2703 > LOWER BLADE SCISSORS
- 2704 WHITE SCISSORS
- 2705 WHITE HEAVY CHECK MARK
 - → 2714 **/** heavy check mark
- 2706 © TELEPHONE LOCATION SIGN
 - → 2121 Tel telephone sign
- \rightarrow 1F4DE lacktriangle telephone receiver
- 2707 **A** TAPE DRIVE
- 2708 > AIRPLANE
 - → 1F6E7 ★ up-pointing airplane
- 2709

 ENVELOPE
 - = sealed envelope
 - \rightarrow 1F4E8 $\underline{\text{\em \#}}$ incoming envelope
 - → 1F582 ⊠ back of envelope
- 270A & RAISED FIST
 - = rock in Rock, Paper, Scissors game
 - → 1F44A @ fisted hand sign
- 270B 🕑 RAISED HAND
 - = paper in Rock, Paper, Scissors game
 - → 1F44B 🕅 waving hand sign
 - → 1F590 🖑 raised hand with fingers splayed
- 270C 🐰 VICTORY HAND
 - = scissors in Rock, Paper, Scissors game
 - → 1F594 🖔 reversed victory hand
- 270D 🗷 WRITING HAND
 - → 1F58E 🖎 left writing hand
- 270E Solution LOWER RIGHT PENCIL

 → 1F589 lower left pencil
- 270F ⊜ PENCIL
- 2710 Ø UPPER RIGHT PENCIL
- 2711 → WHITE NIB
 - → 1F58B 🖉 lower left fountain pen
- 2712 ➡ BLACK NIB
- 2713 ✓ CHECK MARK
 - \rightarrow 221A $\sqrt{}$ square root
 - → 1F5F8 ✓ light check mark
 - → 1FBB1 / inverse check mark
- 2714 HEAVY CHECK MARK

- 2715 X MULTIPLICATION X
 - → 00D7 × multiplication sign
 - → 2573 X box drawings light diagonal cross
 - \rightarrow 1F7A8 \times thin saltire
- 2716 ★ HEAVY MULTIPLICATION X
 - → 1F7AE ***** extremely heavy saltire
- 2717 X BALLOT X
 - \rightarrow 2613 X saltire
 - → 1F5F4 × ballot script x
- 2718 X HEAVY BALLOT X
 - → 1F5F6 × ballot bold script x

Crosses

- 2719 ♣ OUTLINED GREEK CROSS
- 271A **◆** HEAVY GREEK CROSS
 - → 1F7A5 **+** very bold greek cross
 - → 1FBBB # voided greek cross
- 271B ★ OPEN CENTRE CROSS
- 271C HEAVY OPEN CENTRE CROSS
- 271D † LATIN CROSS
- 271E ♥ SHADOWED WHITE LATIN CROSS
 - → 1F546 🕆 white latin cross
- 271F POUTLINED LATIN CROSS
- - historically, the Maltese cross took many forms; the shape shown in the Zapf Dingbats is similar to one known as the Cross Formée
 - → 2E50 **F** cross patty with right crossbar
 - → 1F902 circled cross formee

Stars and asterisks

- - → 1F52F 🌣 six pointed star with middle dot
- 2722 + FOUR TEARDROP-SPOKED ASTERISK
- 2723 FOUR BALLOON-SPOKED ASTERISK

- 2726 ♦ BLACK FOUR POINTED STAR
 - → 2BCC ★ light four pointed black cusp
 - → 1F7C6 **♦** four pointed black star
- 2727 ♦ WHITE FOUR POINTED STAR
 - → 2BCE ♦ white four pointed cusp
- 2728 🖘 SPARKLES
- - \rightarrow 2606 $\stackrel{\leftrightarrow}{\propto}$ white star
- 272A CIRCLED WHITE STAR
- 272B ★ OPEN CENTRE BLACK STAR
- 272C ★ BLACK CENTRE WHITE STAR
- 272D ★ OUTLINED BLACK STAR
- 272E ★ HEAVY OUTLINED BLACK STAR
- 272F ★ PINWHEEL STAR
- 2730 ☆ SHADOWED WHITE STAR
- 2731 * HEAVY ASTERISK
 - \rightarrow 002A * asterisk
 - → 1F7B8 **★** heavy six spoked asterisk
- 2732 ❖ OPEN CENTRE ASTERISK
- 2733 * EIGHT SPOKED ASTERISK
 - \rightarrow 1F7BB % light eight spoked asterisk
- 2734 * EIGHT POINTED BLACK STAR
- 2735 * EIGHT POINTED PINWHEEL STAR
 - → 1F7D1 🕸 heavy eight pointed pinwheel star
- 2736 ★ SIX POINTED BLACK STAR
 - → 26B9 * sextile

				_	
2737	*	EIGHT POINTED RECTILINEAR BLACK STAR	275A	ı	HEAVY VERTICAL BAR
2738	*	→ 1F7CE ★ medium eight pointed black star HEAVY EIGHT POINTED RECTILINEAR BLACK		uati	ion mark ornaments
2130	*	STAR → 1F7CF ★ heavy eight pointed black star	275B	6	HEAVY SINGLE TURNED COMMA QUOTATION MARK ORNAMENT
2739	*	TWELVE POINTED BLACK STAR	275C	•	→ 2018 'left single quotation mark HEAVY SINGLE COMMA QUOTATION MARK
273A	*	SIXTEEN POINTED ASTERISK	2750		ORNAMENT
273B	*	= starburst TEARDROP-SPOKED ASTERISK			ightarrow 2019 'right single quotation mark
273C	*	OPEN CENTRE TEARDROP-SPOKED ASTERISK	275D	66	HEAVY DOUBLE TURNED COMMA QUOTATION
273D	*	HEAVY TEARDROP-SPOKED ASTERISK			MARK ORNAMENT → 201C " left double quotation mark
Fleur	ons				→ 1F676 sans-serif heavy double turned
273E	*	SIX PETALLED BLACK AND WHITE FLORETTE			comma quotation mark ornament
273F	*	BLACK FLORETTE	275E	99	HEAVY DOUBLE COMMA QUOTATION MARK ORNAMENT
2740	*	WHITE FLORETTE			→ 201D " right double quotation mark
		→ 1F3F5 [®] rosette			→ 1F677 " sans-serif heavy double comma
2741	42	→ 1F4AE ○ white flower EIGHT PETALLED OUTLINED BLACK FLORETTE			quotation mark ornament
		→ 1F3F6 🏶 black rosette	275F	9	HEAVY LOW SINGLE COMMA QUOTATION MARK ORNAMENT
	_	erisks and snowflakes	2760		→ 201A , single low-9 quotation mark HEAVY LOW DOUBLE COMMA QUOTATION
2742 2743	*	CIRCLED OPEN CENTRE EIGHT POINTED STAR HEAVY TEARDROP-SPOKED PINWHEEL	2700	99	MARK ORNAMENT → 201E ,, double low-9 quotation mark
2744	*	ASTERISK SNOWFLAKE			→ 1F678 , sans-serif heavy low double comma
2745	*	TIGHT TRIFOLIATE SNOWFLAKE			quotation mark ornament
2746	*	HEAVY CHEVRON SNOWFLAKE	2761	\P	CURVED STEM PARAGRAPH SIGN ORNAMENT
2747	*	SPARKLE	2762	•	→ 00B6 ¶ pilcrow sign HEAVY EXCLAMATION MARK ORNAMENT
2748 2749	*	HEAVY SPARKLE		•	→ 0021! exclamation mark
	*	BALLOON-SPOKED ASTERISK = jack	2763	*	HEAVY HEART EXCLAMATION MARK ORNAMENT
274A	*	EIGHT TEARDROP-SPOKED PROPELLER ASTERISK	2764	•	HEAVY BLACK HEART
274B	*	HEAVY EIGHT TEARDROP-SPOKED PROPELLER			 displayed with a red color when used in emoji style
		ASTERISK			→ 2665 ♥ black heart suit
		= turbofan			→ 1F5A4 ♥ black heart
Misce				_	\rightarrow 1F90D \bigcirc white heart
274C	×	CROSS MARK	2765	>	ROTATED HEAVY BLACK HEART BULLET
		• forms a game tally pair with 2B55 O → 00D7 × multiplication sign	Fleur		
		→ 1F5D9 X cancellation x	2766	¥	FLORAL HEART
		→ 1F7AC × heavy saltire	2767	æ	= Aldus leaf ROTATED FLORAL HEART BULLET
		→ 1FBC0 XX white heavy saltire with rounded corners	2101		= hedera, ivy leaf
274D	0	SHADOWED WHITE CIRCLE			→ 2619 s reversed rotated floral heart bullet
		→ 1F53E O lower right shadowed white circle			\rightarrow 1F65B $>\!\!\!>$ south east pointing vine leaf
274E	X	NEGATIVE SQUARED CROSS MARK			tal brackets
274F		→ 1FBBD N negative diagonal cross LOWER RIGHT DROP-SHADOWED WHITE	2768	(MEDIUM LEFT PARENTHESIS ORNAMENT → 0028 (left parenthesis
2750		SQUARE UPPER RIGHT DROP-SHADOWED WHITE	2769)	MEDIUM RIGHT PARENTHESIS ORNAMENT → 0029) right parenthesis
2751		SQUARE LOWER RIGHT SHADOWED WHITE SQUARE	276A	(MEDIUM FLATTENED LEFT PARENTHESIS
2752		UPPER RIGHT SHADOWED WHITE SQUARE	276B)	ORNAMENT MEDIUM FLATTENED RIGHT PARENTHESIS
2753	?	BLACK QUESTION MARK ORNAMENT	2100	′	ORNAMENT
2754	3	WHITE QUESTION MARK ORNAMENT	276C	(MEDIUM LEFT-POINTING ANGLE BRACKET
2755	9	WHITE EXCLAMATION MARK ORNAMENT			ORNAMENT
2756 2757	* !	BLACK DIAMOND MINUS WHITE X HEAVY EXCLAMATION MARK SYMBOL	276D	}	→ 2329 〈 left-pointing angle bracket MEDIUM RIGHT-POINTING ANGLE BRACKET
<u> </u>	٠	= obstacles on the road, ARIB STD B24	, ,,,	•	ORNAMENT ON THE PROPERTY OF TH
2758	-	LIGHT VERTICAL BAR			\rightarrow 232A \rangle right-pointing angle bracket
0750		→ 007C vertical line			
2759	ı	MEDIUM VERTICAL BAR			

276E	<	HEAVY LEFT-POINTING ANGLE QUOTATION	Dingl	hat a	arrow
2102	•	MARK ORNAMENT	2794		HEAVY WIDE-HEADED RIGHTWARDS ARROW
		→ 2039 < single left-pointing angle quotation	2194	7	
		mark			→ 1F872 → wide-headed rightwards medium barb arrow
276F	>	HEAVY RIGHT-POINTING ANGLE QUOTATION			
		MARK ORNAMENT		-	riants of arithmetic symbols
		→ 203A > single right-pointing angle quotation	2795	+	HEAVY PLUS SIGN
2770	(mark	0700		→ 002B + plus sign
2770	•	HEAVY LEFT-POINTING ANGLE BRACKET ORNAMENT	2796	_	HEAVY MINUS SIGN
2771	}	HEAVY RIGHT-POINTING ANGLE BRACKET	2797	÷	→ 2212 — minus sign HEAVY DIVISION SIGN
	-	ORNAMENT	2131	•	\rightarrow 00F7 ÷ division sign
2772	[LIGHT LEFT TORTOISE SHELL BRACKET			ŭ .
		ORNAMENT	_		rrows
		→ 3014	2798	*	HEAVY SOUTH EAST ARROW
2773)	LIGHT RIGHT TORTOISE SHELL BRACKET	2799	→	HEAVY RIGHTWARDS ARROW
		ORNAMENT	279A	×	HEAVY NORTH EAST ARROW
0774	ſ	→ 3015 J right tortoise shell bracket	279B	→	DRAFTING POINT RIGHTWARDS ARROW
2774	{	MEDIUM LEFT CURLY BRACKET ORNAMENT	279C	→	HEAVY ROUND-TIPPED RIGHTWARDS ARROW
2775	}	→ 007B { left curly bracket MEDIUM RIGHT CURLY BRACKET ORNAMENT	279D	→	TRIANGLE-HEADED RIGHTWARDS ARROW
2115	ı	→ 007D } right curly bracket	279E	\rightarrow	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW
			279F		DASHED TRIANGLE-HEADED RIGHTWARDS
		ircled digits	2/91		ARROW
2776	0	DINGBAT NEGATIVE CIRCLED DIGIT ONE	27A0	1111	HEAVY DASHED TRIANGLE-HEADED
2777	2	DINGBAT NEGATIVE CIRCLED DIGIT TWO			RIGHTWARDS ARROW
2778	3	DINGBAT NEGATIVE CIRCLED DIGIT THREE	27A1	\rightarrow	BLACK RIGHTWARDS ARROW
2779	4	DINGBAT NEGATIVE CIRCLED DIGIT FOUR			• fonts may harmonize this glyph with the style
277A	5	DINGBAT NEGATIVE CIRCLED DIGIT FIVE			for other black arrows
277B	6	DINGBAT NEGATIVE CIRCLED DIGIT SIX			→ 2B05 ← leftwards black arrow
277C	7	DINGBAT NEGATIVE CIRCLED DIGIT SEVEN	0740	_	→ 2B95 → rightwards black arrow
277D 277E	8	DINGBAT NEGATIVE CIRCLED DIGIT EIGHT	27A2	\triangleright	THREE-D TOP-LIGHTED RIGHTWARDS ARROWHEAD
277E	9	DINGBAT NEGATIVE CIRCLED DIGIT NINE			→ 2B9A > three-d top-lighted rightwards
2776	1	DINGBAT NEGATIVE CIRCLED NUMBER TEN DINGBAT CIRCLED SANS-SERIF DIGIT ONE			equilateral arrowhead
2781	2	DINGBAT CIRCLED SANS-SERIF DIGIT TWO	27A3	\triangleright	THREE-D BOTTOM-LIGHTED RIGHTWARDS
2782	3	DINGBAT CIRCLED SANS-SERIF DIGIT THREE			ARROWHEAD
2783	4	DINGBAT CIRCLED SANS-SERIF DIGIT FOUR	27A4	>	BLACK RIGHTWARDS ARROWHEAD
2784	5	DINGBAT CIRCLED SANS-SERIF DIGIT FIVE			→ 2B9E > black rightwards equilateral
2785	6	DINGBAT CIRCLED SANS-SERIF DIGIT SIX			arrowhead
2786	(7)	DINGBAT CIRCLED SANS-SERIF DIGIT SEVEN	2715	_	→ 1FBB0 ► arrowhead-shaped pointer HEAVY BLACK CURVED DOWNWARDS AND
2787	8	DINGBAT CIRCLED SANS-SERIF DIGIT EIGHT	27A5		RIGHTWARDS ARROW
2788	9	DINGBAT CIRCLED SANS-SERIF DIGIT NINE			→ 2BA9 → black curved downwards and
2789	10	DINGBAT CIRCLED SANS-SERIF NUMBER TEN			rightwards arrow
278A	0	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27A6	\Rightarrow	HEAVY BLACK CURVED UPWARDS AND
		ONE			RIGHTWARDS ARROW
278B	2	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT			→ 2BAB → black curved upwards and
278C	3	TWO DINCEATIVE CIRCLED CANC CEDIE DICIT	27A7		rightwards arrow SOUAT BLACK RIGHTWARDS ARROW
2/00	9	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT THREE	ZIAI	Þ	→ 1F842 • rightwards heavy compressed arrow
278D	4	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27A8	→	HEAVY CONCAVE-POINTED BLACK
2100		FOUR	21A0	_	RIGHTWARDS ARROW
278E	6	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27A9	□>	RIGHT-SHADED WHITE RIGHTWARDS ARROW
		FIVE			→ 1F8A5 🖈 rightwards right-shaded white
278F	6	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT			arrow
0700	6	SIX	27AA	₽	LEFT-SHADED WHITE RIGHTWARDS ARROW
2790	7	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SEVEN			→ 1F8A7 🖈 rightwards left-shaded white arrow
2791	8	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT	27AB	\Rightarrow	BACK-TILTED SHADOWED WHITE
2/91	0	EIGHT			RIGHTWARDS ARROW
2792	9	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT			→ 1F8A9 ➡ rightwards back-tilted shadowed white arrow
2102		NINE	27AC	⇒	
2793	10	DINGBAT NEGATIVE CIRCLED SANS-SERIF	ZIMU	~	RIGHTWARDS ARROW
		NUMBER TEN			→ 1F8AB → rightwards front-tilted shadowed
					white arrow

- 27AF

 → NOTCHED LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
 - → 1F89A → rightwards arrow with notched tail

Miscellaneous

27B0 ত CURLY LOOP = kururi

Dingbat arrows

- 27B1

 → NOTCHED UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW
- 27B2 CIRCLED HEAVY WHITE RIGHTWARDS ARROW
- 27B3 WHITE-FEATHERED RIGHTWARDS ARROW
- 27B4 ♣ BLACK-FEATHERED SOUTH EAST ARROW
- 27B5 ➤ BLACK-FEATHERED RIGHTWARDS ARROW
- 27B6 BLACK-FEATHERED NORTH EAST ARROW
- 27B7 🔩 HEAVY BLACK-FEATHERED SOUTH EAST ARROW
- 27B8 → HEAVY BLACK-FEATHERED RIGHTWARDS ARROW
- 27BA → TEARDROP-BARBED RIGHTWARDS ARROW
- 27BB → HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW
- 27BC ➤ WEDGE-TAILED RIGHTWARDS ARROW
- 27BE ⇒ OPEN-OUTLINED RIGHTWARDS ARROW

Miscellaneous

27BF TO DOUBLE CURLY LOOP