SASS – PRACTCIE 2

For this exercise is to **convert** from **CSS code** to **SASS code** by **creating component files** for all **pages** and **creating sass file** for **specific page**.





home.scss

Sample code



Result



about-us.scss

Sample code



Result



contact-us.scss

Sample code



Result



_variable.scss



_group-mixin.scss



_nav.scss


EXPLORER
END - CODE
images
pages
sass
components
_card.scss
_group-mixin.scss
_main.scss
_nav.scss
_service-card.scss
_variable.scss
about-us.scss
contact-us.scss
home.scss
index.html
_nav.scss
sass > components > _nav.scss > nav > ul > a:hover
nav {
@include centered;
height: 10vh;
background: $primary-color;
justify-content: space-between;
div img {
width: 70px;
}
ul {
display: flex;
width: 30%;
justify-content: space-around;
a {
@include btn;

_card.scss


EXPLORER
END - CODE
images
pages
sass
components
_card.scss
_group-mixin.scss
_main.scss
_nav.scss
_service-card.scss
_variable.scss
about-us.scss
contact-us.scss
home.scss
index.html
_card.scss
sass > components > _card.scss > .card > .card-foc
1 .card {
2 width: 23%;
3 height: 150px;
4 background: $main-color;
5 display: flex;
6 border-radius: $radiusValue;
7 flex-direction: column;
8 border:1px solid $secondary-color ;
9
10 .card-header {
11 flex: 1;
12 text-align: center;
13 color: $quinary-color;
14 }
15
16 .card-body {
17 padding: 10px;
18 flex: 2.5;
19 background: $quinary-color;
20 }

_service-card.scss



_main.scss


EXPLORER
END - CODE
images
pages
sass
components
_card.scss
_group-mixin.scss
_main.scss
_nav.scss
_service-card.scss
_variable.scss
about-us.scss
contact-us.scss
home.scss
index.html
_main.scss
sass > components > _main.scss > *
1 @import "./variable";
2 @import "./group-mixin";
3 @import "./nav";
4
5 * {
6 padding: 0;
7 margin: 0;
8 font-family: 'Segoe UI',
9 }