Model objects:

- AuctionBean
- OfferBean
- ProductBean
- UserBean

Data Access objects:

- AuctionDAO
 - o createAuction (price,rise, expiry, userID)
 - o getAuctions (userID, active, loginTime)
 - getAuctionsByID (userID, loginTime)
 - o getWinner (auctionID)
 - o getWonAuctions (userID)
 - o getAuctionByKeyword (article, userID, loginTime)
 - o close (auctionID, userID)
- OfferDAO
 - o getOffers (auctionID)
 - o addOffer (offer, userID, auctionID, date)
 - o getMaxOffer (auctionID)
- ProductDAO
 - o addProduct (name, description, price, userID)
 - o getUserProducts (userID)
 - o update (productid, auctionID)
 - getPrice (productID)
 - checkProduct (productid, userID)
- UserDAO
 - o authenticate (username, password)
 - o addUser (username, email, city, address, province, password)
 - o getUser (userID)
 - o getUserByUsername (username)
 - o getUserByEmail (email)

Controllers:

- DoAddProduct
- DoClose
- DoCreateAuction
- DoGetImage
- DoLogin
- DoLogout
- DoOffer
- DoSignup

Filters:

- AuthFilter
- OfferFilter
- UnAuthFilter

Views:

- GetBuyPage
- GetDetailsPage
- GetErrorPage
- GetHomePage
- GetLoginPage
- GetOffersPage
- GetSellPage
- GetSignupPage