

References

- Abrikosov, A. A., Gorkov, L. P. and Dzyaloshinski, I. E. (1963). *Methods of Quantum Field Theory in Statistical Physics*, Engelwood Cliffs, Prentice-Hall, Sec. 26.1.
- Adamowski, J. (1989). Formation of Fröhlich bipolarons. *Phys. Rev. B* 39, 3649–3652.
- Adler, D. (1971). Amorphous semiconductors. In: *CRC Critical Reviews in Solid State Sciences*, Vol. 2, Issue 3, New York, CRC Press, pp. 317–465.
- Adler, D., Henisch, H. K. and Mott, N. (1978). The mechanism of threshold switching in amorphous alloys. *Rev. Mod. Phys.* 50, 209–220.
- Ambegaokar, V., Halperin, B. I. and Langer, J. S. (1971). Hopping conductivity in disordered systems. *Phys. Rev. B* 4, 2612–2620.
- Anderson, P. W. (1950). Antiferromagnetism. Theory of superexchange interaction. *Phys. Rev.* 79, 350–356.
- Anderson, P. W. (1958). Absence of diffusion in certain random lattices. *Phys. Rev.* 109, 1492–1505.
- Anderson, P. W. (1963). *Concepts in Solids*, New York, Addison-Wesley, pp. 77–95.
- Anderson, P. W. (1972). Effect of Franck–Condon displacements on the mobility edge and the energy gap of disordered materials. *Nature Phys. Sci.* 235, 163–165.
- Anderson, P. W. (1975). Model for the electronic structure of amorphous semiconductors. *Phys. Rev. Lett.* 34, 953–955.
- Anderson, P. W. and Abrahams, E. (1987). Superconductivity theories narrow down. *Nature* 327, 363.
- Anderson, P. W. and Hasegawa, H. (1955). Considerations on double exchange. *Phys. Rev.* 100, 675–681.
- Aselage, T. L., Emin, D., McCready, S. S. and Duncan, R. V. (1998). Large enhancement of boron carbides' Seebeck coefficients through vibrational softening. *Phys. Rev. Lett.* 81, 2316–2319.
- Aselage, T. L., Emin, D. and McCready, S. S. (2001). Conductivities and Seebeck coefficients of boron carbides: “Softening bipolaron” hopping. *Phys. Rev. B* 64, 054302.
- Aselage, T. L., Emin, D., McCready, S. S., Venturini, E. L., Rodriguez, M. A., Voigt, J. A. and Headley, T. J. (2003). Metal–semiconductor and magnetic transitions in compensated polycrystalline $\text{La}_{1-x}\text{Ca}_x\text{MnO}_{3-\delta}$ ($x = 0.20, 0.25$). *Phys. Rev. B.* 68, 134448.
- Austin, I. G. and Mott, N. F. (1969). Polarons in crystalline and non-crystalline materials. *Adv. Phys.* 18, 41–102.
- Azevedo, L. J., Venturini, E. L., Emin, D. and Wood, C. (1985). Magnetic susceptibility study of boron carbides. *Phys. Rev. B.* 32, 7970–7972.

- Baily, S. A. and Emin, D. (2006a). Transport properties of amorphous telluride. *Phys. Rev. B* 73, 165211.
- Baily, S. A., Emin, D. and Li, H. (2006b). Hall mobility of amorphous $\text{Ge}_2\text{Sb}_2\text{Te}_5$. *Solid State Comm.* 139, 161–164.
- Bardeen, J., Cooper, L. N. and Schrieffer, J. R. (1957a). Microscopic theory of superconductivity. *Phys. Rev.* 106, 162–164.
- Bardeen, J., Cooper, L. N. and Schrieffer, J. R. (1957b). Theory of superconductivity. *Phys. Rev.* 108, 1175–1204.
- Bartram, R. H. and Stoneham, A. M. (1975). On the luminescence and absence of luminescence of F -centers. *Solid State Commun.* 17, 1593–1598.
- Basani, F., Geddo, M., Iadonisi, G., and Ninno, D. (1991). Variational calculations of bipolaron binding energies. *Phys. Rev. B* 43, 5296–5306.
- Batt, R. H., Braun, C. L. and Hornig, J. F. (1968). Electric-field and temperature dependence of photoconductivity. *J. Chem. Phys.* 49, 1967–1968.
- Bennett, C. H. (1975). Exact defect calculations in model substances. In: *Diffusion in Solids: Recent Developments*, eds. A. S. Nowick and J. J. Burton, New York, Academic Press, pp. 73–113.
- Bennett, C. H. and Alder, B. J. (1968). Persistence of vacancy motion. *Solid State Commun.* 6, 785–789.
- Bennett, C. H. and Alder, B. J. (1971). Persistence of vacancy motion in hard sphere crystals. *J. Phys. Chem Solids*. 32, 2111–2122.
- Bergeron, E. G. and Emin, D. (1977). Phonon-assisted hopping due to interaction with both acoustical and optical phonons. *Phys. Rev. B* 15, 3667–3681.
- Bishop, S. G., Strom, U. and Taylor, P. C. (1977). Optically induced metastable paramagnetic states in amorphous semiconductors. *Phys. Rev. B* 15, 2278–2294.
- Born, M. and Oppenheimer, J. R. (1927). Zur Quantentheorie der Molekeln. *Annalen der Physik* 389, 457–484.
- Bösch, M. A., Epworth, R. W. and Emin, D. (1980). Photoluminescence dynamics in chalcogenide glasses and crystals. *J. Non-Crystalline Solids* 40, 587–594.
- Bösch, M. A. and Shah, J. (1979). Time-resolved photoluminescence spectroscopy in amorphous As_2S_3 . *Phys. Rev. Lett.* 42, 118–121.
- Bosman, A. J. and van Daal, H. J. (1970). Small-polaron versus band conduction in some transition-metal oxides. *Adv. Phys.* 19, 1–117.
- Callen, H. B. (1960). *Thermodynamics*, New York, John Wiley, Chap. 17.
- Chakraverty, B. H., Ranninger, J. and Feinberg, D. (1998). Experimental and theoretical constraints of bipolaronic superconductivity in high- T_c materials: An impossibility. *Phys. Rev. Lett.* 81, 433–436.
- Chance, R. R. and Braun, C. L. (1976). Temperature dependence of intrinsic carrier generation in anthracene single crystals. *J. Chem. Phys.* 64, 3573–3581.
- Chauvet, O., Emin, D., Forro, L., Zuppiroli, L. and Aselage, T. L. (1996). Spin susceptibility of boron carbides: Dissociation of singlet small-bipolarons. *Phys. Rev. B* 53, 14450–14457.
- Clark, A. H. (1967). Electrical and optical properties of amorphous germanium. *Phys. Rev.* 154, 750–757.
- Cohen, M. H., Economou, E. N. and Soukoulis, C. M. (1983). Polaron formation near a mobility edge. *Phys. Rev. Lett.* 51, 1202–1205.
- Condon, E. (1926). A theory of intensity distribution in band systems. *Phys. Rev.* 28, 1182–1201.
- Crevecoeur, C. and de Wit, H. J. (1970). Electrical conductivity of Li doped MnO . *J. Phys. Chem. Solids* 31, 783–791.

- De Gennes, P.-G. (1960). Effects of double exchange in magnetic crystals. *Phys. Rev.* 118, 141–154.
- de Wit, H.J. (1968). Some numerical calculations on Holstein's small-polaron theory. *Philips Res. Rep.* 23, 449–460.
- Dexter, D.L., Klick, C.C. and Russell, G.A. (1955). Criterion for the occurrence of luminescence. *Phys. Rev.* 100, 603–605.
- Emin, D. (1970). Correlated small-polaron hopping motion. *Phys. Rev. Lett.* 25, 1751–1755.
- Emin, D. (1971a). Vibrational dispersion and small-polaron hopping: Enhanced diffusion. *Phys. Rev. B* 3, 1321–1337.
- Emin, D. (1971b). Lattice relaxation and small-polaron hopping motion. *Phys. Rev. B* 4, 3639–3651.
- Emin, D. (1971c). The Hall mobility of a small polaron in a square lattice. *Ann. Phys. (N.Y.)* 64, 336–395.
- Emin, D. (1972). Energy spectrum of an electron in a periodic deformable lattice. *Phys. Rev. Lett.* 28, 604–607.
- Emin, D. (1973a). On the existence of free and self-trapped carriers in insulators: An abrupt temperature-dependent conductivity transition. *Adv. Phys.* 22, 57–116.
- Emin, D. (1973b). Aspects of the theory of small-polarons in disordered materials. In: *Electronic and Structural Properties of Amorphous Semiconductor*, eds. P. G. LeComber and J. Mort, London, Academic Press, pp. 261–328.
- Emin, D. (1974). Phonon-assisted jump rate in noncrystalline solids. *Phys. Rev. Lett.* 33, 303–307.
- Emin, D. (1975a). Phonon-assisted transition rates I: Optical-phonon-assisted hops. *Adv. Phys.* 24, 305–348.
- Emin, D. (1975b). Thermoelectric power due to electronic hopping motion. *Phys. Rev. Lett.* 35, 882–885.
- Emin, D. (1977a). The sign of the Hall effect in hopping conduction. *Phil. Mag.* 35, 1189–1198.
- Emin, D. (1977b). Effect of temperature-dependent shifts on semiconductor transport properties. *Solid State Comm.* 22, 409–411.
- Emin, D. (1980a). Electrical and optical properties of amorphous thin films. In: *Amorphous Thin Films and Devices*, ed. L. L. Kazmerski, New York, Academic Press, pp. 17–57.
- Emin, D. (1980b). Interactions between small-polaronic particles in solids. In: *The Physics of MOS Insulators*, eds. G. Lucovsky, S. T. Pantelides, and F. L. Galeener, New York, Pergamon Press, pp. 39–43.
- Emin, D. (1982). Small Polarons. *Physics Today* 35, 34–40.
- Emin, D. (1984). Effect of temperature-dependent energy-level shifts on a semiconductor's Peltier heat. *Phys. Rev. B* 30, 5766–5770.
- Emin, D. (1985). Reply to 'The effect of temperature-dependent energies on semiconductor thermopower formulae'. *Phil Mag. B* 51, L53–L56.
- Emin, D. (1986). Self-trapping in quasi-one-dimensional solids. *Phys. Rev. B* 33, 3973–3975.
- Emin, D. (1987). Today's small polaron. In: *Condensed Matter Physics*, ed. R. L. Orbach, New York, Springer-Verlag, pp. 16–34.
- Emin, D. (1990). Theory of electric and thermal transport in boron carbides. In: *The Physics and Chemistry of Carbides, Nitrides and Borides*, ed. R. Freer, London, Kluwer Academic, pp. 691–704.
- Emin, D. (1991a). Semiclassical small-polaron hopping in a generalized molecular-crystal model. *Phys. Rev. B* 43, 11720–11724.

- Emin, D. (1991b). Additional short-wavelength vibratory modes of a large (bi)polaron. *Phys. Rev. B* 43, 8610–8612.
- Emin, D. (1992). Low-temperature ac conductivity of adiabatic small-polaronic hopping in disordered systems. *Phys. Rev. B* 46, 9419–9427.
- Emin, D. (1993). Optical properties of large and small polarons and bipolarons. *Phys. Rev. B* 48, 13691–13702.
- Emin, D. (1994a). Phonon-mediated attraction between large bipolarons: Condensation to a liquid. *Phys. Rev. Lett.* 72, 1052–1055.
- Emin, D. (1994b). Phonon-mediated attraction between large bipolarons: Condensation to a liquid. *Phys. Rev. B* 49, 9157–9167.
- Emin, D. (1995a). Effect of electronic correlation on the shape of a large bipolaron: Four-lobed planar large bipolaron in an ionic medium. *Phys. Rev. B* 52, 13874–13882.
- Emin, D. (1995b). Formation, phase separation and superconductivity of large bipolarons. In: *Polarons and Bipolarons in High- T_c Superconductors and Related Materials*, eds. E. S. H. Salje, A. S. Alexandrov and W. Y. Liang, Cambridge, Cambridge University Press, pp. 80–109.
- Emin, D. (1996). Pair breaking in semiclassical singlet small-bipolaron hopping. *Phys. Rev. B* 53, 1260–1268.
- Emin, D. (1999). Enhanced Seebeck effect from carrier-induced vibrational softening. *Phys. Rev. B* 59, 6205–6210.
- Emin, D. (2000a). Formation and hopping motion of molecular polarons. *Phys. Rev. B* 61, 14543–14553.
- Emin, D. (2000b). Singlet-bipolaron formation among degenerate electronic orbitals: Softening bipolarons. *Phys. Rev. B* 61, 6069–6085.
- Emin, D. (2002). Seebeck effect. In: *Wiley Encyclopedia of Electrical and Electronics Engineering Online*, ed. J. G. Webster, New York, John Wiley, pp. 1–44.
- Emin, D. (2006a). Unusual properties of icosahedral boron-rich solids. *J. Solid State Chem.* 179, 2791–2798.
- Emin, D. (2006b). Current-driven threshold switching of a small polaron semiconductor in a metastable conductor. *Phys. Rev. B* 74, 035206.
- Emin, D. (2007). Laser cooling via excitation of localized electrons. *Phys. Rev. B* 76, 024301.
- Emin, D. (2008). Generalized adiabatic polaron hopping: Meyer–Neldel compensation and Poole–Frenkel behavior. *Phys. Rev. Lett.* 100, 166602.
- Emin, D. (2012). Theory of Meyer–Neldel compensation for adiabatic charge transfer. *Monatsh. Chem.* 10.1007/s00706-012-0836-z.
- Emin, D. and Aselage, T. L. (2005). A proposed boron-carbide-based solid-state neutron detector. *J. Appl. Phys.* 97, 013529.
- Emin, D., Baskes, M. I. and Wilson, W. D. (1979). Small polaronic diffusion of light interstitials in bcc metals. *Phys. Rev. Lett.* 42, 791–794.
- Emin, D. and Bussac, M.-N. (1994). Disorder-induced small-polaron formation. *Phys. Rev. B* 49, 14290–14300.
- Emin, D. and Hart, C. F. (1985). Negative differential conductivity in shallow impurity hopping. *Phys. Rev. B* 32, 6503–6509.
- Emin, D. and Hart, C. F. (1987a). Existence of Wannier–Stark localization. *Phys. Rev. B* 36, 7353–7359.
- Emin, D. and Hart, C. F. (1987b). Phonon-assisted hopping of an electron on a Wannier–Stark ladder in a strong electric field. *Phys. Rev. B* 36, 2530–2546.
- Emin, D., Hillery, M. S. and Liu, N.-L. H. (1986). Thermally induced abrupt collapse of a shallow donor state in a ferromagnetic semiconductor. *Phys. Rev. B* 35, 2933–2936.

- Emin, D., Hillery, M. S. and Liu, N.-L. H. (1987). Thermally induced abrupt shrinking of a donor state in a ferromagnetic semiconductor. *Phys. Rev. B* 35, 641–652.
- Emin, D. and Hillery, M. S. (1988). Continuum studies of magnetic polarons and bipolarons in antiferromagnets. *Phys. Rev. B* 37, 4060–4070.
- Emin, D. and Hillery, M. S. (1989). Formation of a large singlet bipolaron, application to high-temperature superconductivity. *Phys. Rev. B* 39, 6575–6593.
- Emin, D. and Holstein, T. (1969). Studies of small-polaron motion IV: Adiabatic theory of the Hall effect. *Ann. Phys. (N.Y.)* 53, 439–520.
- Emin, D. and Holstein, T. (1976). Adiabatic theory of an electron in a deformable continuum. *Phys. Rev. Lett.* 36, 323–326.
- Emin, D. and Kriman, A. M. (1986). Transient small-polaron hopping motion. *Phys. Rev. B* 34, 7278–7289.
- Emin, D. and Liu, N.-L. H. (1983). Small-polaron hopping in magnetic semiconductors. *Phys. Rev. B* 24, 4788–4798.
- Emin, D., Seager, C. H. and Quinn, R. K. (1972). Small polaron hopping conduction in some chalcogenide glasses. *Phys. Rev. Lett.* 28, 813–816.
- Emin, D., Ye, J., and Beckel, C. L. (1992). Electron correlation effects in one-dimensional large-bipolaron formation. *Phys. Rev. B* 46, 10710–10720.
- Epstein, R. I., Buckwald, M. I., Edwards, B. C., Gosnell, T. R. and Mungan, C. E. (1995). Observation of laser-induced fluorescent cooling of a solid. *Nature London* 377, 500–502.
- Feibelman, P. J. and Knotek, M. L. (1978). Reinterpretation of electron-stimulated desorption data from chemisorption systems. *Phys. Rev. B*, 18, 6531–6539.
- Feynman, R. P. (1972). *Statistical Mechanics: A Set of Lectures*, New York, Addison-Wesley, Sec. 2.6; Chap. 11.
- Fischer, R., Heim, U., Stern, F., and Weiser, K. (1971). Photoluminescence of amorphous $2\text{As}_2\text{Te}_3\text{-As}_2\text{Se}_3$ films. *Phys. Rev. Lett.* 26, 1182–1185.
- Flynn, C. P. and Stoneham, A. M. (1970). Quantum theory of diffusion with application to light interstitials in metals. *Phys. Rev. B* 1, 3966–3978.
- Fork, R. L., Shank, C. V., Glass, A. M., Migus, A., Bösch, M. A. and Shah, J. (1979). Picosecond dynamics of optically induced absorption in the bandgap of As_2S_3 . *Phys. Rev. Lett.* 43, 394–398.
- Forro, L., Chauvet, O., Emin, D., Zuppiroli, L., Berger, H. and Levy, F. (1994). High mobility *n*-type charge carriers in large single crystals of anatase (TiO_2). *J. Appl. Phys.* 75, 633–635.
- Franck, J. (1926). Elementary processes of photochemical reactions. *Trans. Faraday Soc.* 21, 536–542.
- Frenkel, J. (1938). On pre-breakdown phenomena in insulators and electronic semiconductors. *Phys. Rev.* 54, 647–648.
- Friedman, L. (1963). Hall effect in the polaron-band regime. *Phys. Rev.* 131, 2445–2456.
- Friedman, L. (1964). Transport properties of organic semiconductors. *Phys. Rev.* 133, A1668–A1679.
- Friedman, L. and Holstein, T. (1963). Studies of polaron motion Part III: The Hall mobility of a small polaron. *Ann. Phys. (N.Y.)* 21, 494–549.
- Fritzsche, H. (2006). Why chalcogenides are ideal materials for Ovshinsky's Ovonic threshold and memory devices. *Phys. Chem. Glasses* 47, 77–82.
- Fröhlich, H. (1963). Introduction to the theory of the polaron. In: *Polarons and Excitons*, ed. C. G. Kuper and G. D. Whitfield, New York, Plenum Press, pp. 1–32.
- Fröhlich, H. and Sewell, G. L. (1959). Electric conduction in semiconductors. *Proc. Phys. Soc. (London)* 74, 643–647.

- Geballe, T., (1959). Group IV semiconductors. In: *Semiconductors*, ed. N. B. Hannay, New York, Reinhold, pp. 313–388.
- Ghosh, P. K. and Spear, W. E. (1968). Electronic transport in liquid and solid sulphur. *J. Phys. C* 1, 1347–1358.
- Gibbons, D. J. and Spear, W. E. (1966). Electron hopping transport and trapping phenomena in orthorhombic sulphur crystals. *J. Phys. Chem. Solids*, 27, 1917–1925.
- Godart, C., Mauger, A., Desfours, J. P. and Achard, J. C. (1980). Physical properties of EuO versus electronic concentrations. *J. de Physique* 41, C5-205–C5-214.
- Grant, A. J., Moustakas, T. D., Penny, T. and Weiser, K. (1974). Conduction in localized band-tail and in extended states. I. Experimental studies of transport in amorphous arsenic telluride. In: *Amorphous and Liquid Semiconductors*, eds. J. Stuke and W. Brenig, London, Taylor & Francis, pp. 325–333.
- Heikes, R. R., Maradudin, A. A. and Miller, R. C. (1963). Une etude des proprietes de transport des semiconducteurs de valence mixte. *Ann. Phys. (Paris)* 8, 733–746.
- Heikes, R. R. and Ure, R. W. (1961). *Thermoelectricity: Science and Engineering*, New York, Interscience.
- Henry, C. H. and Lang, D. V. (1977). Nonradiative capture and recombination by multi-phonon emission in GaAs and GaP. *Phys. Rev. B* 15, 989–1016.
- Herring, C. (1961). The current state of transport theory. In: *Proceedings of the International Conference on Semiconductor Physics*, Prague 1960, New York, Academic Press, pp. 60–67.
- Hillery, M. S., Emin, D. and Liu, N.-L. H. (1988). Effect of an applied magnetic field on the abrupt donor collapse in a ferromagnetic semiconductor. *Phys. Rev. B* 38, 9771–9777.
- Hiramoto, H. and Toyozawa, Y. (1985). Inter-polaron interaction and bipolaron formation I. *J. Phys. Soc. Jap.* 54, 245–259.
- Holstein, T. (1959a). Studies of polaron motion Part 1: The molecular-crystal model. *Ann. Phys. (N.Y.)* 8, 325–342.
- Holstein, T. (1959b). Studies of polaron motion Part II: The “small” polaron. *Ann. Phys. (N.Y.)* 8, 343–389.
- Holstein, T. (1973). Sign of the Hall coefficient in hopping-type charge transport. *Phil. Mag.* 27, 225–233.
- Holstein, T. (1981). Dynamics of self-localized charge carriers in quasi 1-D solids. *Mol. Cryst. Liq. Cryst.* 77, 235–252.
- Holstein, T. and Friedman, L. (1968). Hall mobility of the small polaron. II. *Phys. Rev.* 165, 1019–1031.
- Hughes, R. C. (1971a). Geminate recombination of x-ray excited electron–hole pairs in anthracene. *J. Chem. Phys.* 55, 5442–5447.
- Hughes, R. C. (1971b). Geminate recombination of x-ray excited carriers in organic solids: Poly-*n*-vinylcarbazole. *Chem. Phys. Lett.* 8, 403–406.
- Hundley, M. F. and Neumeier, J. J. (1997). Thermoelectric power of $\text{La}_{1-x}\text{Ca}_x\text{MnO}_{3+\delta}$: Inadequacy of the nominal $\text{Mn}^{3+/4+}$ valence approach. *Phys. Rev. B* 55, 11511–11515.
- Ing, Jr, S. W., Neyhart, J. H. and Schmidlin, F. (1971). Charge transport and photoconductivity in amorphous arsenic trisulfide films. *J. Appl. Phys.* 42, 696–703.
- Jahn, H. A. and Teller, E. (1937). Stability of polyatomic molecules in degenerate electronic states. I. Orbital degeneracy. *Proc. Roy. Soc. A*, 161, 220–235.
- Jaime, M., Hardner, H. T., Salamon, M. B., Rubinstein, M., Dorsey, P. and Emin, D. (1997). Hall effect sign anomaly and small-polaronic conduction in $(\text{La}_{1-x}\text{Gd}_x)_{0.67}\text{Ca}_{0.33}\text{MnO}_3$. *Phys. Rev. Lett.* 78, 951–954.
- Jennison, D. R. and Emin, D. (1983a). Localization of surface excitations and stimulated desorption. *J. Vac. Sci. Technol. A* 1, 1154–1156.

- Jennison, D. R. and Emin, D. (1983b). Strain-induced localization and electronically stimulated desorption and dissociation. *Phys. Rev. Lett.* 51, 1390–1393.
- Joannopolous, J. D. and Cohen, M. H. (1973). Electronic properties of complex crystalline and amorphous phases of Ge and Si. I: Density of states and band structures. *Phys. Rev. B* 7, 2644–2657.
- Kane, E. O. (1959). Zener tunneling in semiconductors. *J. Phys. Chem. Solids*, 12, 181–188.
- Karplus, R. and Luttinger, J. M. (1954). Hall effect in ferromagnets. *Phys. Rev.* 95, 1154–1160.
- Kastner, M., Adler, D. and Fritzsche, H. (1976). Valence-alternation model for localized gap states in lone-pair semiconductors. *Phys. Rev. Lett.* 37, 1504–1507.
- Kasuya, T., Yanase, A. and Takeda, T. (1970). Stability condition for the paramagnetic polaron in a magnetic semiconductor. *Solid State Commun.* 8, 1543–1546.
- Kepler, R. G. and Coppage, F. N. (1966). Generation and recombination of holes and electrons in anthracene. *Phys. Rev.* 151, 610–614.
- Kertesz, M., Riess, I., Tannhauser, D. S., Langpape, R. and Rohr, F. J. (1982). Structure and electrical conductivity of $\text{La}_{0.84}\text{Sr}_{0.16}\text{MnO}_3$. *J. Solid State Chem.* 42, 125–129.
- Klaffe, G. R. and Wood, C. (1976). The Hall effect in amorphous As_2Se_3 . In: *Physics of Semiconductors: Proceedings of the Thirteenth International Conference*, ed. F. G. Fumi, London, North-Holland, pp. 545–548.
- Klinger, M. I. (1963). Quantum theory of non-steady-state conductivity in low mobility solids. *Phys. Lett.* 7, 102–104.
- Kolodiazhnyi, T. and Wimbush, S. C. (2006). Spin singlet small bipolarons in Nb-doped BaTiO_3 . *Phys. Rev. Lett.* 96, 246404.
- Kramers, H. A. (1934). L'interaction entre les atomes magnétogènes dans un cristal paramagnétique. *Physica* 1, 182–192.
- Kübler, J. and Vigren, D. T. (1975). Magnetically controlled electron localization in Eu-rich EuO . *Phys. Rev. B* 11, 4440–4449.
- Lakkis, S., Schlenker, C., Chakraverty, B. K., Buder, R. and Marezio, R. (1976). Metal–insulator transitions in Ti_4O_7 single crystals: Crystal characterization, specific heat, and electron paramagnetic resonance. *Phys. Rev. B* 14, 1429–1440.
- Landau, L. (1933). On the motion of electrons in a crystal lattice. *Phys. Z. Sowjetunion* 3, 664–665.
- Landau, L. (1946). On the thermodynamics of photoluminescence. *J. Phys. (Moscow)* 10, 503–506.
- Landau, L. D. and Lifshitz, E. M. (1958). *Statistical Physics*, London, Pergamon Press, Secs. 67, 73.
- LeComber, P. G., Jones, D. and Spear, W. E. (1977). Hall effect and impurity conduction in substitutionally doped amorphous silicon. *Phil. Mag.* 35, 1173–1187.
- Leroux-Hugon, P. (1972). Dielectric constant of an exchange-polarized electron gas and the metal–insulator transition in EuO . *Phys. Rev. Lett.* 29, 939–943.
- Lewis, A. J. (1976a). Conductivity and thermoelectric power of amorphous germanium and amorphous silicon. *Phys. Rev. B* 13, 2565–2575.
- Lewis, A. J. (1976b). Use of hydrogenation in the study of the transport properties of amorphous germanium. *Phys. Rev. B* 14, 658–668.
- Lifshitz, E. M. and Pitaevskii, L. P. (1980). *Statistical Physics Part 2: Theory of the Condensed State*, Oxford, Pergamon Press, Secs. 34, 44.
- Liu, N.-L. H. and Emin, D. (1979). Double exchange and small-polaron hopping in magnetic semiconductors. *Phys. Rev. Lett.* 42, 71–74.
- Liu, N.-L. H. and Emin, D. (1984). Thermoelectric power of small polarons in magnetic semiconductors. *Phys. Rev. B* 30, 3250–3256.

- Low, G. G. (1963). Application of spin wave theory to three magnetic salts. *Proc. Phys. Soc (London)* 82, 992–1001, Fig. 1.
- Madden, H. H., Jennison, D. R., Traum, M. M., Margaritondo, G. and Stoffel, N. G. (1982). Correlation of H^+ -desorption threshold with localized state observed in Auger line shape Si(001):H. *Phys. Rev. B* 26, 896–902.
- Mauger, A. (1983). Magnetic polaron: Theory and Experiment. *Phys. Rev. B* 27, 2308–2324.
- Marcus, R. A. (1960). Exchange reactions and electron transfer reactions including isotopic exchange. *Discuss. Faraday Soc.* 29, 21–31.
- Mauger, A. and Mills, D. L. (1985). Role of conduction-electron-local moment exchange in antiferromagnetic semiconductors: Ferrons and bound magnetic polarons. *Phys. Rev. B* 31, 8024–8033.
- Melz, P. (1972). Photogeneration of trinitrofluorenone-poly(N-vinylcarbazole). *J. Chem. Phys.* 57, 1694–1699.
- Mendez, E. E., Agulló-Rueda, F. and Hong, J. M. (1988). Stark localization in GaAs-GaAlAs superlattices under an electric field. *Phys. Rev. Lett.* 60, 2426–2429.
- Methfessel, S. and Mattis, D. C. (1968). Magnetic semiconductors. *Handbuch der Physik* 18/1, 389–562.
- Meyer, Von W. and Neldel, H. (1937). Über die beziehungen zwischen der energiekonstanten E und der mengenkonstanten a in der leitwerts-temperaturformel bei oxydischen halbleitern. *Z. Tech. Phys.* 18 No. 12, 588–593.
- Miller, A. and Abrahams, E. (1960). Impurity conduction at low concentrations. *Phys. Rev.* 120, 745–755.
- Miller, R. C., Heikes, R. R., and Mazelsky, R. (1961). Model for the electronic transport properties of mixed valency semiconductors. *J. Appl. Phys.* 32, 2202–2206.
- Moizhes, B. Ya. and Suprun, S. G. (1984). Bipolarons in n -type barium titanate(?). *Sov. Phys. Solid State* 26, 544–545.
- Mott, N. F. (1974). *Metal-Insulator Transitions*, London, Taylor & Francis.
- Mott, N. F. and Davis, E. A. (1979). *Electronic Processes in Non-Crystalline Materials*, second edition. Oxford, Clarendon Press.
- Mott, N. F. and Stoneham, A. M. (1977). The lifetime of electrons, holes and excitons before self-trapping. *J. Phys. C: Solid State Phys.* 10, 3391–3398.
- Moustakas, T. D. and Paul, W. (1977). Transport and recombination in sputtered hydrogenated amorphous germanium. *Phys. Rev. B* 16, 1564–1576.
- Mytilineou, E. and Davis, E. A. (1977). Thermopower, conductivity and Hall effect in amorphous arsenic. In: *Amorphous and Liquid Semiconductors*, ed. W. E. Spear, Edinburgh, University of Edinburgh Press, pp. 632–636.
- Nagaev, E. L. (1967). Ground state and anomalous magnetic moment of conduction electrons in an antiferromagnetic semiconductor. *Sov. Phys. JETP Lett.* 6, 18–20.
- Nagaev, E. L. (1976). Ferromagnetic and antiferromagnetic semiconductors. *Sov. Phys. Usp.* 18, 863–892.
- Nagels, P. (1980). Experimental Hall effect data for a small-polaron semiconductor. In: *The Hall Effect and its Applications*, eds. C. L. Chien and C. R. Westgate, New York, Plenum Press, pp. 253–280.
- Nagels, P., Callaerts, R. and Denayer, M. (1974). Conduction in extended and localized states in the amorphous system As-Te-Si. In: *Amorphous and Liquid Semiconductors*, eds. J. Stuke and W. Brenig, London, Taylor & Francis, pp. 867–876.
- Oliver, M. R., Kafalas, J. A., Dimmock, J. O. and Reed, T. B. (1970). Pressure dependence of the electrical resistivity of EuO. *Phys. Rev. Lett.* 24, 1067–1067.

- Oliver, M. R., Dimmock, J. O., McWhorter, A. L. and Reed, T. B. (1972). Conductivity studies of europium oxide. *Phys. Rev. B* 5, 1078–1098.
- Onsager, L. (1934). Deviations of Ohm's law in weak electrolytes. *J. Chem. Phys.* 2, 599–615.
- Onsager, L. (1938). Initial recombination of ions. *Phys. Rev.* 54, 554–557.
- Öpik, U. and Pryce, M. H. L. (1957). Studies of the Jahn–Teller effect I: A survey of the static problem. *Proc. Roy. Soc. London A* 238, 425–447.
- Pai, D. M. and Enck, R. C. (1975). Onsager mechanism of photogeneration in amorphous selenium. *Phys. Rev. B* 11, 5163–5174.
- Palstra, T. T. M., Ramirez, A. P., Cheong, S.-W., Zegarski, B. R., Schiffer, P. and Zaanen, J. (1997). Transport mechanisms in doped LaMnO_3 : Evidence for polaron formation. *Phys. Rev. B* 56, 5104–5107.
- Paul, W. and Connell, G. A. N. (1976). Structural modelling of disordered semiconductors. In: *Physics of Structurally Disordered Solids*, ed. S. S. Mitra, New York, Plenum, pp. 45–91.
- Pekar, S. I. (1963). *Investigations of the Electronic Theory of Crystals*, Washington: U.S. Government Printing Office, US AEC Report-tr-5575 [Russian original: Gostekhizdat, Moscow, 1951].
- Penny, T., Shafer, M. W. and Torrance, J. B. (1972). Insulator–metal transition and long-range magnetic order in EuO. *Phys. Rev. B* 5, 3669–3674.
- Penrose, O. and Onsager, L. (1956). Bose–Einstein condensation and liquid helium. *Phys. Rev.* 104, 576–584.
- Petrich, G., von Molnar, S. and Penney, T. (1971). Exchange-induced autoionization in Eu-rich EuO. *Phys. Rev. Lett.* 26, 885–888.
- Pincus, P. (1972). Polaron effects in the nearly atomic limit of the Hubbard model. *Solid State Commun.* 11, 51–54.
- Pitaevskii, L. P. (1959). Properties of the spectrum of elementary excitations near the disintegration threshold of the excitations. *Sov. Phys. JETP* 9, 830–837.
- Pollak, M. and Geballe, T. H. (1961). Low-frequency conductivity due to hopping processes in silicon. *Phys. Rev.* 122, 1742–1753.
- Pollak, M. and Pike, G. E. (1972). AC conductivity of glasses. *Phys. Rev. Lett.* 28, 1449–1451.
- Pooley, D. (1966a). F-center production in alkali halides by electron–hole recombination and a subsequent [110] replacement sequence: A discussion of the electron–hole recombination. *Proc. Phys. Soc.* 87, 245–256.
- Pooley, D. (1966b). [110] anion replacement sequences in alkali halides and their relation to F-centre production by electron–hole recombination. *Proc. Phys. Soc.* 87, 257–262.
- Pringsheim, P. (1929). Zwei Bemerkungen über den Unterschied von Lumineszenz und Temperaturstrahlung. *Z. Phys.* 57, 739–746. Two remarks on the difference of luminescence and thermal radiation.
- Rashba, E. E. (1957). Theory of strong interactions of electron excitations with lattice vibrations in molecular crystals. *Opt. Spektrosk.* 2, 75–87.
- Reik, H. G. and Heese, D. (1967). Frequency dependence of the electrical conductivity of small polarons for high and low temperatures. *J. Phys. Chem. Solids* 28, 581–596.
- Robertson, J. (1975). Valence *s* bands in chalcogens and amorphous arsenic. *J. Phys. C*, 8, 3131–3136.
- Samara, G. A., Tardy, H. L., Venturini, E. L., Aselage, T. L. and Emin, D. (1993). AC hopping conductivities, dielectric constants and reflectivities of boron carbides. *Phys. Rev. B* 48, 1468–1477.

- Schafroth, M. R. (1955). Superconductivity of a charged ideal Bose gas. *Phys. Rev.* 100, 463–475.
- Schein, L. B. and Borsenberger, P. M. (1993). Hole mobilities in hydrazone-doped polycarbonate and poly(styrene). *Chem. Phys.* 177, 773–781.
- Schirmer, O. F., Imlau, M., Merschjann, C. and Schoke, B. (2009). Electron small polarons and bipolarons in LiNbO_3 . *J. Phys. Condens. Matter* 21, 12301.
- Schirmer, O. F. and Salje, E. (1980). Conduction bipolarons in low-temperature crystalline $\text{WO}_3\text{-x}$. *J. Phys. C: Solid State Phys.* 13, L1067–L1072.
- Schirmer, O. F. and von der Linde, D. (1978). Two-photon- and X-ray-induced Nb^{4+} and O^- small polarons in LiNbO_3 . *Appl. Phys. Lett.* 33, 35–38.
- Schultz, T. D. (1963). Feynman's path-integral method applied to the equilibrium properties of polarons and related problems. In: *Polarons and Excitons*, eds. C. G. Kuper and G. D. Whitfield, New York, Plenum, pp. 71–121; p. 110.
- Schüttler, H.-B. and Holstein, T. (1986). Dynamics and transport of a large acoustic polaron in one dimension. *Ann. Phys. (N.Y.)* 166, 93–163.
- Seager, C. H. (1971). Electronic Hall mobility in the alkaline-earth fluorides. *Phys. Rev. B* 3, 3479–3484.
- Seager, C. H. and Emin, D. (1970). High-temperature measurements of the electron Hall mobility in the alkali halides. *Phys. Rev. B* 2, 3421–3431.
- Seager, C. H., Emin, D. and Quinn, R. K. (1973). Electrical transport and structural properties of bulk As-Te-I, As-Te-Ge and As-Te chalcogenide glasses. *Phys. Rev. B* 8, 4746–4760.
- Seager, C. H., Knotek, M. L. and Clark, A. H. (1974). DC transport properties of evaporated a-Ge films as a function of annealing. In: *Amorphous and Liquid Semiconductors*, eds. J. Stuke and W. Brenig, London, Taylor & Francis, pp. 1133–1138.
- Seager, C. H. and Quinn, R. K. (1975). DC electronic transport in binary arsenic chalcogenide glasses. *J. Non-Cryst. Solids* 17, 386–400.
- Shah, J. and Bösch, M. A. (1979). Band-to-band luminescence in amorphous solids: Implications for the nature of electronic band states. *Phys. Rev. Lett.* 42, 1420–1423.
- Shao, Y., Hughes, R. A., Dabkowski, A., Radtke, G., Gong, W. H., Preston, J. S. and Botton, G. A. (2008). Structural and transport properties of epitaxial niobium-doped BaTiO_3 films. *Appl. Phys. Lett.* 93, 192114.
- Sil, A., Giri, A. K. and Chatterjee, A. (1991). Stability of the Fröhlich bipolaron in two and three dimensions. *Phys. Rev. B* 43, 12642–12645.
- Street, R. A. and Mott, N. F. (1975). States in the gap in glassy semiconductors. *Phys. Rev. Lett.* 35, 1293–1296.
- Suprun, S. G. and Moizhes, B. Ya. (1982). Role of electron correlation in the creation of a Pekar bipolaron. *Sov. Phys. Solid State* 24, 903–905.
- Tanaka, J., Umehara, M., Tamura, S., Tsukioka, M., and Ehara, S. (1982). Study on electric resistivity and thermoelectric power in $(\text{La}_{0.8}\text{Ca}_{0.2})\text{MnO}_{3-y}$. *J. Phys. Soc. Jpn.* 51, 1236–1242.
- Tanaka, J., Nozaki, H., Horiuchi, S. and Tsukioka, M. (1983a). Etude expérimentale du comportement magnétique du $(\text{La}_{0.8}\text{Ca}_{0.2})\text{MnO}_3$ préparé par la méthode de co-précipitation. *J. Physique-Lett.* 44, L129–L134.
- Tanaka, J., Takahashi, K., Yukino, K. and Horiuchi, S. (1983b). Electrical conduction of $(\text{La}_{0.8}\text{Ca}_{0.2})\text{MnO}_3$ with homogeneous ionic distribution. *Phys. Stat. Solidi* 80, 621–630.
- Thorpe, M. F., Weaire, D., and Alben, R. (1973). Electronic properties of an amorphous solid. III. The cohesive energy and the density of states. *Phys. Rev. B* 7, 3777–3788.

- Torrence, J. B., Shafer, M. W. and McGuire, T. R. (1972). Bound magnetic polarons and the insulator–metal transition in EuO. *Phys. Rev. Lett.* 29, 1168–1171.
- Toyozawa, Y. (1961). Self-trapping of an electron by the acoustical mode of lattice vibration. I. *Prog. Theor. Phys.* 26, 29–44.
- Umehara, M. (1981). Effect of the electron–phonon interaction on the self-trapped magnetic polaron. *J. Phys. Soc. Jpn.* 50, 1082–1090.
- Umehara, M. and Kasuya, T. (1972). A theory for a self-trapped antiferromagnetic polaron at $T = 0$ K. *J. Phys. Soc. Jpn.* 33, 602–615.
- Verbist, G., Peters, F. M. and Devreese, J. T. (1991). Large bipolarons in two and three dimensions. *Phys. Rev. B* 43, 2712–2720.
- Vinetskii, V. L. (1961). Bipolar states of current carriers in ionic crystals. *Sov. Phys. JETP* 13, 1023–1028.
- Vinetskii, V. L. and Gitterman, M. Sh. (1958). On the theory of the interaction of “excess” charges in ionic crystals. *Sov. Phys. JETP* 6, 560–564.
- Vitins, J. and Wachter, P. (1975). Doped EuTe: A mixed magnetic system. *Phys. Rev. B* 12, 3829–3839.
- Volger, J. (1954). Further experimental investigations on some ferromagnetic oxidic compounds of manganese with perovskite structure. *Physica* XX, 49–66.
- von Mühlennen, A., Errien, N., Schaer, M., Bussac, M.-N. and Zuppiroli, L. (2007). Thermopower measurements on pentacene transistors. *Phys. Rev. B* 75, 115338.
- Wannier, G. H. (1959). *Elements of Solid State Theory*, London, Cambridge University Press, pp. 190–193.
- Wood, C. (1986). Transport properties of boron carbides. In: *Boron-Rich Solids*, eds. D. Emin, T. L. Aselage, C. L. Beckel, I. A. Howard and C. Wood, New York, American Institute of Physics, pp. 206–215.
- Yamashita, J. and Kurosawa, T. (1958). On electronic current in NiO. *J. Phys. Chem. Solids* 5, 34–43.
- Zener, C. (1932). Non-adiabatic crossing of energy levels. *Proc. Roy. Soc. A* 137, 696–702.