# University of Southern Denmark IMADA

Arthur Zimek

## DM868/DM870/DS804: Data Mining and Machine Learning Spring term 2023

### Exercise 2: Apriori, Confidence, Itemsets and Association Rules

#### **Exercise 2-1** Combinatoric explosion (1 point)

- (a) A database contains transactions over the following items: "apples", "bananas", and "cherries". How many different combinations of these items can exist (i.e., how many different transactions could possibly occur in the database)?
  - (We do not distinguish whether a transaction contains a fruit once or several times, e.g., if someone bought one apple or several apples would just result in the transaction to contain "apples".)
- (b) The database now also contains the items "dates", "eggplants", "figs", and "guavas". How many possible transactions do we have now?
- (c) How many combinations (possible different transactions) do we have with n items?
- (d) How many transactions with exactly two items (i.e., 2-itemsets) can we have when the database contains 3 items? When it contains 5 items? How many k-itemsets do we have when the database contains n items?

#### **Exercise 2-2** Itemsets and Association Rules (1 point)

Given a set of transactions T according to the following table:

Set of transactions T

Transaction ID	items in basket
1	{Milk, Beer, Diapers}
2	{Bread, Butter, Milk}
3	{Milk, Diapers, Cookies }
4	{Bread, Butter, Cookies}
5	{Beer, Cookies, Diapers}
6	{Milk, Diapers, Bread, Butter}
7	{Bread, Butter, Diapers}
8	{Beer, Diapers}
9	{Milk, Diapers, Bread, Butter}
10	{Beer, Cookies}

- (a) What are the support and the confidence of  $\{Milk\} \Rightarrow \{Diapers\}$ ?
- (b) What are the support and the confidence of  $\{Diapers\} \Rightarrow \{Milk\}$ ?
- (c) What is the maximum number of size-3 itemsets that can be derived from this data set?
- (d) What is the maximum number of association rules that can be extracted from this dataset (including rules, that have zero support)?
- (e) What is the maximum size of frequent itemsets that can be extracted (assuming  $\sigma > 0$ )?
- (f) Find an itemset (of size 2 or larger) that has the largest support.
- (g) Find a pair of items, a and b, such that the rules  $\{a\} \Rightarrow \{b\}$  and  $\{b\} \Rightarrow \{a\}$  have the same confidence.

#### **Exercise 2-3** Apriori candidate generation (1 point)

Given the frequent 3-itemsets:

$$\{1,2,3\},\{1,2,4\},\{1,2,5\},\{1,3,4\},\{1,3,5\},\{2,3,4\},\{2,3,5\},\{3,4,5\}$$

List all candidate 4-itemsets following the Apriori joining and pruning procedure.