


Form

6 ▼

Uppercase ☐

Generate Password


[about...](#)



password

your password is: **aqcefu**

[home page...](#)



about page

[home...](#)

A screenshot of the Visual Studio Code editor. The Explorer panel on the left shows the project structure for 'PASSWORD_GENERATOR-PROJECT'. The file 'urls.py' is selected under the 'password_generator' folder. The main editor area shows the content of 'urls.py'.

```
password_generator > urls.py > ...
4 The `urlpatterns` list routes URLs to views. For more information please see:
5   https://docs.djangoproject.com/en/4.2/topics/http/urls/
6 Examples:
7 Function views
8     1. Add an import: from my_app import views
9     2. Add a URL to urlpatterns: path('', views.home, name='home')
10 Class-based views
11     1. Add an import: from other_app.views import Home
12     2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
13 Including another URLconf
14     1. Import the include() function: from django.urls import include, path
15     2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
16 """
17 from django.contrib import admin
18 from django.urls import path
19 from generator import views
20
21 urlpatterns = [
22     path('admin/', admin.site.urls),
23     path('home/', views.home, name="home"),
24     path('password/', views.password, name='password'),
25     path('about/', views.about, name='about'),
26 ]
27
```

A screenshot of the Visual Studio Code editor. The Explorer panel on the left shows the project structure for 'PASSWORD_GENERATOR-PROJECT'. The file 'views.py' is selected under the 'password_generator' folder. The main editor area shows the content of 'views.py'.

```
generator > views.py > about
1 from django.shortcuts import render
2 from django.http import HttpResponse
3 import random
4
5 # Create your views here.
6 def home(request):
7     return render(request, 'generator/home.html')
8
9 def password(request):
10     charlist = list("qwertyuiopasdfghjklñzxcvbnm")
11     if (request.GET.get("upper")):
12         charlist.extend("QWERTYUIOPASDFGHJKLÑZXCVBNM")
13     leng = int(request.GET.get("length"))
14     passw = ""
15     for x in range(leng):
16         passw += random.choice(charlist)
17     return render(request, 'generator/password.html', {"password":passw})
18
19 def about(request):
20     return render(request, 'generator/about.html')
```

