

# UKPMS

## Release Notes v4.5.1.0 Fix 1

## Introduction

This document defines the changes made to the UKPMS product for fix release v4.5.1.0 Fix 1 and is specifically targeted at end users.

After reading through this document, should you have any further training or consultancy requirements then please contact your **Bentley** account manager.

## Fix Details

Baseline Release	4.5.1.0
Fix Description	UKPMS 4.5.1.0 Fix 1 Patchset  This script modifies the 4510 metadata to ensure that the crack length field is not truncated following a load into the database.
Prerequisites	<b>Before applying this fix please ensure that the post upgrade tasks (of the Release Notes) are completed in the 4.5.1.0 upgrade of UKPMS before continuing i.e. the views need regenerating via the form UKP0050 and the schema recompiled.</b>
Implementation Instructions	Unzip ukp_4510_fix1.zip to a staging folder.  Log onto SQL*PLUS as the Highways Owner with the staging folder as the working directory. At the prompt type "START ukp_4510_fix1.sql" and press return.  Exit SQL*PLUS.  <b>Regenerate the views via the form UKP0050 and recompile the schema.</b>
Limitations	None known
Configuration Information	None
How To Test	Recommend full regression test
Rollback Strategy	Initially implement on a test environment

## List of Amended Files

Filename	Version
log_ukp_4510_fix1.sql	3.0
ukp_4510_fix1.sql	3.0
ukp_4510_fix1_update.sql	3.0

## Log No. Summary

This chapter summarises all software changes that have been made in this release.

These changes are derived from the following sources,

- Issues raised by Customers via Bentley Support
- Issues raised internally by Bentley

### Issues

Internal Task ID	Issue	Support Log(s)
0112024	This script modifies the 4510 metadata to ensure that the crack length field is not truncated following a load into the database.	