

The selected province requires preliminary screening for Bridge interventions. The value is not the case list: it is understanding whether Bologna has already shown concentrated vulnerability under extreme conditions or risk distributed over time.

PRIORITY INDEX

52/100

territorial exposure

COLLAPSE RATE

0.62x

national rank 47

EVENTS


6

ARCUS cases in sample

EVIDENCE

13

linked sources



BOLOGNA / ARCUS ATLAS EXTRACT

DECISION MESSAGE

Distributed chronic risk

historical risk distributed across multiple events and dates (17% on the most recurrent date). The 0.62x rate versus the national average places Bologna among the provinces with documented historical vulnerability above the ARCUS/AINOP benchmark. Bologna is national rank 47 by documented ARCUS/AINOP collapse rate.

01 NEXT ACTIONS

- Use the territorial exposure indicators to identify the dominant Hydraulic signal.
- Read the documented distributed historical pattern and use individual cases as map/appendix references.
- Request TR100/TR200 hydraulic model, preliminary scour estimate, riverbed/bathymetry evidence and debris-transport indicators where relevant.
- Differentiate checks by geomorphology: torrential/confined channels require scour/debris checks; lowland crossings require flood level and duration checks.

DATA REQUEST PACKAGE

TR100/TR200 hydraulic model; preliminary scour depth; riverbed/bathymetry evidence; debris transport indicators where relevant.

CONFIDENCE NOTE

Collapse Rate confidence: high. The AINOP denominator should be read as available bridge-census coverage, not as a perfect inventory of the bridge stock.