

Dateiauswertung

GLEICH

84-1.5.1.354/36985/shape nocut6.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.354/36985/shape nocut6.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:45',('Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 80','Pottmanager 80', '#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = ADVANCED_BREP_SHAPE_REPRESENTATION('', (#11,#15), #68);
22	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
23	#12 = CARTESIAN_POINT('', (0., 0., 0.));
24	#13 = DIRECTION('', (0., 0., 1.));
25	#14 = DIRECTION('', (1., 0., -0.));
26	#15 = MANIFOLD_SOLID_BREP('', #16);
27	#16 = CLOSED_SHELL('', (#17, #50, #59));
28	#17 = ADVANCED_FACE('', (#18), #45, .T.);
29	#18 = FACE_BOUND('', #19, .T.);
30	#19 = EDGE_LOOP('', (#20, #29, #37, #44));

31	#20 = ORIENTED_EDGE(' ', *, *, #21, .F.);
32	#21 = EDGE_CURVE(' ', #22, #22, #24, .T.);
33	#22 = VERTEX_POINT(' ', #23);
34	#23 = CARTESIAN_POINT(' ', (6.35, 29.95, -3.51493821262E-15));
35	#24 = CIRCLE(' ', #25, 2.4);
36	#25 = AXIS2_PLACEMENT_3D(' ', #26, #27, #28);
37	#26 = CARTESIAN_POINT(' ', (3.95, 29.95, -3.808853444416E-15));
38	#27 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
39	#28 = DIRECTION(' ', (1., -1.359631073447E-32, -1.224646799147E-16));
40	#29 = ORIENTED_EDGE(' ', *, *, #30, .F.);
41	#30 = EDGE_CURVE(' ', #31, #22, #33, .T.);
42	#31 = VERTEX_POINT(' ', #32);
43	#32 = CARTESIAN_POINT(' ', (6.35, 15.95, -1.960625978145E-15));
44	#33 = LINE(' ', #34, #35);
45	#34 = CARTESIAN_POINT(' ', (6.35, 15.95, -1.960625978145E-15));
46	#35 = VECTOR(' ', #36, 1.);
47	#36 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
48	#37 = ORIENTED_EDGE(' ', *, *, #38, .T.);
49	#38 = EDGE_CURVE(' ', #31, #31, #39, .T.);
50	#39 = CIRCLE(' ', #40, 2.4);
51	#40 = AXIS2_PLACEMENT_3D(' ', #41, #42, #43);
52	#41 = CARTESIAN_POINT(' ', (3.95, 15.95, -2.25454120994E-15));
53	#42 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
54	#43 = DIRECTION(' ', (1., -1.359631073447E-32, -1.224646799147E-16));
55	#44 = ORIENTED_EDGE(' ', *, *, #30, .T.);
56	#45 = CYLINDRICAL_SURFACE(' ', #46, 2.4);
57	#46 = AXIS2_PLACEMENT_3D(' ', #47, #48, #49);
58	#47 = CARTESIAN_POINT(' ', (3.95, 15.95, -2.25454120994E-15));
59	#48 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));
60	#49 = DIRECTION(' ', (1., -1.359631073447E-32, -1.224646799147E-16));
61	#50 = ADVANCED_FACE(' ', (#51), #54, .T.);
62	#51 = FACE_BOUND(' ', #52, .T.);
63	#52 = EDGE_LOOP(' ', (#53));
64	#53 = ORIENTED_EDGE(' ', *, *, #21, .T.);
65	#54 = PLANE(' ', #55);
66	#55 = AXIS2_PLACEMENT_3D(' ', #56, #57, #58);
67	#56 = CARTESIAN_POINT(' ', (3.95, 29.95, -3.808853444416E-15));
68	#57 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));
69	#58 = DIRECTION(' ', (1., -1.359631073447E-32, -1.224646799147E-16));
70	#59 = ADVANCED_FACE(' ', (#60), #63, .F.);
71	#60 = FACE_BOUND(' ', #61, .T.);
72	#61 = EDGE_LOOP(' ', (#62));
73	#62 = ORIENTED_EDGE(' ', *, *, #38, .F.);
74	#63 = PLANE(' ', #64);
75	#64 = AXIS2_PLACEMENT_3D(' ', #65, #66, #67);
76	#65 = CARTESIAN_POINT(' ', (3.95, 15.95, -2.25454120994E-15));
77	#66 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));
78	#67 = DIRECTION(' ', (1., -1.359631073447E-32, -1.224646799147E-16));
79	#68 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
80	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#72)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
81	(#69, #70, #71)) REPRESENTATION_CONTEXT('Context #1',

82	'3D Context with UNIT and UNCERTAINTY'));
83	#69 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
84	#70 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));
85	#71 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
86	#72 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#69,
87	'distance_accuracy_value','confusion accuracy');
88	#73 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
89	#74 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#75),
90	#68);
91	#75 = STYLED_ITEM('color',(#76),#15);
92	#76 = PRESENTATION_STYLE_ASSIGNMENT((#77));
93	#77 = SURFACE_STYLE_USAGE(.BOTH.,#78);
94	#78 = SURFACE_SIDE_STYLE('',(#79));
95	#79 = SURFACE_STYLE_FILL_AREA(#80);
96	#80 = FILL_AREA_STYLE('',(#81));
97	#81 = FILL_AREA_STYLE_COLOUR('',(#82);
98	#82 = COLOUR_RGB('',0.588235318661,0.588235318661,0.588235318661);
99	ENDSEC;
100	END-ISO-10303-21;