

Dateiauswertung

GLEICH

84-1.5.1.354/52695/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.354/52695/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:55:22','Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 152','Pottmanager 152','',(#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));
28	#16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(1.745329251994)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18,0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (-5.551115123126E-17, 0.145588093706,
33	-2.877081452051E-17));
34	#20 = DIRECTION(' ', (-8.659560562355E-17, -1.976179080861E-16, -1.));
35	#21 = DIRECTION(' ', (0.766044443119, -0.642787609687, 6.069026028345E-17));
36	#22 = CARTESIAN_POINT(' ', (0.30641777248, -0.111526950168,
37	-4.494710407133E-18));
38	#23 = CARTESIAN_POINT(' ', (-0.30641777248, -0.111526950168,
39	4.857415558202E-17));
40	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
41	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
42	#25 = LINE(' ', #26, #27);
43	#26 = CARTESIAN_POINT(' ', (0.30641777248, -0.111526950168,
44	-4.494710407133E-18));
45	#27 = VECTOR(' ', #28, 1.);
46	#28 = DIRECTION(' ', (0.642787609687, 0.766044443119, -2.070466826982E-16));
47	#29 = CARTESIAN_POINT(' ', (0.30641777248, -0.111526950168,
48	-4.494710407133E-18));
49	#30 = CARTESIAN_POINT(' ', (8.073591148775, 9.145029819651,
50	-2.506359177429E-15));
51	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(4.886921905584)), (#38,
52	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
53	#32 = CIRCLE(' ', #33, 0.4);
54	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
55	#34 = CARTESIAN_POINT(' ', (7.767173371527, 9.402144863526,
56	-2.530635281543E-15));
57	#35 = DIRECTION(' ', (-8.659560562355E-17, -1.976179080861E-16, -1.));
58	#36 = DIRECTION(' ', (0.766044443119, -0.642787609687, 6.069026028345E-17));
59	#37 = CARTESIAN_POINT(' ', (8.073591148775, 9.659259907401,
60	-2.607980251645E-15));
61	#38 = CARTESIAN_POINT(' ', (8.073591148775, 9.145029819651,
62	-2.506359177429E-15));
63	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
64	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
65	#40 = LINE(' ', #41, #42);
66	#41 = CARTESIAN_POINT(' ', (8.073591148775, 9.659259907401,
67	-2.607980251645E-15));
68	#42 = VECTOR(' ', #43, 1.);
69	#43 = DIRECTION(' ', (-0.642787609687, 0.766044443119, -9.572151800201E-17)
70	);
71	#44 = CARTESIAN_POINT(' ', (8.073591148775, 9.659259907401,
72	-2.607980251645E-15));
73	#45 = CARTESIAN_POINT(' ', (0.30641777248, 18.91581667722,
74	-3.764638554486E-15));
75	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
76	PARAMETER_VALUE(4.886921905584)), .T., .PARAMETER.);
77	#47 = CIRCLE(' ', #48, 0.4);
78	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
79	#49 = CARTESIAN_POINT(' ', (-1.7763568394E-15, 18.658701633345,
80	-3.687293584384E-15));
81	#50 = DIRECTION(' ', (-8.659560562355E-17, -1.976179080861E-16, -1.));

82	#51 = DIRECTION('',(0.766044443119,-0.642787609687,6.069026028345E-17));
83	#52 = CARTESIAN_POINT('',(-0.306417777248,18.91581667722,
84	-3.711569688497E-15));
85	#53 = CARTESIAN_POINT('',(0.306417777248,18.91581667722,
86	-3.764638554486E-15));
87	#54 = TRIMMED_CURVE('',#55,(#59,PARAMETER_VALUE(0.)),(#60,
88	PARAMETER_VALUE(12.08357668144)),.T.,.PARAMETER.);
89	#55 = LINE('',#56,#57);
90	#56 = CARTESIAN_POINT('',(-0.306417777248,18.91581667722,
91	-3.711569688497E-15));
92	#57 = VECTOR('',#58,1.);
93	#58 = DIRECTION('',(-0.642787609687,-0.766044443119,2.070466826982E-16)
94	);
95	#59 = CARTESIAN_POINT('',(-0.306417777248,18.91581667722,
96	-3.711569688497E-15));
97	#60 = CARTESIAN_POINT('',(-8.073591148775,9.659259907401,
98	-1.209705221475E-15));
99	#61 = TRIMMED_CURVE('',#62,(#67,PARAMETER_VALUE(1.745329251994)),(#68,
100	PARAMETER_VALUE(3.14159265359)),.T.,.PARAMETER.);
101	#62 = CIRCLE('',#63,0.4);
102	#63 = AXIS2_PLACEMENT_3D('',#64,#65,#66);
103	#64 = CARTESIAN_POINT('',(-7.767173371527,9.402144863526,
104	-1.185429117362E-15));
105	#65 = DIRECTION('',(-8.659560562355E-17,-1.976179080861E-16,-1.));
106	#66 = DIRECTION('',(0.766044443119,-0.642787609687,6.069026028345E-17));
107	#67 = CARTESIAN_POINT('',(-8.073591148775,9.145029819651,
108	-1.108084147259E-15));
109	#68 = CARTESIAN_POINT('',(-8.073591148775,9.659259907401,
110	-1.209705221475E-15));
111	#69 = TRIMMED_CURVE('',#70,(#74,PARAMETER_VALUE(0.)),(#75,
112	PARAMETER_VALUE(12.08357668144)),.T.,.PARAMETER.);
113	#70 = LINE('',#71,#72);
114	#71 = CARTESIAN_POINT('',(-8.073591148775,9.145029819651,
115	-1.108084147259E-15));
116	#72 = VECTOR('',#73,1.);
117	#73 = DIRECTION('',(0.642787609687,-0.766044443119,9.572151800201E-17));
118	#74 = CARTESIAN_POINT('',(-8.073591148775,9.145029819651,
119	-1.108084147259E-15));
120	#75 = CARTESIAN_POINT('',(-0.306417777248,-0.111526950168,
121	4.857415558202E-17));
122	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
123	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
124	(#77,#78,#79)) REPRESENTATION_CONTEXT('Context #1',
125	'3D Context with UNIT and UNCERTAINTY'));
126	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
127	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));
128	#79 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
129	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#77,
130	'distance_accuracy_value','confusion accuracy');
131	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
132	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#83),

133	#76);
134	#83 = STYLED_ITEM('color', (#84), #15);
135	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
136	#85 = SURFACE_STYLE_USAGE(.BOTH., #86);
137	#86 = SURFACE_SIDE_STYLE('', (#87));
138	#87 = SURFACE_STYLE_FILL_AREA(#88);
139	#88 = FILL_AREA_STYLE('', (#89));
140	#89 = FILL_AREA_STYLE_COLOUR('', #90);
141	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
142	ENDSEC;
143	END-ISO-10303-21;