

# Dateiauswertung

GLEICH

84-1.5.1.354/52706/sketch cut1.step

|                 |                                     |
|-----------------|-------------------------------------|
| <b>Branch 1</b> | main                                |
| <b>Branch 2</b> | current                             |
| <b>Datei</b>    | 84-1.5.1.354/52706/sketch cut1.step |
| <b>Typ</b>      | STEP/STP                            |

## Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

## Dateiinhalt / Vergleich

|    |                                                                           |
|----|---------------------------------------------------------------------------|
| 1  | ISO-10303-21;                                                             |
| 2  | HEADER;                                                                   |
| 3  | FILE_DESCRIPTION(('Open CASCADE Model','2;1');                            |
| 4  | FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:42',('Author'),(   |
| 5  | 'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'      |
| 6  | , 'Unknown');                                                             |
| 7  | FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));             |
| 8  | ENDSEC;                                                                   |
| 9  | DATA;                                                                     |
| 10 | #1 = APPLICATION_PROTOCOL_DEFINITION('international standard',            |
| 11 | 'automotive_design',2000,#2);                                             |
| 12 | #2 = APPLICATION_CONTEXT(                                                 |
| 13 | 'core data for automotive mechanical design processes');                  |
| 14 | #3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);                             |
| 15 | #4 = PRODUCT_DEFINITION_SHAPE('', '#5);                                   |
| 16 | #5 = PRODUCT_DEFINITION('design', '#6,#9);                                |
| 17 | #6 = PRODUCT_DEFINITION_FORMATION('', '#7);                               |
| 18 | #7 = PRODUCT('Pottmanager 63','Pottmanager 63', '#8));                    |
| 19 | #8 = PRODUCT_CONTEXT('', #2, 'mechanical');                               |
| 20 | #9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');         |
| 21 | #10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15), |
| 22 | #76);                                                                     |
| 23 | #11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);                                |
| 24 | #12 = CARTESIAN_POINT('', (0.,0.,0.));                                    |
| 25 | #13 = DIRECTION('', (0.,0.,1.));                                          |
| 26 | #14 = DIRECTION('', (1.,0.,-0.));                                         |
| 27 | #15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));         |
| 28 | #16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,            |
| 29 | PARAMETER_VALUE(2.181661564993)), .T., .PARAMETER.);                      |
| 30 | #17 = CIRCLE('', #18,0.4);                                                |

|    |                                                                              |
|----|------------------------------------------------------------------------------|
| 31 | #18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);                                |
| 32 | #19 = CARTESIAN_POINT(' ', (-8.150079457175E-02, 4.930142876125E-02,         |
| 33 | -2.252469989299E-02));                                                       |
| 34 | #20 = DIRECTION(' ', (-0.205685984078, 0.104528463268, 0.973019566258));     |
| 35 | #21 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,                   |
| 36 | 9.156674808321E-02));                                                        |
| 37 | #22 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,                 |
| 38 | 1.410199934029E-02));                                                        |
| 39 | #23 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,                  |
| 40 | 2.585730629805E-02));                                                        |
| 41 | #24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,              |
| 42 | PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);                        |
| 43 | #25 = LINE(' ', #26, #27);                                                   |
| 44 | #26 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,                 |
| 45 | 1.410199934029E-02));                                                        |
| 46 | #27 = VECTOR(' ', #28, 1.);                                                  |
| 47 | #28 = DIRECTION(' ', (-0.975996425775, 5.08185256503E-02, -0.211774536536)); |
| 48 | #29 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,                 |
| 49 | 1.410199934029E-02));                                                        |
| 50 | #30 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, -3.062392776376) |
| 51 | );                                                                           |
| 52 | #31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(5.323254218583)), (#38,  |
| 53 | PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);                          |
| 54 | #32 = CIRCLE(' ', #33, 0.4);                                                 |
| 55 | #33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);                                |
| 56 | #34 = CARTESIAN_POINT(' ', (-14.26001325474, 0.787553209313, -3.099019475609 |
| 57 | ));                                                                          |
| 58 | #35 = DIRECTION(' ', (-0.205685984078, 0.104528463268, 0.973019566258));     |
| 59 | #36 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,                   |
| 60 | 9.156674808321E-02));                                                        |
| 61 | #37 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)  |
| 62 | );                                                                           |
| 63 | #38 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, -3.062392776376) |
| 64 | );                                                                           |
| 65 | #39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,              |
| 66 | PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);                        |
| 67 | #40 = LINE(' ', #41, #42);                                                   |
| 68 | #41 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)  |
| 69 | );                                                                           |
| 70 | #42 = VECTOR(' ', #43, 1.);                                                  |
| 71 | #43 = DIRECTION(' ', (-0.5011704647, 0.842748691724, -0.196475972857));      |
| 72 | #44 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)  |
| 73 | );                                                                           |
| 74 | #45 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569,                |
| 75 | -6.001650693899));                                                           |
| 76 | #46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,   |
| 77 | PARAMETER_VALUE(5.323254218583)), .T., .PARAMETER.);                         |
| 78 | #47 = CIRCLE(' ', #48, 0.4);                                                 |
| 79 | #48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);                                |
| 80 | #49 = CARTESIAN_POINT(' ', (-21.54062565327, 13.030346841372,                |
| 81 | -5.953268687708));                                                           |

|     |                                                                              |
|-----|------------------------------------------------------------------------------|
| 82  | #50 = DIRECTION(' ', (-0.205685984078,0.104528463268,0.973019566258));       |
| 83  | #51 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,                   |
| 84  | 9.156674808321E-02));                                                        |
| 85  | #52 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,                |
| 86  | -5.989895386941));                                                           |
| 87  | #53 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569,                |
| 88  | -6.001650693899));                                                           |
| 89  | #54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,              |
| 90  | PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);                        |
| 91  | #55 = LINE(' ', #56, #57);                                                   |
| 92  | #56 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,                |
| 93  | -5.989895386941));                                                           |
| 94  | #57 = VECTOR(' ', #58, 1.);                                                  |
| 95  | #58 = DIRECTION(' ', (0.975996425775, -5.08185256503E-02, 0.211774536536));  |
| 96  | #59 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,                |
| 97  | -5.989895386941));                                                           |
| 98  | #60 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952,                |
| 99  | -2.913400611225));                                                           |
| 100 | #61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(2.181661564993)), (#68,  |
| 101 | PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);                          |
| 102 | #62 = CIRCLE(' ', #63, 0.4);                                                 |
| 103 | #63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);                                |
| 104 | #64 = CARTESIAN_POINT(' ', (-7.362113193107, 12.292095060821,                |
| 105 | -2.876773911991));                                                           |
| 106 | #65 = DIRECTION(' ', (-0.205685984078,0.104528463268,0.973019566258));       |
| 107 | #66 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,                   |
| 108 | 9.156674808321E-02));                                                        |
| 109 | #67 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058) |
| 110 | );                                                                           |
| 111 | #68 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952,                |
| 112 | -2.913400611225));                                                           |
| 113 | #69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,              |
| 114 | PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);                        |
| 115 | #70 = LINE(' ', #71, #72);                                                   |
| 116 | #71 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058) |
| 117 | );                                                                           |
| 118 | #72 = VECTOR(' ', #73, 1.);                                                  |
| 119 | #73 = DIRECTION(' ', (0.5011704647, -0.842748691724, 0.196475972857));       |
| 120 | #74 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058) |
| 121 | );                                                                           |
| 122 | #75 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,                  |
| 123 | 2.585730629805E-02));                                                        |
| 124 | #76 = ( GEOMETRIC_REPRESENTATION_CONTEXT(3)                                  |
| 125 | GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(     |
| 126 | (#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',                        |
| 127 | '3D Context with UNIT and UNCERTAINTY') );                                   |
| 128 | #77 = ( LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE. ) );            |
| 129 | #78 = ( NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN. ) );           |
| 130 | #79 = ( NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT() );         |
| 131 | #80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #77,             |
| 132 | 'distance_accuracy_value', 'confusion accuracy');                            |

|     |                                                                          |
|-----|--------------------------------------------------------------------------|
| 133 | #81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));                  |
| 134 | #82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',( #83), |
| 135 | #76);                                                                    |
| 136 | #83 = STYLED_ITEM('color',( #84), #15);                                  |
| 137 | #84 = PRESENTATION_STYLE_ASSIGNMENT((#85));                              |
| 138 | #85 = SURFACE_STYLE_USAGE(. BOTH., #86);                                 |
| 139 | #86 = SURFACE_SIDE_STYLE('',( #87));                                     |
| 140 | #87 = SURFACE_STYLE_FILL_AREA(#88);                                      |
| 141 | #88 = FILL_AREA_STYLE('',( #89));                                        |
| 142 | #89 = FILL_AREA_STYLE_COLOUR('',( #90);                                  |
| 143 | #90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');                            |
| 144 | ENDSEC;                                                                  |
| 145 | END-ISO-10303-21;                                                        |