

Dateiauswertung

GLEICH

84-1.5.1.354/52714/shape nocut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.354/52714/shape nocut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model'),'2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:55:25',('Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5');
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 172','Pottmanager 172', '#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = ADVANCED_BREP_SHAPE_REPRESENTATION('', (#11,#15), #68);
22	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
23	#12 = CARTESIAN_POINT('', (0., 0., 0.));
24	#13 = DIRECTION('', (0., 0., 1.));
25	#14 = DIRECTION('', (1., 0., -0.));
26	#15 = MANIFOLD_SOLID_BREP('', #16);
27	#16 = CLOSED_SHELL('', (#17, #34, #59));
28	#17 = ADVANCED_FACE('', (#18), #29, .T.);
29	#18 = FACE_BOUND('', #19, .F.);
30	#19 = EDGE_LOOP('', (#20));

31	#20 = ORIENTED_EDGE(' ', *, *, #21, .F.);
32	#21 = EDGE_CURVE(' ', #22, #22, #24, .T.);
33	#22 = VERTEX_POINT(' ', #23);
34	#23 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));
35	#24 = CIRCLE(' ', #25, 0.5);
36	#25 = AXIS2_PLACEMENT_3D(' ', #26, #27, #28);
37	#26 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));
38	#27 = DIRECTION(' ', (0., -1., 1.110223024625E-16));
39	#28 = DIRECTION(' ', (1., 0., 0.));
40	#29 = PLANE(' ', #30);
41	#30 = AXIS2_PLACEMENT_3D(' ', #31, #32, #33);
42	#31 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));
43	#32 = DIRECTION(' ', (0., -1., 1.110223024625E-16));
44	#33 = DIRECTION(' ', (1., 0., 0.));
45	#34 = ADVANCED_FACE(' ', (#35), #54, .T.);
46	#35 = FACE_BOUND(' ', #36, .F.);
47	#36 = EDGE_LOOP(' ', (#37, #38, #46, #53));
48	#37 = ORIENTED_EDGE(' ', *, *, #21, .T.);
49	#38 = ORIENTED_EDGE(' ', *, *, #39, .T.);
50	#39 = EDGE_CURVE(' ', #22, #40, #42, .T.);
51	#40 = VERTEX_POINT(' ', #41);
52	#41 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));
53	#42 = LINE(' ', #43, #44);
54	#43 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));
55	#44 = VECTOR(' ', #45, 1.);
56	#45 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
57	#46 = ORIENTED_EDGE(' ', *, *, #47, .F.);
58	#47 = EDGE_CURVE(' ', #40, #40, #48, .T.);
59	#48 = CIRCLE(' ', #49, 0.5);
60	#49 = AXIS2_PLACEMENT_3D(' ', #50, #51, #52);
61	#50 = CARTESIAN_POINT(' ', (-11.14239832695, 99., -0.10395441374));
62	#51 = DIRECTION(' ', (0., -1., 1.110223024625E-16));
63	#52 = DIRECTION(' ', (1., 0., 0.));
64	#53 = ORIENTED_EDGE(' ', *, *, #39, .F.);
65	#54 = CYLINDRICAL_SURFACE(' ', #55, 0.5);
66	#55 = AXIS2_PLACEMENT_3D(' ', #56, #57, #58);
67	#56 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));
68	#57 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));
69	#58 = DIRECTION(' ', (1., 0., 0.));
70	#59 = ADVANCED_FACE(' ', (#60), #63, .F.);
71	#60 = FACE_BOUND(' ', #61, .F.);
72	#61 = EDGE_LOOP(' ', (#62));
73	#62 = ORIENTED_EDGE(' ', *, *, #47, .T.);
74	#63 = PLANE(' ', #64);
75	#64 = AXIS2_PLACEMENT_3D(' ', #65, #66, #67);
76	#65 = CARTESIAN_POINT(' ', (-11.14239832695, 99., -0.10395441374));
77	#66 = DIRECTION(' ', (0., -1., 1.110223024625E-16));
78	#67 = DIRECTION(' ', (1., 0., 0.));
79	#68 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
80	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#72)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
81	(#69, #70, #71)) REPRESENTATION_CONTEXT('Context #1',

82	'3D Context with UNIT and UNCERTAINTY'));
83	#69 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
84	#70 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
85	#71 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
86	#72 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #69,
87	'distance_accuracy_value', 'confusion accuracy');
88	#73 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));
89	#74 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#75),
90	#68);
91	#75 = STYLED_ITEM('color', (#76), #15);
92	#76 = PRESENTATION_STYLE_ASSIGNMENT((#77));
93	#77 = SURFACE_STYLE_USAGE(.BOTH., #78);
94	#78 = SURFACE_SIDE_STYLE(' ', (#79));
95	#79 = SURFACE_STYLE_FILL_AREA(#80);
96	#80 = FILL_AREA_STYLE(' ', (#81));
97	#81 = FILL_AREA_STYLE_COLOUR(' ', #82);
98	#82 = COLOUR_RGB(' ', 0.29411765933, 0.29411765933, 0.29411765933);
99	ENDSEC;
100	END-ISO-10303-21;