

# Dateiauswertung

GLEICH

84-1.5.1.354/52714/sketch nocut1.step

|                 |                                       |
|-----------------|---------------------------------------|
| <b>Branch 1</b> | main                                  |
| <b>Branch 2</b> | current                               |
| <b>Datei</b>    | 84-1.5.1.354/52714/sketch nocut1.step |
| <b>Typ</b>      | STEP/STP                              |

## Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

## Dateiinhalt / Vergleich

|    |                                                                           |
|----|---------------------------------------------------------------------------|
| 1  | ISO-10303-21;                                                             |
| 2  | HEADER;                                                                   |
| 3  | FILE_DESCRIPTION(('Open CASCADE Model','2;1');                            |
| 4  | FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:55:25','Author'),(    |
| 5  | 'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'      |
| 6  | , 'Unknown');                                                             |
| 7  | FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));             |
| 8  | ENDSEC;                                                                   |
| 9  | DATA;                                                                     |
| 10 | #1 = APPLICATION_PROTOCOL_DEFINITION('international standard',            |
| 11 | 'automotive_design',2000,#2);                                             |
| 12 | #2 = APPLICATION_CONTEXT(                                                 |
| 13 | 'core data for automotive mechanical design processes');                  |
| 14 | #3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);                             |
| 15 | #4 = PRODUCT_DEFINITION_SHAPE('', '#5);                                   |
| 16 | #5 = PRODUCT_DEFINITION('design', '#6,#9);                                |
| 17 | #6 = PRODUCT_DEFINITION_FORMATION('', '#7);                               |
| 18 | #7 = PRODUCT('Pottmanager 174','Pottmanager 174', '#8));                  |
| 19 | #8 = PRODUCT_CONTEXT('', #2, 'mechanical');                               |
| 20 | #9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');         |
| 21 | #10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15), |
| 22 | #114);                                                                    |
| 23 | #11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);                                |
| 24 | #12 = CARTESIAN_POINT('', (0.,0.,0.));                                    |
| 25 | #13 = DIRECTION('', (0.,0.,1.));                                          |
| 26 | #14 = DIRECTION('', (1.,0.,-0.));                                         |
| 27 | #15 = GEOMETRIC_CURVE_SET('', (#16,#23,#30,#37,#44,#51,#58,#65,#72,#79,   |
| 28 | #86,#93,#100,#107));                                                      |
| 29 | #16 = TRIMMED_CURVE('', #17, (#21, PARAMETER_VALUE(0.)), (#22,            |
| 30 | PARAMETER_VALUE(0.5)), .T., .PARAMETER.);                                 |

|    |                                                                             |
|----|-----------------------------------------------------------------------------|
| 31 | #17 = LINE(' ', #18, #19);                                                  |
| 32 | #18 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));          |
| 33 | #19 = VECTOR(' ', #20, 1.);                                                 |
| 34 | #20 = DIRECTION(' ', (1., 0., 0.));                                         |
| 35 | #21 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));          |
| 36 | #22 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));          |
| 37 | #23 = TRIMMED_CURVE(' ', #24, (#28, PARAMETER_VALUE(0.)), (#29,             |
| 38 | PARAMETER_VALUE(99.)), .T., .PARAMETER.);                                   |
| 39 | #24 = LINE(' ', #25, #26);                                                  |
| 40 | #25 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));          |
| 41 | #26 = VECTOR(' ', #27, 1.);                                                 |
| 42 | #27 = DIRECTION(' ', (0., 1., -1.110223024625E-16));                        |
| 43 | #28 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));          |
| 44 | #29 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));         |
| 45 | #30 = TRIMMED_CURVE(' ', #31, (#35, PARAMETER_VALUE(0.)), (#36,             |
| 46 | PARAMETER_VALUE(49.5)), .T., .PARAMETER.);                                  |
| 47 | #31 = LINE(' ', #32, #33);                                                  |
| 48 | #32 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));         |
| 49 | #33 = VECTOR(' ', #34, 1.);                                                 |
| 50 | #34 = DIRECTION(' ', (1., 0., 0.));                                         |
| 51 | #35 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));         |
| 52 | #36 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));         |
| 53 | #37 = TRIMMED_CURVE(' ', #38, (#42, PARAMETER_VALUE(0.)), (#43,             |
| 54 | PARAMETER_VALUE(4.65)), .T., .PARAMETER.);                                  |
| 55 | #38 = LINE(' ', #39, #40);                                                  |
| 56 | #39 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));         |
| 57 | #40 = VECTOR(' ', #41, 1.);                                                 |
| 58 | #41 = DIRECTION(' ', (0., 1., -1.110223024625E-16));                        |
| 59 | #42 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));         |
| 60 | #43 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));      |
| 61 | #44 = TRIMMED_CURVE(' ', #45, (#49, PARAMETER_VALUE(0.)), (#50,             |
| 62 | PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);                        |
| 63 | #45 = LINE(' ', #46, #47);                                                  |
| 64 | #46 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));      |
| 65 | #47 = VECTOR(' ', #48, 1.);                                                 |
| 66 | #48 = DIRECTION(' ', (-0.857492925713, 0.514495755428, -5.712050337476E-17) |
| 67 | );                                                                          |
| 68 | #49 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));      |
| 69 | #50 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));      |
| 70 | #51 = TRIMMED_CURVE(' ', #52, (#56, PARAMETER_VALUE(0.)), (#57,             |
| 71 | PARAMETER_VALUE(1.5)), .T., .PARAMETER.);                                   |
| 72 | #52 = LINE(' ', #53, #54);                                                  |
| 73 | #53 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));      |
| 74 | #54 = VECTOR(' ', #55, 1.);                                                 |
| 75 | #55 = DIRECTION(' ', (-1., 0., 0.));                                        |
| 76 | #56 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));      |
| 77 | #57 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));      |
| 78 | #58 = TRIMMED_CURVE(' ', #59, (#63, PARAMETER_VALUE(0.)), (#64,             |
| 79 | PARAMETER_VALUE(3.75)), .T., .PARAMETER.);                                  |
| 80 | #59 = LINE(' ', #60, #61);                                                  |
| 81 | #60 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));      |

|     |                                                                              |
|-----|------------------------------------------------------------------------------|
| 82  | #61 = VECTOR(' ', #62, 1.);                                                  |
| 83  | #62 = DIRECTION(' ', (0., 1., -1.110223024625E-16));                         |
| 84  | #63 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));       |
| 85  | #64 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));        |
| 86  | #65 = TRIMMED_CURVE(' ', #66, (#70, PARAMETER_VALUE(0.)), (#71,              |
| 87  | PARAMETER_VALUE(1.5)), .T., .PARAMETER.);                                    |
| 88  | #66 = LINE(' ', #67, #68);                                                   |
| 89  | #67 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));        |
| 90  | #68 = VECTOR(' ', #69, 1.);                                                  |
| 91  | #69 = DIRECTION(' ', (1., 0., 0.));                                          |
| 92  | #70 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));        |
| 93  | #71 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));        |
| 94  | #72 = TRIMMED_CURVE(' ', #73, (#77, PARAMETER_VALUE(0.)), (#78,              |
| 95  | PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);                         |
| 96  | #73 = LINE(' ', #74, #75);                                                   |
| 97  | #74 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));        |
| 98  | #75 = VECTOR(' ', #76, 1.);                                                  |
| 99  | #76 = DIRECTION(' ', (0.857492925713, 0.514495755428, -5.712050337476E-17)); |
| 100 | #77 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));        |
| 101 | #78 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));        |
| 102 | #79 = TRIMMED_CURVE(' ', #80, (#84, PARAMETER_VALUE(0.)), (#85,              |
| 103 | PARAMETER_VALUE(14.6)), .T., .PARAMETER.);                                   |
| 104 | #80 = LINE(' ', #81, #82);                                                   |
| 105 | #81 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));        |
| 106 | #82 = VECTOR(' ', #83, 1.);                                                  |
| 107 | #83 = DIRECTION(' ', (0., 1., -1.110223024625E-16));                         |
| 108 | #84 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));        |
| 109 | #85 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));         |
| 110 | #86 = TRIMMED_CURVE(' ', #87, (#91, PARAMETER_VALUE(0.)), (#92,              |
| 111 | PARAMETER_VALUE(5.)), .T., .PARAMETER.);                                     |
| 112 | #87 = LINE(' ', #88, #89);                                                   |
| 113 | #88 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));         |
| 114 | #89 = VECTOR(' ', #90, 1.);                                                  |
| 115 | #90 = DIRECTION(' ', (-1., 0., 0.));                                         |
| 116 | #91 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));         |
| 117 | #92 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));         |
| 118 | #93 = TRIMMED_CURVE(' ', #94, (#98, PARAMETER_VALUE(0.)), (#99,              |
| 119 | PARAMETER_VALUE(3.162277660168)), .T., .PARAMETER.);                         |
| 120 | #94 = LINE(' ', #95, #96);                                                   |
| 121 | #95 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));         |
| 122 | #96 = VECTOR(' ', #97, 1.);                                                  |
| 123 | #97 = DIRECTION(' ', (-0.316227766017, 0.948683298051, -1.053250040573E-16)  |
| 124 | );                                                                           |
| 125 | #98 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));         |
| 126 | #99 = CARTESIAN_POINT(' ', (32.857601673043, 128., -0.10395441374));         |
| 127 | #100 = TRIMMED_CURVE(' ', #101, (#105, PARAMETER_VALUE(0.)), (#106,          |
| 128 | PARAMETER_VALUE(44.)), .T., .PARAMETER.);                                    |
| 129 | #101 = LINE(' ', #102, #103);                                                |
| 130 | #102 = CARTESIAN_POINT(' ', (32.857601673043, 128., -0.10395441374));        |
| 131 | #103 = VECTOR(' ', #104, 1.);                                                |
| 132 | #104 = DIRECTION(' ', (-1., 0., 0.));                                        |

|     |                                                                          |
|-----|--------------------------------------------------------------------------|
| 133 | #105 = CARTESIAN_POINT('',(32.857601673043,128.,-0.10395441374));        |
| 134 | #106 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));        |
| 135 | #107 = TRIMMED_CURVE('',#108,(#112,PARAMETER_VALUE(0.)),(#113,           |
| 136 | PARAMETER_VALUE(128.)),.T.,.PARAMETER.);                                 |
| 137 | #108 = LINE('',#109,#110);                                               |
| 138 | #109 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));        |
| 139 | #110 = VECTOR('',#111,1.);                                               |
| 140 | #111 = DIRECTION('',(0.,-1.,1.110223024625E-16));                        |
| 141 | #112 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));        |
| 142 | #113 = CARTESIAN_POINT('',(-11.14239832695,0.,-0.10395441374));          |
| 143 | #114 = ( GEOMETRIC_REPRESENTATION_CONTEXT(3)                             |
| 144 | GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#118)) GLOBAL_UNIT_ASSIGNED_CONTEXT |
| 145 | ((#115,#116,#117)) REPRESENTATION_CONTEXT('Context #1',                  |
| 146 | '3D Context with UNIT and UNCERTAINTY' ) );                              |
| 147 | #115 = ( LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.) );         |
| 148 | #116 = ( NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.) );        |
| 149 | #117 = ( NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT() );     |
| 150 | #118 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(20.),#115,           |
| 151 | 'distance_accuracy_value','confusion accuracy');                         |
| 152 | #119 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));                 |
| 153 | #120 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#121) |
| 154 | ,#114);                                                                  |
| 155 | #121 = STYLED_ITEM('color',(#122),#15);                                  |
| 156 | #122 = PRESENTATION_STYLE_ASSIGNMENT((#123));                            |
| 157 | #123 = SURFACE_STYLE_USAGE(.BOTH.,#124);                                 |
| 158 | #124 = SURFACE_SIDE_STYLE('',(#125));                                    |
| 159 | #125 = SURFACE_STYLE_FILL_AREA(#126);                                    |
| 160 | #126 = FILL_AREA_STYLE('',(#127));                                       |
| 161 | #127 = FILL_AREA_STYLE_COLOUR('',#128);                                  |
| 162 | #128 = COLOUR_RGB('',0.588235318661,0.588235318661,0.588235318661);      |
| 163 | ENDSEC;                                                                  |
| 164 | END-ISO-10303-21;                                                        |