

Dateiauswertung

GLEICH

84-1.5.1.354/53517/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.354/53517/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model'),'2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:41',('Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5');
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 55','Pottmanager 55', '#8);
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));
28	#16 = TRIMMED_CURVE('', #17, (#22,PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(2.530727415392)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18,4.E-03);

31	#18 = AXIS2_PLACEMENT_3D(' ',#19,#20,#21);
32	#19 = CARTESIAN_POINT(' ',(2.140011741333E-04,5.766705549334E-04,
33	2.627604019855E-05));
34	#20 = DIRECTION(' ',(0.121869343405,-1.110223024625E-16,-0.992546151641)
35	);
36	#21 = DIRECTION(' ',(0.782137040944,-0.615661475326,9.603435313825E-02));
37	#22 = CARTESIAN_POINT(' ',(3.342549337911E-03,-1.885975346369E-03,
38	4.104134527515E-04));
39	#23 = CARTESIAN_POINT(' ',(-3.750742432411E-03,7.860143799051E-04,
40	-4.605332626236E-04));
41	#24 = TRIMMED_CURVE(' ',#25,(#29,PARAMETER_VALUE(0.)),(#30,
42	PARAMETER_VALUE(16.592382456547)),.T.,.PARAMETER.);
43	#25 = LINE(' ',#26,#27);
44	#26 = CARTESIAN_POINT(' ',(3.342549337911E-03,-1.885975346369E-03,
45	4.104134527515E-04));
46	#27 = VECTOR(' ',#28,1.);
47	#28 = DIRECTION(' ',(0.611072428048,0.788010753607,7.503025975778E-02));
48	#29 = CARTESIAN_POINT(' ',(3.342549337911E-03,-1.885975346369E-03,
49	4.104134527515E-04));
50	#30 = CARTESIAN_POINT(' ',(10.142489984166,13.073089828368,1.245341179168
51	));
52	#31 = TRIMMED_CURVE(' ',#32,(#37,PARAMETER_VALUE(5.672320068981)),(#38,
53	PARAMETER_VALUE(6.28318530718)),.T.,.PARAMETER.);
54	#32 = CIRCLE(' ',#33,4.E-03);
55	#33 = AXIS2_PLACEMENT_3D(' ',#34,#35,#36);
56	#34 = CARTESIAN_POINT(' ',(10.139361436003,13.07555247427,1.244957041755)
57	);
58	#35 = DIRECTION(' ',(0.121869343405,-1.110223024625E-16,-0.992546151641)
59	);
60	#36 = DIRECTION(' ',(0.782137040944,-0.615661475326,9.603435313825E-02));
61	#37 = CARTESIAN_POINT(' ',(10.143326179609,13.075343130445,1.245443851058
62	));
63	#38 = CARTESIAN_POINT(' ',(10.142489984166,13.073089828368,1.245341179168
64	));
65	#39 = TRIMMED_CURVE(' ',#40,(#44,PARAMETER_VALUE(0.)),(#45,
66	PARAMETER_VALUE(16.592382456547)),.T.,.PARAMETER.);
67	#40 = LINE(' ',#41,#42);
68	#41 = CARTESIAN_POINT(' ',(10.143326179609,13.075343130445,1.245443851058
69	));
70	#42 = VECTOR(' ',#43,1.);
71	#43 = DIRECTION(' ',(5.19458519614E-02,0.998629534755,6.378148623808E-03)
72	);
73	#44 = CARTESIAN_POINT(' ',(10.143326179609,13.075343130445,1.245443851058
74	));
75	#45 = CARTESIAN_POINT(' ',(11.005231622384,29.644986303496,1.351272532389
76	));
77	#46 = TRIMMED_CURVE(' ',#47,(#52,PARAMETER_VALUE(3.14159265359)),(#53,
78	PARAMETER_VALUE(5.672320068981)),.T.,.PARAMETER.);
79	#47 = CIRCLE(' ',#48,4.E-03);
80	#48 = AXIS2_PLACEMENT_3D(' ',#49,#50,#51);
81	#49 = CARTESIAN_POINT(' ',(11.001266878777,29.645195647321,1.350785723086

82	));
83	#50 = DIRECTION(' ', (0.121869343405, -1.110223024625E-16, -0.992546151641)
84	);
85	#51 = DIRECTION(' ', (0.782137040944, -0.615661475326, 9.603435313825E-02));
86	#52 = CARTESIAN_POINT(' ', (10.998138330614, 29.647658293223, 1.350401585674
87	));
88	#53 = CARTESIAN_POINT(' ', (11.005231622384, 29.644986303496, 1.351272532389
89	));
90	#54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,
91	PARAMETER_VALUE(16.592382456547)), .T., .PARAMETER.);
92	#55 = LINE(' ', #56, #57);
93	#56 = CARTESIAN_POINT(' ', (10.998138330614, 29.647658293223, 1.350401585674
94	));
95	#57 = VECTOR(' ', #58, 1.);
96	#58 = DIRECTION(' ', (-0.611072428048, -0.788010753607, -7.503025975778E-02)
97	);
98	#59 = CARTESIAN_POINT(' ', (10.998138330614, 29.647658293223, 1.350401585674
99	));
100	#60 = CARTESIAN_POINT(' ', (0.858990895785, 16.572682489508, 0.105470819959)
101	);
102	#61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(2.530727415392)), (#68,
103	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
104	#62 = CIRCLE(' ', #63, 4.E-03);
105	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
106	#64 = CARTESIAN_POINT(' ', (0.862119443949, 16.570219843607, 0.105854957371)
107	);
108	#65 = DIRECTION(' ', (0.121869343405, -1.110223024625E-16, -0.992546151641)
109	);
110	#66 = DIRECTION(' ', (0.782137040944, -0.615661475326, 9.603435313825E-02));
111	#67 = CARTESIAN_POINT(' ', (0.858154700342, 16.570429187432, 0.105368148068)
112	);
113	#68 = CARTESIAN_POINT(' ', (0.858990895785, 16.572682489508, 0.105470819959)
114	);
115	#69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,
116	PARAMETER_VALUE(16.592382456547)), .T., .PARAMETER.);
117	#70 = LINE(' ', #71, #72);
118	#71 = CARTESIAN_POINT(' ', (0.858154700342, 16.570429187432, 0.105368148068)
119	);
120	#72 = VECTOR(' ', #73, 1.);
121	#73 = DIRECTION(' ', (-5.19458519614E-02, -0.998629534755,
122	-6.378148623808E-03));
123	#74 = CARTESIAN_POINT(' ', (0.858154700342, 16.570429187432, 0.105368148068)
124	);
125	#75 = CARTESIAN_POINT(' ', (-3.750742432411E-03, 7.860143799051E-04,
126	-4.605332626236E-04));
127	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
128	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
129	(#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',
130	'3D Context with UNIT and UNCERTAINTY'));
131	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
132	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));

133	#79 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
134	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#77,
135	'distance_accuracy_value','confusion accuracy');
136	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
137	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#83),
138	#76);
139	#83 = STYLED_ITEM('color',(#84),#15);
140	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
141	#85 = SURFACE_STYLE_USAGE(.BOTH.,#86);
142	#86 = SURFACE_SIDE_STYLE('',(#87));
143	#87 = SURFACE_STYLE_FILL_AREA(#88);
144	#88 = FILL_AREA_STYLE('',(#89));
145	#89 = FILL_AREA_STYLE_COLOUR('',(#90);
146	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
147	ENDSEC;
148	END-ISO-10303-21;