

Dateiauswertung

GLEICH

84-1.5.1.354/53744/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.354/53744/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:46','Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 92','Pottmanager 92', '#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));
28	#16 = TRIMMED_CURVE('', #17, (#22,PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(1.745329251994)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18,0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (-0.101263780384, 0.102376162792,
33	2.146301710819E-02));
34	#20 = DIRECTION(' ', (-0.103379886883, 0.10510124939, -0.989073468639));
35	#21 = DIRECTION(' ', (0.991749502082, 8.66730329624E-02, -9.444951285306E-02
36	));
37	#22 = CARTESIAN_POINT(' ', (0.295436020449, 0.137045375977,
38	-1.631678803303E-02));
39	#23 = CARTESIAN_POINT(' ', (-0.140290907945, -0.293894757207,
40	-1.656646194356E-02));
41	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
42	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
43	#25 = LINE(' ', #26, #27);
44	#26 = CARTESIAN_POINT(' ', (0.295436020449, 0.137045375977,
45	-1.631678803303E-02));
46	#27 = VECTOR(' ', #28, 1.);
47	#28 = DIRECTION(' ', (-7.579923554443E-02, 0.990677299999, 0.113194360094));
48	#29 = CARTESIAN_POINT(' ', (0.295436020449, 0.137045375977,
49	-1.631678803303E-02));
50	#30 = CARTESIAN_POINT(' ', (-0.620489854647, 12.107970497081, 1.351475942069
51	));
52	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(4.886921905584)), (#38,
53	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
54	#32 = CIRCLE(' ', #33, 0.4);
55	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
56	#34 = CARTESIAN_POINT(' ', (-1.017189655479, 12.073301283896, 1.389255747211
57	));
58	#35 = DIRECTION(' ', (-0.103379886883, 0.10510124939, -0.989073468639));
59	#36 = DIRECTION(' ', (0.991749502082, 8.66730329624E-02, -9.444951285306E-02
60	));
61	#37 = CARTESIAN_POINT(' ', (-0.978162527919, 12.469572203895, 1.427285226262
62	));
63	#38 = CARTESIAN_POINT(' ', (-0.620489854647, 12.107970497081, 1.351475942069
64	));
65	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
66	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
67	#40 = LINE(' ', #41, #42);
68	#41 = CARTESIAN_POINT(' ', (-0.978162527919, 12.469572203895, 1.427285226262
69	));
70	#42 = VECTOR(' ', #43, 1.);
71	#43 = DIRECTION(' ', (-0.989844997817, 8.66730329624E-02, 0.112670606878));
72	#44 = CARTESIAN_POINT(' ', (-0.978162527919, 12.469572203895, 1.427285226262
73	));
74	#45 = CARTESIAN_POINT(' ', (-12.93903046177, 13.516892443909, 2.788749144222
75	));
76	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
77	PARAMETER_VALUE(4.886921905584)), .T., .PARAMETER.);
78	#47 = CIRCLE(' ', #48, 0.4);
79	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
80	#49 = CARTESIAN_POINT(' ', (-12.97805758933, 13.12062152391, 2.75071966517)
81	);

82	#50 = DIRECTION(' ', (-0.103379886883, 0.10510124939, -0.989073468639));
83	#51 = DIRECTION(' ', (0.991749502082, 8.66730329624E-02, -9.444951285306E-02
84	));
85	#52 = CARTESIAN_POINT(' ', (-13.37475739017, 13.085952310725, 2.788499470312
86	));
87	#53 = CARTESIAN_POINT(' ', (-12.93903046177, 13.516892443909, 2.788749144222
88	));
89	#54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,
90	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
91	#55 = LINE(' ', #56, #57);
92	#56 = CARTESIAN_POINT(' ', (-13.37475739017, 13.085952310725, 2.788499470312
93	));
94	#57 = VECTOR(' ', #58, 1.);
95	#58 = DIRECTION(' ', (7.579923554443E-02, -0.990677299999, -0.113194360094)
96	);
97	#59 = CARTESIAN_POINT(' ', (-13.37475739017, 13.085952310725, 2.788499470312
98	));
99	#60 = CARTESIAN_POINT(' ', (-12.45883151507, 1.115027189622, 1.420706740209)
100	);
101	#61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(1.745329251994)), (#68,
102	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
103	#62 = CIRCLE(' ', #63, 0.4);
104	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
105	#64 = CARTESIAN_POINT(' ', (-12.06213171424, 1.149696402807, 1.382926935068)
106	);
107	#65 = DIRECTION(' ', (-0.103379886883, 0.10510124939, -0.989073468639));
108	#66 = DIRECTION(' ', (0.991749502082, 8.66730329624E-02, -9.444951285306E-02
109	));
110	#67 = CARTESIAN_POINT(' ', (-12.1011588418, 0.753425482807, 1.344897456016)
111	);
112	#68 = CARTESIAN_POINT(' ', (-12.45883151507, 1.115027189622, 1.420706740209)
113	);
114	#69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,
115	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
116	#70 = LINE(' ', #71, #72);
117	#71 = CARTESIAN_POINT(' ', (-12.1011588418, 0.753425482807, 1.344897456016)
118	);
119	#72 = VECTOR(' ', #73, 1.);
120	#73 = DIRECTION(' ', (0.989844997817, -8.66730329624E-02, -0.112670606878));
121	#74 = CARTESIAN_POINT(' ', (-12.1011588418, 0.753425482807, 1.344897456016)
122	);
123	#75 = CARTESIAN_POINT(' ', (-0.140290907945, -0.293894757207,
124	-1.656646194356E-02));
125	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
126	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
127	(#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',
128	'3D Context with UNIT and UNCERTAINTY'));
129	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
130	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
131	#79 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
132	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #77,

133	'distance_accuracy_value', 'confusion accuracy');
134	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));
135	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('', (#83),
136	#76);
137	#83 = STYLED_ITEM('color', (#84), #15);
138	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
139	#85 = SURFACE_STYLE_USAGE(.BOTH., #86);
140	#86 = SURFACE_SIDE_STYLE('', (#87));
141	#87 = SURFACE_STYLE_FILL_AREA(#88);
142	#88 = FILL_AREA_STYLE('', (#89));
143	#89 = FILL_AREA_STYLE_COLOUR('', #90);
144	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
145	ENDSEC;
146	END-ISO-10303-21;