

Dateiauswertung

GLEICH

84-1.5.1.355/52714/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.355/52714/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model'), '2;1');
4	FILE_NAME('Open CASCADE Shape Model', '2026-09-18T15:45:14', ('Author'), (
5	'Open CASCADE'), 'Open CASCADE STEP processor 7.3', 'Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design', 2000, #2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4, #10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '', #5);
16	#5 = PRODUCT_DEFINITION('design', '', #6, #9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '', #7);
18	#7 = PRODUCT('Pottmanager 178', 'Pottmanager 178', '', (#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11, #15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
24	#12 = CARTESIAN_POINT('', (0., 0., 0.));
25	#13 = DIRECTION('', (0., 0., 1.));
26	#14 = DIRECTION('', (1., 0., -0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16, #24, #31, #39, #46, #54, #61, #69));
28	#16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(2.181661564993)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18, 0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (-12.00867055503, 2.207153596343E-15,
33	-0.10395441374));
34	#20 = DIRECTION(' ', (1.110223024625E-16, 1., -2.22044604925E-16));
35	#21 = DIRECTION(' ', (0.461748613235, 1.456915758171E-16, 0.887010833178));
36	#22 = CARTESIAN_POINT(' ', (-11.82397110974, 2.26543022667E-15,
37	0.250849919532));
38	#23 = CARTESIAN_POINT(' ', (-11.82397110974, 2.107865450656E-15,
39	-0.458758747011));
40	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
41	PARAMETER_VALUE(10.722063457247)), .T., .PARAMETER.);
42	#25 = LINE(' ', #26, #27);
43	#26 = CARTESIAN_POINT(' ', (-11.82397110974, 2.26543022667E-15,
44	0.250849919532));
45	#27 = VECTOR(' ', #28, 1.);
46	#28 = DIRECTION(' ', (-0.887010833178, 2.010067734091E-16, 0.461748613235));
47	#29 = CARTESIAN_POINT(' ', (-11.82397110974, 2.26543022667E-15,
48	0.250849919532));
49	#30 = CARTESIAN_POINT(' ', (-21.33455755034, 4.420637606499E-15,
50	5.201747851933));
51	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(5.323254218583)), (#38,
52	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
53	#32 = CIRCLE(' ', #33, 0.4);
54	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
55	#34 = CARTESIAN_POINT(' ', (-21.51925699564, 4.362360976172E-15,
56	4.846943518662));
57	#35 = DIRECTION(' ', (1.110223024625E-16, 1., -2.22044604925E-16));
58	#36 = DIRECTION(' ', (0.461748613235, 1.456915758171E-16, 0.887010833178));
59	#37 = CARTESIAN_POINT(' ', (-21.70395644093, 4.461649121859E-15,
60	5.201747851933));
61	#38 = CARTESIAN_POINT(' ', (-21.33455755034, 4.420637606499E-15,
62	5.201747851933));
63	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
64	PARAMETER_VALUE(10.722063457247)), .T., .PARAMETER.);
65	#40 = LINE(' ', #41, #42);
66	#41 = CARTESIAN_POINT(' ', (-21.70395644093, 4.461649121859E-15,
67	5.201747851933));
68	#42 = VECTOR(' ', #43, 1.);
69	#43 = DIRECTION(' ', (-0.887010833178, -4.050803391814E-18, -0.461748613235)
70	);
71	#44 = CARTESIAN_POINT(' ', (-21.70395644093, 4.461649121859E-15,
72	5.201747851933));
73	#45 = CARTESIAN_POINT(' ', (-31.21454288153, 4.418216150839E-15,
74	0.250849919532));
75	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
76	PARAMETER_VALUE(5.323254218583)), .T., .PARAMETER.);
77	#47 = CIRCLE(' ', #48, 0.4);
78	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
79	#49 = CARTESIAN_POINT(' ', (-31.02984343624, 4.318928005152E-15,
80	-0.10395441374));
81	#50 = DIRECTION(' ', (1.110223024625E-16, 1., -2.22044604925E-16));

82	#51 = DIRECTION(' ', (0.461748613235, 1.456915758171E-16, 0.887010833178));
83	#52 = CARTESIAN_POINT(' ', (-31.21454288153, 4.260651374825E-15,
84	-0.458758747011));
85	#53 = CARTESIAN_POINT(' ', (-31.21454288153, 4.418216150839E-15,
86	0.250849919532));
87	#54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,
88	PARAMETER_VALUE(10.722063457247)), .T., .PARAMETER.);
89	#55 = LINE(' ', #56, #57);
90	#56 = CARTESIAN_POINT(' ', (-31.21454288153, 4.260651374825E-15,
91	-0.458758747011));
92	#57 = VECTOR(' ', #58, 1.);
93	#58 = DIRECTION(' ', (0.887010833178, -2.010067734091E-16, -0.461748613235)
94	);
95	#59 = CARTESIAN_POINT(' ', (-31.21454288153, 4.260651374825E-15,
96	-0.458758747011));
97	#60 = CARTESIAN_POINT(' ', (-21.70395644093, 2.105443994996E-15,
98	-5.409656679413));
99	#61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(2.181661564993)), (#68,
100	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
101	#62 = CIRCLE(' ', #63, 0.4);
102	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
103	#64 = CARTESIAN_POINT(' ', (-21.51925699564, 2.163720625323E-15,
104	-5.054852346141));
105	#65 = DIRECTION(' ', (1.110223024625E-16, 1., -2.22044604925E-16));
106	#66 = DIRECTION(' ', (0.461748613235, 1.456915758171E-16, 0.887010833178));
107	#67 = CARTESIAN_POINT(' ', (-21.33455755034, 2.064432479636E-15,
108	-5.409656679413));
109	#68 = CARTESIAN_POINT(' ', (-21.70395644093, 2.105443994996E-15,
110	-5.409656679413));
111	#69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,
112	PARAMETER_VALUE(10.722063457247)), .T., .PARAMETER.);
113	#70 = LINE(' ', #71, #72);
114	#71 = CARTESIAN_POINT(' ', (-21.33455755034, 2.064432479636E-15,
115	-5.409656679413));
116	#72 = VECTOR(' ', #73, 1.);
117	#73 = DIRECTION(' ', (0.887010833178, 4.050803391814E-18, 0.461748613235));
118	#74 = CARTESIAN_POINT(' ', (-21.33455755034, 2.064432479636E-15,
119	-5.409656679413));
120	#75 = CARTESIAN_POINT(' ', (-11.82397110974, 2.107865450656E-15,
121	-0.458758747011));
122	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
123	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
124	(#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',
125	'3D Context with UNIT and UNCERTAINTY'));
126	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
127	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
128	#79 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
129	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #77,
130	'distance_accuracy_value', 'confusion accuracy');
131	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));
132	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#83),

133	#76);
134	#83 = STYLED_ITEM('color', (#84), #15);
135	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
136	#85 = SURFACE_STYLE_USAGE(.BOTH., #86);
137	#86 = SURFACE_SIDE_STYLE('', (#87));
138	#87 = SURFACE_STYLE_FILL_AREA(#88);
139	#88 = FILL_AREA_STYLE('', (#89));
140	#89 = FILL_AREA_STYLE_COLOUR('', #90);
141	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
142	ENDSEC;
143	END-ISO-10303-21;