

Dateiauswertung

GLEICH

84-1.5.1.355/52714/sketch nocut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.355/52714/sketch nocut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:14','Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 174','Pottmanager 174','',(#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#114);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#23,#30,#37,#44,#51,#58,#65,#72,#79,
28	#86,#93,#100,#107));
29	#16 = TRIMMED_CURVE('', #17, (#21, PARAMETER_VALUE(0.)), (#22,
30	PARAMETER_VALUE(0.5)), .T., .PARAMETER.);

31	#17 = LINE(' ', #18, #19);
32	#18 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));
33	#19 = VECTOR(' ', #20, 1.);
34	#20 = DIRECTION(' ', (1., 0., 0.));
35	#21 = CARTESIAN_POINT(' ', (-11.14239832695, 0., -0.10395441374));
36	#22 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));
37	#23 = TRIMMED_CURVE(' ', #24, (#28, PARAMETER_VALUE(0.)), (#29,
38	PARAMETER_VALUE(99.)), .T., .PARAMETER.);
39	#24 = LINE(' ', #25, #26);
40	#25 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));
41	#26 = VECTOR(' ', #27, 1.);
42	#27 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
43	#28 = CARTESIAN_POINT(' ', (-10.64239832695, 0., -0.10395441374));
44	#29 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));
45	#30 = TRIMMED_CURVE(' ', #31, (#35, PARAMETER_VALUE(0.)), (#36,
46	PARAMETER_VALUE(49.5)), .T., .PARAMETER.);
47	#31 = LINE(' ', #32, #33);
48	#32 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));
49	#33 = VECTOR(' ', #34, 1.);
50	#34 = DIRECTION(' ', (1., 0., 0.));
51	#35 = CARTESIAN_POINT(' ', (-10.64239832695, 99., -0.10395441374));
52	#36 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));
53	#37 = TRIMMED_CURVE(' ', #38, (#42, PARAMETER_VALUE(0.)), (#43,
54	PARAMETER_VALUE(4.65)), .T., .PARAMETER.);
55	#38 = LINE(' ', #39, #40);
56	#39 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));
57	#40 = VECTOR(' ', #41, 1.);
58	#41 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
59	#42 = CARTESIAN_POINT(' ', (38.857601673043, 99., -0.10395441374));
60	#43 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));
61	#44 = TRIMMED_CURVE(' ', #45, (#49, PARAMETER_VALUE(0.)), (#50,
62	PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);
63	#45 = LINE(' ', #46, #47);
64	#46 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));
65	#47 = VECTOR(' ', #48, 1.);
66	#48 = DIRECTION(' ', (-0.857492925713, 0.514495755428, -5.712050337476E-17)
67	);
68	#49 = CARTESIAN_POINT(' ', (38.857601673043, 103.65, -0.10395441374));
69	#50 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));
70	#51 = TRIMMED_CURVE(' ', #52, (#56, PARAMETER_VALUE(0.)), (#57,
71	PARAMETER_VALUE(1.5)), .T., .PARAMETER.);
72	#52 = LINE(' ', #53, #54);
73	#53 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));
74	#54 = VECTOR(' ', #55, 1.);
75	#55 = DIRECTION(' ', (-1., 0., 0.));
76	#56 = CARTESIAN_POINT(' ', (36.357601673043, 105.15, -0.10395441374));
77	#57 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));
78	#58 = TRIMMED_CURVE(' ', #59, (#63, PARAMETER_VALUE(0.)), (#64,
79	PARAMETER_VALUE(3.75)), .T., .PARAMETER.);
80	#59 = LINE(' ', #60, #61);
81	#60 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));

82	#61 = VECTOR(' ', #62, 1.);
83	#62 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
84	#63 = CARTESIAN_POINT(' ', (34.857601673043, 105.15, -0.10395441374));
85	#64 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));
86	#65 = TRIMMED_CURVE(' ', #66, (#70, PARAMETER_VALUE(0.)), (#71,
87	PARAMETER_VALUE(1.5)), .T., .PARAMETER.);
88	#66 = LINE(' ', #67, #68);
89	#67 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));
90	#68 = VECTOR(' ', #69, 1.);
91	#69 = DIRECTION(' ', (1., 0., 0.));
92	#70 = CARTESIAN_POINT(' ', (34.857601673043, 108.9, -0.10395441374));
93	#71 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));
94	#72 = TRIMMED_CURVE(' ', #73, (#77, PARAMETER_VALUE(0.)), (#78,
95	PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);
96	#73 = LINE(' ', #74, #75);
97	#74 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));
98	#75 = VECTOR(' ', #76, 1.);
99	#76 = DIRECTION(' ', (0.857492925713, 0.514495755428, -5.712050337476E-17));
100	#77 = CARTESIAN_POINT(' ', (36.357601673043, 108.9, -0.10395441374));
101	#78 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));
102	#79 = TRIMMED_CURVE(' ', #80, (#84, PARAMETER_VALUE(0.)), (#85,
103	PARAMETER_VALUE(14.6)), .T., .PARAMETER.);
104	#80 = LINE(' ', #81, #82);
105	#81 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));
106	#82 = VECTOR(' ', #83, 1.);
107	#83 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
108	#84 = CARTESIAN_POINT(' ', (38.857601673043, 110.4, -0.10395441374));
109	#85 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));
110	#86 = TRIMMED_CURVE(' ', #87, (#91, PARAMETER_VALUE(0.)), (#92,
111	PARAMETER_VALUE(5.)), .T., .PARAMETER.);
112	#87 = LINE(' ', #88, #89);
113	#88 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));
114	#89 = VECTOR(' ', #90, 1.);
115	#90 = DIRECTION(' ', (-1., 0., 0.));
116	#91 = CARTESIAN_POINT(' ', (38.857601673043, 125., -0.10395441374));
117	#92 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));
118	#93 = TRIMMED_CURVE(' ', #94, (#98, PARAMETER_VALUE(0.)), (#99,
119	PARAMETER_VALUE(3.162277660168)), .T., .PARAMETER.);
120	#94 = LINE(' ', #95, #96);
121	#95 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));
122	#96 = VECTOR(' ', #97, 1.);
123	#97 = DIRECTION(' ', (-0.316227766017, 0.948683298051, -1.053250040573E-16)
124	);
125	#98 = CARTESIAN_POINT(' ', (33.857601673043, 125., -0.10395441374));
126	#99 = CARTESIAN_POINT(' ', (32.857601673043, 128., -0.10395441374));
127	#100 = TRIMMED_CURVE(' ', #101, (#105, PARAMETER_VALUE(0.)), (#106,
128	PARAMETER_VALUE(44.)), .T., .PARAMETER.);
129	#101 = LINE(' ', #102, #103);
130	#102 = CARTESIAN_POINT(' ', (32.857601673043, 128., -0.10395441374));
131	#103 = VECTOR(' ', #104, 1.);
132	#104 = DIRECTION(' ', (-1., 0., 0.));

133	#105 = CARTESIAN_POINT('',(32.857601673043,128.,-0.10395441374));
134	#106 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));
135	#107 = TRIMMED_CURVE('',#108,(#112,PARAMETER_VALUE(0.)),(#113,
136	PARAMETER_VALUE(128.)),.T.,.PARAMETER.);
137	#108 = LINE('',#109,#110);
138	#109 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));
139	#110 = VECTOR('',#111,1.);
140	#111 = DIRECTION('',(0.,-1.,1.110223024625E-16));
141	#112 = CARTESIAN_POINT('',(-11.14239832695,128.,-0.10395441374));
142	#113 = CARTESIAN_POINT('',(-11.14239832695,0.,-0.10395441374));
143	#114 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
144	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#118)) GLOBAL_UNIT_ASSIGNED_CONTEXT
145	((#115,#116,#117)) REPRESENTATION_CONTEXT('Context #1',
146	'3D Context with UNIT and UNCERTAINTY'));
147	#115 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
148	#116 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));
149	#117 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
150	#118 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(20.),#115,
151	'distance_accuracy_value','confusion accuracy');
152	#119 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
153	#120 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#121)
154	,#114);
155	#121 = STYLED_ITEM('color',(#122),#15);
156	#122 = PRESENTATION_STYLE_ASSIGNMENT((#123));
157	#123 = SURFACE_STYLE_USAGE(.BOTH.,#124);
158	#124 = SURFACE_SIDE_STYLE('',(#125));
159	#125 = SURFACE_STYLE_FILL_AREA(#126);
160	#126 = FILL_AREA_STYLE('',(#127));
161	#127 = FILL_AREA_STYLE_COLOUR('',(#128);
162	#128 = COLOUR_RGB('',0.588235318661,0.588235318661,0.588235318661);
163	ENDSEC;
164	END-ISO-10303-21;