

Dateiauswertung

GLEICH

84-1.5.1.355/52724/shape cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.355/52724/shape cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:15',('Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 191','Pottmanager 191','',(#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = ADVANCED_BREP_SHAPE_REPRESENTATION('', (#11,#15), #67);
22	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
23	#12 = CARTESIAN_POINT('', (0., 0., 0.));
24	#13 = DIRECTION('', (0., 0., 1.));
25	#14 = DIRECTION('', (1., 0., -0.));
26	#15 = MANIFOLD_SOLID_BREP('', #16);
27	#16 = CLOSED_SHELL('', (#17, #49, #58));
28	#17 = ADVANCED_FACE('', (#18), #44, .T.);
29	#18 = FACE_BOUND('', #19, .T.);
30	#19 = EDGE_LOOP('', (#20, #29, #36, #43));

31	#20 = ORIENTED_EDGE(' ', *, *, #21, .T.);
32	#21 = EDGE_CURVE(' ', #22, #22, #24, .T.);
33	#22 = VERTEX_POINT(' ', #23);
34	#23 = CARTESIAN_POINT(' ', (6., 6., -6.661338147751E-16));
35	#24 = CIRCLE(' ', #25, 6.);
36	#25 = AXIS2_PLACEMENT_3D(' ', #26, #27, #28);
37	#26 = CARTESIAN_POINT(' ', (6., 0., 0.));
38	#27 = DIRECTION(' ', (0., -1.110223024625E-16, -1.));
39	#28 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
40	#29 = ORIENTED_EDGE(' ', *, *, #30, .T.);
41	#30 = EDGE_CURVE(' ', #22, #31, #33, .T.);
42	#31 = VERTEX_POINT(' ', #32);
43	#32 = CARTESIAN_POINT(' ', (6., 4.267501612099, -4.7600002));
44	#33 = B_SPLINE_CURVE_WITH_KNOTS(' ', 1, (#34, #35), .UNSPECIFIED., .F., .F., (2,
45	2), (0., 1.), .PIECEWISE_BEZIER_KNOTS.);
46	#34 = CARTESIAN_POINT(' ', (6., 6., -6.661338147751E-16));
47	#35 = CARTESIAN_POINT(' ', (6., 4.267501612099, -4.7600002));
48	#36 = ORIENTED_EDGE(' ', *, *, #37, .F.);
49	#37 = EDGE_CURVE(' ', #31, #31, #38, .T.);
50	#38 = CIRCLE(' ', #39, 4.267501612099);
51	#39 = AXIS2_PLACEMENT_3D(' ', #40, #41, #42);
52	#40 = CARTESIAN_POINT(' ', (6., -5.28466181926E-16, -4.7600002));
53	#41 = DIRECTION(' ', (0., -1.110223024625E-16, -1.));
54	#42 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
55	#43 = ORIENTED_EDGE(' ', *, *, #30, .F.);
56	#44 = CONICAL_SURFACE(' ', #45, 6., 0.349065850399);
57	#45 = AXIS2_PLACEMENT_3D(' ', #46, #47, #48);
58	#46 = CARTESIAN_POINT(' ', (6., 0., 0.));
59	#47 = DIRECTION(' ', (0., 1.110223024625E-16, 1.));
60	#48 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
61	#49 = ADVANCED_FACE(' ', (#50), #53, .F.);
62	#50 = FACE_BOUND(' ', #51, .F.);
63	#51 = EDGE_LOOP(' ', (#52));
64	#52 = ORIENTED_EDGE(' ', *, *, #21, .T.);
65	#53 = PLANE(' ', #54);
66	#54 = AXIS2_PLACEMENT_3D(' ', #55, #56, #57);
67	#55 = CARTESIAN_POINT(' ', (6., 0., 0.));
68	#56 = DIRECTION(' ', (0., -1.110223024625E-16, -1.));
69	#57 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
70	#58 = ADVANCED_FACE(' ', (#59), #62, .T.);
71	#59 = FACE_BOUND(' ', #60, .T.);
72	#60 = EDGE_LOOP(' ', (#61));
73	#61 = ORIENTED_EDGE(' ', *, *, #37, .T.);
74	#62 = PLANE(' ', #63);
75	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
76	#64 = CARTESIAN_POINT(' ', (6., -5.28466181926E-16, -4.7600002));
77	#65 = DIRECTION(' ', (0., -1.110223024625E-16, -1.));
78	#66 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
79	#67 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
80	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#71)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
81	(#68, #69, #70)) REPRESENTATION_CONTEXT('Context #1',

82	'3D Context with UNIT and UNCERTAINTY'));
83	#68 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
84	#69 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
85	#70 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
86	#71 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #68,
87	'distance_accuracy_value', 'confusion accuracy');
88	#72 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));
89	#73 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#74),
90	#67);
91	#74 = STYLED_ITEM('color', (#75), #15);
92	#75 = PRESENTATION_STYLE_ASSIGNMENT((#76));
93	#76 = SURFACE_STYLE_USAGE(.BOTH., #77);
94	#77 = SURFACE_SIDE_STYLE(' ', (#78));
95	#78 = SURFACE_STYLE_FILL_AREA(#79);
96	#79 = FILL_AREA_STYLE(' ', (#80));
97	#80 = FILL_AREA_STYLE_COLOUR(' ', #81);
98	#81 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
99	ENDSEC;
100	END-ISO-10303-21;